


HEATHKIT®



MASTER PARTS LIST

Volume I

HEATH MASTER PARTS LIST

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
COMPOSITION RESISTORS							
1-1	47 Ohm ½W. 10%	.10	1-59	220K Ohm ½W. 5%	.15
1-2	68 Ohm ½W. 10%	.10	1-60	68K Ohm ½W. 10%	.10
1-3	100 Ohm ½W. 10%	.10	1-62	51 Ohms ½W. 5%	.15
1-4	330 Ohm ½W. 10%	.10	1-63	510 Ohms ½W. 5%	.15
1-5	360 Ohm ½W. 5%	.15	1-64	5.1K Ohms ½W. 5%	.15
1-6	470 Ohm ½W. 10%	.10	1-65	51K Ohms ½W. 5%	.15
1-7	680 Ohm ½W. 10%	.10	1-66	150 Ohm ½W. 10%	.10
1-8	820 Ohm ½W. 10%	.10	1-67	39K ½W. 10%	.10
1-9	1K Ohm ½W. 10%	.10	1-68	820K ½W. 10%	.10
1-10	1.2K Ohm ½W. 10%	.10	1-69	18K ½W. 10%	.10
1-11	1.5K Ohm ½W. 10%	.10	1-70	22 Meg. ½W. 10%	.10
1-13	2.7K Ohm ½W. 10%	.10	1-71	4.7 Meg. ½Watt 10%	.10
1-14	3.3K Ohm ½W. 10%	.10	1-72	2.2 Ohm ½W. 10%	.15
1-16	4.7K Ohm ½W. 10%	.10	1-73	8.2K Ohm ½W. 10%	.10
1-18	5.6K Ohm ½W. 10%	.10	1-74	18 Meg. ½W. 10%	.10
1-19	6.8K Ohm ½W. 10%	.10	1-77	390K ½W. 5%	.15
1-20	10K Ohm ½W. 10%	.10	1-78	3.3 Meg. ½W. 5%	.15
1-21	15K Ohm ½W. 10%	.10	1-79	820 Ohm ½W. 5%	.15
1-22	22K Ohm ½W. 10%	.10	1-80	1200 Ohm ½W. 5%	.15
1-23	27K Ohm ½W. 10%	.10	1-81	1500 Ohm ½W. 5%	.15
1-24	33K Ohm ½W. 10%	.10	1-82	3600 Ohm ½W. 5%	.15
1-25	47K Ohm ½W. 10%	.10	1-83	56 Ohm ½W. 5%	.15
1-26	100K Ohm ½W. 10%	.10	1-84	62 Ohm ½W. 5%	.15
1-27	150K Ohm ½W. 10%	.10	1-86	5.6 Megohm ½Watt 10%	.10
1-29	220K Ohm ½W. 10%	.10	1-87	330K ½W. 5%	.15
1-30	270K Ohm ½W. 10%	.10	1-88	36K ½W. 5%	.15
1-31	330K Ohm ½W. 10%	.10	1-89	2.4K Ohm ½W. 5%	.15
1-32	390K Ohm ½W. 10%	.10	1-90	2K Ohm ½W. 5%	.15
1-33	470K Ohm ½W. 10%	.10	1-93	1.8K ½W. 10%	.10
1-34	680K Ohm ½W. 10%	.10	1-94	390 Ohm ½W. 5%	.10
1-35	1 Megohm ½W. 10%	.10	1-95	560 Ohm ½W. 5%	.15
1-36	1.5 Megohm ½W. 10%	.10	1-96	750 Ohm ½W. 5%	.15
1-37	2.2 Megohm ½W. 10%	.10	1-97	1100 Ohm ½W. 5%	.15
1-38	3.3 Megohm ½W. 10%	.10	1-98	1600 Ohm ½W. 5%	.15
1-39	4.7 Megohm ½W. 5%	.15	1-99	240K Ohm ½W. 5%	.15
1-40	10 Megohm ½W. 10%	.10	1-100	510K Ohm ½W. 5%	.15
1-41	10 Ohm ½W. 10%	.10	1-101	1 Megohm ½W. 5%	.15
1-42	270 Ohm ½W. 10%	.10	1-102	82K ½W. 10%	.10
1-43	4.7K Ohm ½W. 5%	.15	1-103	33 Ohm ½W. 10%	.10
1-44	2.2K Ohm ½W. 10%	.10	1-104	100K Ohm ½W. 5%	.15
1-45	220 Ohm ½W. 10%	.10	1-105	10K Ohm ½W. 5%	.15
1-46	3.9K Ohm ½W. 10%	.10	1-106	680K Ohm ½W. 5%	.15
1-47	56K Ohm ½W. 10%	.10	1-107	150K Ohm ½W. 5%	.15
1-48	390 Ohm ½W. 10%	.10	1-108	30 Ohm ½W. 5%	.15
1-49	22 Ohm ½W. 10%	.10	1-109	12K Ohm ½W. 5%	.15
1-50	68K Ohm ½W. 5%	.15	1-111	150 Ohm ½W. 5%	.15
1-51	6.8K Ohm ½W. 5%	.15	1-113	5.6K Ohm ½W. 5%	.15
1-52	680 Ohm ½W. 5%	.15	1-114	8.2K Ohm ½W. 5%	.15
1-57	2200 Ohm ½W. 5%	.15	1-116	6.2K Ohm ½W. 5%	.15
1-58	22K Ohm ½W. 5%	.15	1-117	820K Ohm ½W. 5%	.15

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
1-118	82 Ohm ½W. 10%	.10	1A-34	1 Megohm 1 W. 10%	.10
1-119	560 Ohm ½W. 10%	.10	1A-35	1.5 Megohm 1 W. 10%	.10
1-120	12 Megohm ½W. 10%	.10	1A-36	2.2 Megohm 1 W. 10%	.10
1-121	120K Ohm ½W. 10%	.10	1A-37	3.3 Megohm 1 W. 10%	.10
1-122	3.3K Ohm ½W. 5%	.15	1A-38	4.7 Megohm 1W. 10%	.10
1-123	100 Ohm ½W. 5%	.15	1A-39	6.8 Megohm 1 W. 10%	.10
1-124	27K Ohm ½W. 5%	.15	1A-40	10 Megohm 1 W. 10%	.10
1-126	180K Ohm ½W. 10%	.10	1A-41	5.6 Ohm 1 W. 5%	.25
1-127	91K Ohm ½W. 5%	.15	1A-43	51 Ohm 1 W. 5%	.25
1-128	62K Ohm ½W. 5%	.15	1A-44	18K Ohm 1 W. 10%	.10
1-129	4.7 Ohm ½W. 10%	.10	1A-46	27K Ohm 1 W. 10%	.10
1-130	8.2 Ohm ½W. 5%	.15	1A-47	3.9K Ohm 1 W. 10%	.10
1-131	620 Ohm ½W. 5%	.15	1A-48	4700 1 W. 5%	.20
1-132	20K Ohm ½W. 5%	.15	1A-50	2K Ohm 1 W. 5%	.25
1-133	15K Ohm ½Watt ±5%	.15	1A-51	4.3K Ohm 1 W. 5%	.25
1-134	3.9 Ohm ½Watt ±5%	.15	1A-52	3.0K Ohm 1 W. 5%	.25
1-135	6.8 Ohm ½Watt ±5%	.15	1A-53	1.8K Ohm 1 W. ±5%	.30
1-136	160 Ohm ½Watt ±5%	.15	1B-1	2.7K Ohm 2 W. 10%	.20
1-137	200 Ohm ½Watt ±5%	.15	1B-2	4.7K Ohm 2 W. 10%	.20
1A-1	470 Ohm 1 W. 10%	.10	1B-3	10K Ohm 2 W. 10%	.20
1A-2	1K Ohm 1 W. 10%	.10	1B-4	15K Ohm 2 W. 10%	.20
1A-3	3.3K Ohm 1 W. 10%	.10	1B-6	27K Ohm 2 W. 10%	.20
1A-4	8.2K Ohm 1 W. 10%	.10	1B-9	3.3K Ohm 2 W. 10%	.20
1A-5	22K Ohm 1 W. 10%	.10	1B-10	47K Ohm 2 W. 10%	.20
1A-7	47K Ohm 1 W. 10%	.10	1B-11	22K 2 W. 10%	.20
1A-8	68K Ohm 1 W. 10%	.10	1B-12	470 Ohm 2 W. 10%	.20
1A-9	10K Ohm 1 W. 10%	.10	1B-13	220 Ohm 2 W. 10%	.20
1A-11	10 Ohm 1 W. 10%	.10	1B-14	1500 Ohm 2 W. 10%	.20
1A-12	15 Ohm 1 W. 10%	.10	1B-15	1000 Ohm 2 W. 10%	.20
1A-13	22 Ohm 1 W. 10%	.10	1B-16	330 Ohm 2 W. 10%	.20
1A-14	33 Ohm 1 W. 10%	.10	1B-17	6800 Ohm 2 W. 10%	.20
1A-15	47 Ohm 1 W. 10%	.10	1B-18	33K Ohm 2 W. 10%	.20
1A-16	68 Ohm 1 W. 10%	.10	1B-19	1.2K 2 W. 10%	.20
1A-17	100 Ohm 1W. 10%	.10	1B-20	100 Ohm 2 W. 10%	.20
1A-18	150 Ohm 1 W. 10%	.10	1B-21	20 Ohm 2 W. 5%	.35
1A-19	220 Ohm 1 W. 10%	.10	1B-22	12K Ohm 2 W. 10%	.20
1A-20	330 Ohm 1 W. 10%	.10	1B-23	5.6K Ohm 2 W. 5%	.35
1A-21	680 Ohm 1 W. 10%	.10	1B-24	100K Ohm 2 W. 10%	.20
1A-22	1500 Ohm 1 W. 10%	.10	1B-25	43 Ohm 2 W. 5%	.35
1A-23	2200 Ohm 1 W. 10%	.10	1B-27	68K Ohm 2 W. 10%	.35
1A-24	4700 Ohm 1 W. 10%	.10	1B-28	15 Ohm 2 W. 20%	.20
1A-25	6800 Ohm 1 W. 10%	.10	1B-29	75K Ohm 2 W. 5%	.35
1A-26	15K Ohm 1 W. 10%	.10	1B-31	1 Megohm 2 W. ±5%	.45
1A-27	33K Ohm 1 W. 10%	.10	1J-1	100 Ohm 10 W. 10% Glo-Bar	5.80
1A-28	100K Ohm 1 W. 10%	.10	1J-2	50 Ohm 30 W. ±10% Glo-Bar	5.80
1A-29	150K Ohm 1 W. 10%	.10				
1A-30	220K Ohm 1 W. 10%	.10				
1A-31	330K Ohm 1 W. 10%	.10				
1A-32	470K Ohm 1 W. 10%	.10				
1A-33	680K Ohm 1 W. 10%	.10				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
PRECISION RESISTORS							
2-1	1 Ohm ½W. ½%	.70	-----	2-58	1K Ohm ½W. 1%	.25	-----
2-2	9 Ohm ½W. ½%	.70	-----	2-59	550 Ohm ½W. ½%	.70	-----
2-3	90 Ohm ½W. ½%	.70	-----	2-60	.483 Ohm ½W. 1%	1.25	-----
2-4	100 Ohm ½W. ½%	.60	-----	2-61	1.17 Ohm ½W. 1%	.75	-----
2-5	900 Ohm ½W. ½%	.60	-----	2-62	11.5 Ohm ½W. 1%	.25	-----
2-6	1K Ohm ½W. ½%	.60	-----	2-63	15 Ohm ½W. 1%	.25	-----
2-7	9K Ohm ½W. ½%	.60	-----	2-64	110 Ohm ½W. 1%	.25	-----
2-9	70K Ohm ½W. 1%	.25	-----	2-65	1138 Ohm ½W. 1%	.25	-----
2-10	90K Ohm ½W. ½%	.70	-----	2-66	2484 Ohm ½W. 1%	.25	-----
2-11	100K Ohm ½W. 1%	.25	-----	2-67	2725 Ohm ½W. 1%	.25	-----
2-13	700K Ohm ½W. 1%	.25	-----	2-68	3K Ohm ½W. 1%	.25	-----
2-14	1 Megohm ½W. 1%	.25	-----	2-69	4590 Ohm ½W. 1%	.25	-----
2-16	7 Megohm ½W. 1%	.35	-----	2-70	17500 Ohm ½W. 1%	.25	-----
2-17	10 Megohm ½W. 1%	.35	-----	2-71	21850 Ohm ½W. 1%	.25	-----
2-18	2.51 Ohm ½W. 1%	.55	-----	2-72	28K Ohm ½W. 1%	.25	-----
2-19	9 Ohm ½W. 1%	.25	-----	2-73	70K Ohm ½W. 1%	.25	-----
2-20	26 Ohm ½W. 1%	.30	-----	2-74	117,700 Ohm ½W. 1%	.25	-----
2-21	29 Ohm ½W. 1%	.30	-----	2-75	225K Ohm ½W. 1%	.25	-----
2-22	31.62 Ohm ½W. 1%	.25	-----	2-76	500K Ohm ½W. 1%	.25	-----
2-23	68.38 Ohm ½W. 1%	.30	-----	2-77	900K Ohm ½W. 1%	.25	-----
2-24	90 Ohm ½W. 1%	.25	-----	2-78	1.75 Megohm ½W. 1%	.25	-----
2-25	216.2 Ohm ½W. 1%	.25	-----	2-79	2 Megohm ½W. 1%	.25	-----
2-27	417 Ohm ½W. 1%	.30	-----	2-80	5 Megohm ½W. 1%	.25	-----
2-28	683.8 Ohm ½W. 1%	.25	-----	2-81	7 Megohm ½W. 1%	.30	-----
2-29	900 Ohm ½W. 1%	.25	-----	2-83	200 Ohm ½W. 1%	.25	-----
2-30	1.566K Ohm ½W. 1%	.25	-----	2-84	1.5K Ohm ½W. 5%	.30	-----
2-31	2.162K Ohm ½W. 1%	.25	-----	2-85	100K Ohm ½W. 5%	.30	-----
2-32	2.516K Ohm ½W. 1%	.30	-----	2-86	150K Ohm ½W. 1%	.25	-----
2-33	6.838K Ohm ½W. 1%	.25	-----	2-87	320K Ohm ½W. 1%	.25	-----
2-34	7K Ohm ½W. 1%	.25	-----	2-89	158.2K Ohm ½W. 1%	.30	-----
2-35	9K Ohm ½W. 1%	.25	-----	2-94	.1 Ohm ½W. 1%	2.30	-----
2-36	9.5K Ohm ½W. 1%	.30	-----	2-95	1.02 Ohm ½W. 1%	.90	-----
2-37	9.75K Ohm ½W. 1%	.30	-----	2-96	5.55 Ohm ½W. 1%	.45	-----
2-38	20K Ohm ½W. 1%	.25	-----	2-97	25K Ohm ½W. 1%	.25	-----
2-39	21.62K Ohm ½W. 1%	.25	-----	2-98	33.3K Ohm ½W. 1%	.25	-----
2-40	68.38K Ohm ½W. 1%	.25	-----	2-99	50K Ohm ½W. 1%	.25	-----
2-41	90K Ohm ½W. 1%	.25	-----	2-100	12 Ohm ½W. 1%	.40	-----
2-42	216.2K Ohm ½W. 1%	.25	-----	2-101	500 Ohm ½W. 1%	.55	-----
2-43	270K Ohm ½W. 1%	.30	-----	2-102	196K Ohm ½W. ½%	.70	-----
2-45	683.8K Ohm ½W. 1%	.25	-----	2-103	1.8 Megohm ½W. ½%	.70	-----
2-47	1090 Megohm ½W. 2%	2.85	-----	2-104	8 Megohm ½W. ½%	.70	-----
2-48	9.1 Ohm ½W. 5%	.25	-----	2-107	6 Ohm ½W. 1%	.25	-----
2-49	3 Megohm ½W. 1%	.35	-----	2-108	14 Ohm ½W. 1%	.25	-----
2-50	10K Ohm ½W. 1%	.25	-----	2-109	40 Ohm ½W. 1%	.25	-----
2-51	900K Ohm ½W. 1%	.25	-----	2-110	140 Ohm ½W. 1%	.25	-----
2-52	9 Megohm ½W. 1%	.35	-----	2-111	400 Ohm ½W. 1%	.25	-----
2-53	2K Ohm ½W. 1%	.25	-----	2-112	1.4K Ohm ½W. 1%	.25	-----
2-54	200K Ohm ½W. 1%	.25	-----	2-113	4K Ohm ½W. 1%	.25	-----
2-55	2 Megohm ½W. 1%	.25	-----	2-114	14K Ohm ½W. 1%	.25	-----
2-57	1700 Ohm ½W. 1%	.25	-----	2-115	220K Ohm ½W. 5%	.25	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
2-116	1.1 Megohm ½W. 1%	.25	-----	2A-13	10K Ohm 1W. ½%	.85	-----
2-118	3.6 Megohm ½W. 1%	.25	-----	2A-14	20K Ohm 1 W. ½%	.75	-----
2-119	360K Ohm ½W. 1%	.25	-----	2A-15	30K Ohm 1 W. ½%	.75	-----
2-120	36K Ohm ½W. 1%	.25	-----	2A-16	2K Ohm 1 W. 1%	.30	-----
2-121	3.6K Ohm ½W. 1%	.25	-----	2A-17	60K Ohm 1 W. 1%	.30	-----
2-122	8 Megohm ½W. 1%	.35	-----	2A-18	120K Ohm 1 W. 1%	.55	-----
2-123	800K Ohm ½W. 1%	.25	-----	2A-19	420K Ohm 1 W. 1%	.30	-----
2-124	80K Ohm ½W. 1%	.25	-----	2A-20	700K Ohm 1 W. 1%	.40	-----
2-125	8K Ohm ½W. 1%	.25	-----	2A-21	75K Ohm 1 W. 2%	.30	-----
2-126	710 Ohm ½W. 1%	.25	-----	2A-23	800 Ohm 1 W. 1%	.40	-----
2-127	.67 Ohm ½W. 1%	.55	-----	2A-24	2100 Ohm 1 W. 1%	.40	-----
2-128	20 Ohm ½W. 1%	.25	-----	2A-25	2900 Ohm 1 W. 1%	.40	-----
2-129	3.3 Megohm ½W. 5%	.25	-----	2A-26	20 Megohm 1 W. 1%	.45	-----
2-130	.2 Ohm ½W. 1%	2.30	-----	2A-28	900K Ohm 1 W. 1%	.30	-----
2-131	10 Ohm ½W. 1%	.25	-----	2A-29	100K Ohm 1 W. 1%	.50	-----
2-137	.125 Ohm ½W. 1%	.60	-----	2A-30	1 Megohm 1 W. 1%	.30	-----
2-138	400K Ohm ½W. 1%	.25	-----	2A-31	400 Ohm 1 W. ½%	.60	-----
2-139	25 Ohm ½W. 1%	.45	-----	2A-32	2 Megohm 1 W. 1%	.35	-----
2-140	250 Ohm ½W. 1%	.25	-----	2A-34	240K Ohm 1 W. 1%	.40	-----
2-141	166 Ohm ½W. 1%	.25	-----	2A-35	820K Ohm 1 W. 1%	.40	-----
2-142	180K Ohm ½W. 1%	.30	-----	2A-36	22K Ohm 1 W. 1%	.40	-----
2-143	133K Ohm ½W. 1%	.30	-----	2A-37	900 Ohm 1 W. 1%	.35	-----
2-144	2240 Ohm ½W. 1%	.30	-----	2A-38	36 Megohm 1 W. 1%	.45	-----
2-145	19K Ohm ½W. 1%	.30	-----	2A-39	50 Ohm 1 W. ½%	.75	-----
2-146	2.162 Megohm ½W. 1%	.25	-----	2A-40	500 Ohm 1 W. ½%	.75	-----
2-147	6.838 Megohm ½W. 1%	.35	-----	2A-41	5K 9HM 1 W. ½%	.75	-----
2-148	.09 Ohms ½W. ±1%	2.40	-----	2A-42	50K Ohm 1 W. ½%	.75	-----
2-149	.90 Ohms ½W. ±1%	.95	-----	2A-43	100K Ohm 1 W. ½%	.75	-----
2-150	1.5 Ohms ½W. ±1%	.85	-----	2A-44	50 Ohm 1 W. ½%	.45	-----
2-151	13.5 Ohms ½W. ±1%	.25	-----	2A-45	500K Ohm 1 W. 1%	.30	-----
2-152	135.7 Ohms ½W. ±1%	.25	-----	2A-46	1 Ohm 1 W. ½%	.80	-----
2-153	1350 Ohms ½W. ±1%	.25	-----	2A-47	10 Ohms 1 W. ½%	.40	-----
2-154	1515 Ohms ½W. ±1%	.25	-----	2A-48	100 Ohms 1 W. ½%	.40	-----
2-155	13.5K Ohms ½W. ±1%	.25	-----	2A-49	1K Ohm 1 W. ½%	.40	-----
2-156	145K Ohms ½W. ±1%	.25	-----	2A-50	10 K Ohm 1 W. ½%	.40	-----
2-157	350K Ohms ½W. ±1%	.25	-----	2A-51	100K Ohm 1 W. ½%	.40	-----
2-158	3.5 Megohms ½W. ±1%	.25	-----	2B-1	6 Ohm 2 W. ½%	1.05	-----
2-159	100 Ohms ½W. ±1%	.25	-----	2B-2	60 Ohm 2 W. ½%	1.05	-----
2A-1	1 Ohm 1 W. ½%	.75	-----	2B-3	600 Ohm 2 W. ½%	1.05	-----
2A-2	2 Ohm 1 W. ½%	.75	-----	2B-4	6K Ohm 2 W. ½%	1.05	-----
2A-3	3 Ohm 1 W. ½%	.75	-----	2B-5	60K Ohm 2 W. ½%	1.05	-----
2A-4	10 Ohm 1 W. ½%	.75	-----	2B-6	2 Megohm 2 W. 1%	.55	-----
2A-5	20 Ohm 1 W. ½%	.75	-----	2B-7	4200 Ohm 2 W. 1%	.50	-----
2A-6	30 Ohm 1 W. ½%	.75	-----	2B-8	17.5 Megohm 2 W. 1%	.55	-----
2A-7	100 Ohm 1 W. ½%	.75	-----	2B-9	70 Megohm 2 W. 1%	.70	-----
2A-8	200 Ohm 1 W. ½%	.75	-----	2B-10	1 Megohm 2 W. 1%	.40	-----
2A-9	300 Ohm 1 W. ½%	.75	-----	2B-11	1.5 Ohm 2 W. ±1%	1.00	-----
2A-10	1K Ohm 1 W. ½%	.75	-----				
2A-11	2K Ohm 1 W. ½%	.85	-----				
2A-12	3K Ohm 1 W. ½%	.75	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
WIRE WOUND RESISTOR							
3-1	1 Ohm 1/2 W. ±10%	.15	-----	3J-10	50K Ohm 10 W. 5%	1.15	-----
3D-M3	.0167 Ohm 4 W. 1%	.15	-----	3J-11	1500 Ohm 10 W. 10%	.15	-----
3D-6	100 Ohm 4 W. 10%	.15	-----	3J-13	12K Ohm 10 W. 10%	.25	-----
3E-1	2.5K Ohm 7 W. 5%	.15	-----	3J-14	360 Ohm 10 W. 10%	.20	-----
3E-2	10K Ohm 5 W. 10%	.75	-----	3J-15	5.5 Ohm 10 W. 5%	.15	-----
3E-3	1000 Ohm 7 W. 10%	.20	-----	3J-17	3.0 Ohm 10 W. 5%	.15	-----
3E-5	210 Ohm 5 W. 10%	.15	-----	3J-18	5K Ohm 10 W. 10%	1.60	-----
3E-7	11 Ohm 5 W. 5%	.15	-----	3J-19	2000 Ohm 10 W. 10%	.15	-----
3E-8	.22 Ohm 5 W. 5%	.20	-----	3J-20	3.5 Ohm 10 W. 5%	.15	-----
3E-9	3K Ohm 5 W. 5%	.15	-----	3T-2	5000 Ohm 20 W. 10%	.80	-----
3E-10	110 Ohm 5 W. 10%	.15	-----	3T-4	7 Ohm 20 W. 10%	.75	-----
3E-11	.33 Ohm 5 W. 5%	.15	-----	3T-5	16 Ohm 20 W. 10%	.75	-----
3E-12	.09 Ohm 5 W. 5%	.15	-----	3T-6	18 Ohm 20 W. 10%	.75	-----
3E-13	.17 Ohm 5 W. 5%	.15	-----	3T-7	4 Ohm 20 W. 10%	.45	-----
3E-14	600 Ohm 5 W. 10%	.15	-----	3X-1	4 Ohm 24 W. 5%	1.05	-----
3E-15	75 Ohm 5 W. 10%	.15	-----	3X-2	8 Ohm 24 W. 5%	1.05	-----
3E-16	175 Ohm 5 W. 10%	.15	-----	3X-3	16 Ohm 24 W. 5%	.80	-----
3E-17	50 Ohm 5 W. 10%	.20	-----	3X-4	638 Ohm 24 W. 5%	1.10	-----
3E-18	8 Ohm 5 W. 10%	.15	-----	3Y-1	20K Ohm 25 W. 10%	1.20	-----
3E-19	330 Ohm 5 W. ±10%	.15	-----	3Y-2	30K Ohm 50 W. 10%	2.55	-----
3E-20	5 Ohm 5 W. ±10%	.15	-----	3Y-3	30K Ohm 25 W. 10%	1.60	-----
3E-21	2.6 Ohm 5 W. ±10%	.15	-----	3Y-4	1.0 Ohm 25 W. 10%	.40	-----
3G-1	195 Ohm 7 W. 10%	.20	-----	3Y-5	20K Ohm 100 W. 20%	3.15	-----
3G-2	3750 Ohm 7 10%	.20	-----	3Y-6	20K Ohm 50 W. 20%	1.80	-----
3G-3	210 Ohm 7 W. 10%	.15	-----	3Y-7	60K Ohm 100 W. 20%	3.15	-----
3G-4	5K Ohm 7 W. 10%	.15	-----	3Y-8	14K Ohm 100 W. 10%	2.70	-----
3G-5	250 Ohm 7 W. 5%	.15	-----	LOW NOISE RESISTORS			
3G-6	330 Ohm 7 W. 5%	.15	-----	4-1	2.2K 1/2 W. 10%	.10	-----
3G-7	360 Ohm 7 W. 10%	.15	-----	4-2	100K 1/2 W. 10%	.10	-----
3G-8	4000 Ohm 7 W. 10%	.15	-----	4-3	330K 1/2 W. 10%	.10	-----
3G-9	100 Ohm 7 W. 10%	.15	-----	SPECIAL COMPENSATED RESISTOR			
3G-10	.11 Ohm 7 W. 5%	.20	-----	9-1	Thermistor	4.35	-----
3G-11	.15 Ohm 7 W. 5%	.15	-----	9-2	Filament Unit	5.70	-----
3G-12	700 Ohm 7 W. 10%	.15	-----	9-3	Thermal Switch	1.15	-----
3G-13	6500 Ohm 7 W. 5%	.15	-----	9-4	Thermistor	2.25	-----
3G-14	2K Ohm 7 W. 10%	.15	-----	9-5	Thermistor	1.95	-----
3G-15	1K Ohm 7 W. 10%	.15	-----	9-6	Photo Sensitive	.90	-----
3G-16	2500 7 W. 10%	.15	-----	9-7	800 Ohm Glo-Bar	1.35	-----
3G-17	140 Ohm 7 W. 10%	.20	-----	COMPOSITION CONTROLS			
3G-18	1.0 Ohm 7 W. 10%	.20	-----	10-5	2K Ohm	.45	-----
3G-19	4.0 Ohm 7 W. 10%	.15	-----	10-7	5K Ohm	.50	-----
3G-20	16 Ohm 7 W. 10%	.15	-----	10-8	5K - 10K Ohm	.50	-----
3G-21	4.7K Ohm 7 W. ±10%	.15	-----	10-9	10K Ohm	.55	-----
3G-22	.5 Ohm 7 W. ±10%	.15	-----	10-10	20K Ohm	.50	-----
3J-2	250 Ohm 10 W. 10%	.15	-----	10-11	50K Ohm	.50	-----
3J-4	3K Ohm 10 W. 10%	.25	-----	10-12	100K Ohm	.50	-----
3J-5	750 Ohm 10 W. 10%	.60	-----	10-13	200K Ohm	.60	-----
3J-7	10K Ohm 10 W. 10%	.15	-----	10-14	250K Ohm	.55	-----
3J-8	15K Ohm 10 W. 5%	.30	-----	10-15	500K Ohm	.55	-----
3J-9	20K Ohm 10 W. 5%	1.00	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
10-16	500K Ohm	.55	-----	10-78	15K Ohm	.45	-----
10-17	1 Megohm	.70	-----	10-79	1 Meg.	.95	-----
10-19	5K Ohm	.40	-----	10-80	1 Meg.	1.20	-----
10-20	1 Megohm	.55	-----	10-81	1 Meg.	.70	-----
10-24	20K Ohm	.75	-----	10-82	1 Meg.	.70	-----
10-25	100K Ohm	1.20	-----	10-83	250K Ohm	.65	-----
10-26	500K Ohm	.50	-----	10-84	250K Ohm	.95	-----
10-27	3K Ohm	.50	-----	10-85	15K Ohm	.80	-----
10-31	10K Ohm	.50	-----	10-86	1 Meg.	.60	-----
10-32	1 Megohm	.50	-----	10-87	3K Ohm	.55	-----
10-33	200 Ohm	.60	-----	10-88	10K Ohm	.45	-----
10-34	600 Ohm	.60	-----	10-89	50K Ohm	.55	-----
10-35	500K Ohm	.45	-----	10-90	100K Ohm	.70	-----
10-37	1 Megohm	.60	-----	10-91	3K Ohm	.50	-----
10-38	10K Ohm	.40	-----	10-92	1 Megohm	.65	-----
10-39	2 Megohm	.50	-----	10-94	7.5 Megohm	.60	-----
10-40	100K Ohm	.50	-----	10-96	1 Megohm	3.10	-----
10-41	20K Ohm	.60	-----	10-97	1 Megohm	.50	-----
10-42	5K Ohm	.55	-----	10-98	50K Ohm	.55	-----
10-43	100K Ohm	.55	-----	10-99	250 Ohm	.45	-----
10-44	100K Ohm	.60	-----	10-100	1000 Ohm	.55	-----
10-45	7.5 Megohm	.50	-----	10-102	50K Ohm	.55	-----
10-46	100K Ohm	.60	-----	10-103	1 Megohm	.40	-----
10-47	10K Ohm	1.90	-----	10-104	20,000 Ohm	.70	-----
10-48	3K Ohm	2.75	-----	10-105	10K Ohm	.75	-----
10-49	20K Ohm	.45	-----	10-106	200K Ohm	.60	-----
10-50	1 Meg	.70	-----	10-107	200 Ohm	.55	-----
10-52	2K Ohm	.40	-----	10-108	100K Ohm	.50	-----
10-54	250K Ohm	2.30	-----	10-109	100K Ohm	.70	-----
10-55	100K Ohm	2.65	-----	10-110	10K Ohm	.55	-----
10-56	2K Ohm	.60	-----	10-111	100K Ohm	.50	-----
10-57	10K Ohm	.35	-----	10-112	1 Megohm	.55	-----
10-58	100K Ohm	.40	-----	10-113	10K Ohm	.60	-----
10-59	250K Ohm	.40	-----	10-115	7.5 Megohm	.40	-----
10-60	500K Ohm	.35	-----	10-116	5K Ohm	.45	-----
10-61	200 Ohm	.35	-----	10-117	1 Megohm	.75	-----
10-62	5K Ohm	.95	-----	10-118	2K Ohm	.75	-----
10-64	1 Meg.	.50	-----	10-119	10K Ohm	.55	-----
10-65	2K Ohm	.50	-----	10-120	100K Ohm	.60	-----
10-66	500K Ohm	.55	-----	10-121	100K Ohm	.60	-----
10-67	1 Meg.	.50	-----	10-122	1 Megohm	.65	-----
10-68	500K Ohm	.65	-----	10-123	100K Ohm	.65	-----
10-69	5K Ohm	.55	-----	10-124	500K Ohm	.70	-----
10-70	10K Ohm	.65	-----	10-125	100K Ohm	.60	-----
10-71	100K Ohm	.60	-----	10-126	10K Ohm	.50	-----
10-72	1K Ohm	.50	-----	10-128	10K Ohm	.75	-----
10-73	20K Ohm	.95	-----	10-129	500K Ohm	.75	-----
10-74	500K Ohm	.50	-----	10-130	200 Ohm	.65	-----
10-75	500 Ohm	.40	-----	10-131	10K Ohm	.60	-----
10-77	1 Megohm	1.75	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
WIRE WOUND CONTROLS							
11-1	100 Ohm	1.50	-----	12-26	1 Megohm-1 Megohm	1.70	-----
11-6	10K Ohm	1.25	-----	12-27	1 Megohm-1 Megohm	1.15	-----
11-9	3000 Ohm	1.75	-----	12-28	20K-1 Megohm	1.15	-----
11-11	200 Ohm	.65	-----	12-29	4 Megohm-4 Megohm	1.55	-----
11-12	200 Ohm	1.15	-----	12-30	500K-500K Ohm	1.55	-----
11-14	200 Ohm	2.60	-----	12-31	50K-50K Ohm	1.55	-----
11-15	400 Ohm	.95	-----	12-32	1 Megohm-1 Megohm	1.30	-----
11-16	40 Ohm	1.15	-----	12-33	2.5 Megohm-2.5 Megohm	1.95	-----
11-17	100 Ohm	.65	-----	12-34	1 Megohm-1 Megohm	1.90	-----
11-20	25K Ohm	1.75	-----	12-35	1 Megohm-1 Megohm	1.75	-----
11-21	50 Ohm	1.15	-----	12-36	2.5 Megohm-2.5 Megohm	.30	-----
11-22	500 Ohm	.65	-----	12-37	1 Megohm-500K Ohm	1.20	-----
11-23	300 Ohm	1.15	-----	12-38	500K-500K Ohm	2.60	-----
11-24	3 Ohm	1.25	-----	12-39	1 Megohm-1 Megohm	1.50	-----
11-25	100K Ohm	24.30	-----	12-40	500K-500K Ohm	1.50	-----
11-26	10 Ohm	1.25	-----	3 Section WIRE WOUND CONTROL			
11-27	200 Ohm	2.40	-----	13-1	100-1K-15K Ohm	4.90	-----
11-28	50 Ohm	1.80	-----	13-2	165-1600-16K Ohm	5.00	-----
11-29	60K Ohm	5.00	-----	13-3	250K-250K-250K Ohm	1.00	-----
11-30	25 Ohm	.40	-----	DUAL COMPOSITION CONTROL/SWITCH			
11-31	2500 Ohm	5.20	-----	14-1	1 Megohm-1 Megohm	1.75	-----
11-32	15 Ohm	1.55	-----	14-2	1 Megohm-500K Ohm	1.65	-----
11-33	1000 Ohm	1.20	-----	14-3	1 Megohm-1 Megohm	5.00	-----
11-34	10,000 Ohm	1.20	-----	CONTROLS WITH SWITCH			
11-35	7,500 Ohm	1.65	-----	19-2	10K Ohm Special	.85	-----
11-36	7,500 Ohm	3.75	-----	19-4	1 Megohm SPST	.85	-----
11-37	350 Ohm	3.30	-----	19-7	1 Megohm SPST	.90	-----
11-38	10 Ohm	1.70	-----	19-11	100K Ohm SPST	.80	-----
11-39	200 Ohm	.55	-----	19-12	50K Ohm SPST	.65	-----
11-40	1K Ohm	.90	-----	19-13	800 Ohm DPST	1.70	-----
11-41	100 Ohm	2.15	-----	19-15	10K Ohm SPST	.80	-----
11-42	15K Ohm	1.80	-----	19-16	10K Ohm SPDT	.85	-----
DUAL CONTROLS				19-17	1200 Ohm 10 Pos.	2.70	-----
12-4	4 Megohm - 4 Megohm	2.25	-----	19-18	1K Ohm SPST	.85	-----
12-5	100K - 100K Ohm	1.60	-----	19-19	200 Ohm SPST	.85	-----
12-7	16 - 80 Ohm	4.05	-----	19-21	1 Megohm SPST	.75	-----
12-9	20K - 20K Ohm	1.60	-----	19-22	500K Ohm DPDT	1.00	-----
12-10	300 - 10 Ohm	1.85	-----	19-24	500K Ohm SPST	.75	-----
12-12	1 Megohm-1 Megohm	1.05	-----	19-25	50K Ohm SPST	.90	-----
12-13	1 Megohm-1 Megohm	1.40	-----	19-26	1 Megohm SPST	.75	-----
12-14	20K-1 Megohm	1.30	-----	19-27	1 Megohm SPST	.75	-----
12-15	1 Megohm-1 Megohm	1.95	-----	19-28	500K Ohm SPST	.90	-----
12-17	1 Megohm-1 Megohm	2.95	-----	19-29	7.5 Megohm SPST	.90	-----
12-18	50K-50K Ohm	1.30	-----	19-30	2.5K Ohm SPST	.85	-----
12-19	1 Megohm-1 Megohm	1.55	-----	19-33	250K Ohm SPST	1.05	-----
12-20	1 Megohm-1 Megohm	1.20	-----	19-34	400 Ohm SPST	.80	-----
12-21	1 Megohm-1 Megohm	1.95	-----	19-35	2.5K Ohm SPST	.90	-----
12-23	100K-100K Ohm	1.95	-----	19-36	1250 Ohm 10 Pos.	3.00	-----
12-24	500K-500K Ohm	1.35	-----	19-37	1 Megohm SPST	.75	-----
12-25	1 Megohm-1 Megohm	1.35	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
19-38	25K Ohm SPST	1.20	-----	20-15	.0003 MFD ±1% 350V	.20	-----
19-39	1 Megohm SPST	1.15	-----	20-16	.0004 MFD ±1% 350V	.20	-----
19-40	500K Ohm SPST	.85	-----	20-17	.001 MFD ±1% 350V	.30	-----
19-41	5K Ohm SPST	1.30	-----	20-18	.002 MFD ±1% 350V	.35	-----
19-42	1 Megohm DPST	1.10	-----	20-19	.003 MFD ±1% 350V	.45	-----
19-43	500K Ohm SPST	4.05	-----	20-20	.004 MFD ±1% 350V	.50	-----
19-44	1 Megohm SPST	.80	-----	20-21	.01 MFD ±1% 350V	.95	-----
19-45	100K Ohm SPST	1.15	-----	20-22	.02 MFD ±1% 350V	1.95	-----
19-46	1 Megohm SPST	.75	-----	20-23	.03 MFD ±1% 350V	2.90	-----
19-47	1 Megohm SPST	1.55	-----	20-24	.04 MFD ±1% 350V	3.90	-----
19-48	2500 Ohm DPST	1.05	-----	20-25	90 MMF ±10%	.30	-----
19-49	2.5K Ohm DPST	2.05	-----	20-26	5000 MMF 10%	3.00	-----
19-50	2K Ohm SPST	.95	-----	20-27	.01 MFD ±½%	1.20	-----
19-51	5K Ohm DPST	1.00	-----	20-28	.1 MFD ±½%	7.40	-----
19-52	500K Ohm SPST	1.05	-----	20-29	15 MMF ±20% 1000V	.15	-----
19-53	1 Megohm SPST	.75	-----	20-30	22 MMF ±1 MMF 1000V	.20	-----
19-54	10K Ohm SPST	1.15	-----	20-31	68 MMF ±5% 2000V	.25	-----
19-55	20K Ohm SPST	1.00	-----	20-32	100 MMF ±20% 1000V	.20	-----
19-56	1 Megohm SPDT	1.45	-----	20-33	.001 MFD ±20% 500V	.25	-----
19-57	1 Megohm SPDT	1.65	-----	20-34	350 MMF ±5% 300V	.25	-----
19-58	1 Megohm SPST	.80	-----	20-35	910 MMF ±5% 300V	.30	-----
19-59	1 Megohm DPST	1.05	-----	20-36	5000 MMF ±10% 300V	.55	-----
19-60	10K Ohm SPST	1.05	-----	20-37	93 MMF 10%	.35	-----
19-61	50K Ohm SPST	1.05	-----	20-38	100 MMF 5% 500V	.20	-----
19-62	500K Ohm DPST	1.65	-----	20-39	220 MMF 5% 500V	.20	-----
19-64	1 Megohm SPST	1.15	-----	20-40	470 MMF 5% 500V	.25	-----
19-65	1K Ohm SPST	1.05	-----	20-41	22 MMF 5% 500V	.15	-----
19-66	500K Ohm SPST	1.00	-----	20-42	510 MMF 5% 500V	.25	-----
19-67	1 Megohm SPST	1.00	-----	20-43	390 MMF ±10% 500V	.30	-----
19-68	1 Megohm SPST	1.25	-----	20-44	200 MMF 10% 600V	1.00	-----
19-69	10K Ohm	1.10	-----	20-45	400 MMF 5% 1000V	1.05	-----
19-70	2.5K Ohm SPST	.95	-----	20-48	.001 MFD 20% 2000V	.55	-----
19-71	5K Ohm SPST	1.00	-----	20-49	240 MMF 5% 500V	.20	-----
19-72	500K Ohm SPST	.85	-----	20-50	7.5 MMF 500V	.15	-----
19-73	1K Ohm SPST	.95	-----	20-51	43 MMF ±5% 600V	.15	-----
19-74	20K Ohm SPST	1.00	-----	20-52	7.5 MMF 5% 500V	.15	-----
19-75	200K Ohm SPDT	1.25	-----	20-53	1100 MMF 2% 500V	.35	-----
19-76	7.5 Megohm SPST	1.00	-----	20-54	3300 MMF 5% 500V	.70	-----
	MICA CONDENSERS			20-55	500 MMF 2% 300V	.25	-----
20-1	47 MMF 5% 500V	.15	-----	20-56	150 MMF 10% 300V	.20	-----
20-2	200 MMF 2% 500V	.20	-----	20-57	2000 MMF 10% 300V	.45	-----
20-3	200 MMF 20% 500V	.15	-----	20-61	27 MMF 5% 300V	.15	-----
20-4	270 MMF ±10% 500V	.20	-----	20-62	43 MMF 5% 300V	.15	-----
20-5	.001 MFD ±10% 500V	.30	-----	20-63	47 MMF 5% 300V	.15	-----
20-7	2000 MMF ±10% 500V	.40	-----	20-64	120 MMF 5% 300V	.15	-----
20-8	.003 MFD ±20% 500V	.35	-----	20-65	180 MMF 5% 300V	.15	-----
20-9	.005 MFD	.15	-----	20-66	220 MMF 5% 300V	.20	-----
20-11	100 MMF ±10% 500V	.15	-----	20-67	330 MMF 5% 300V	.20	-----
20-13	.0001 MFD ±1% 350V	.20	-----	20-68	390 MMF 5% 300V	.20	-----
20-14	.0002 MFD ±1% 350V	.20	-----	20-69	500 MMF 5% 300V	.20	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
20-70	1000 MMF 5% 300V	.35	-----	20-123	500 UUF ±10% 2000V	.50	-----
20-71	1300 MMF 5% 300V	.30	-----	20-124	115 UUF ±5% 500V	.15	-----
20-72	2000 MMF 5% 300V	.35	-----	20-125	240 UUF ±2% 100V	.15	-----
20-73	3000 MMF 5% 300V	.40	-----	20-126	255 UUF ±2% 100V	.25	-----
20-74	4000 MMF 5% 300V	.45	-----	20-127	1300 UUF ±2% 500V	.40	-----
20-75	5000 MMF 5% 300V	.55	-----	20-128	470 UUF ±1% 100V	.35	-----
20-76	68 MMF 5% 500V	.15	-----	20-129	2700 UUF ±1% 500V	.85	-----
20-77	24 MMF 5% 500V	.15	-----	20-130	12 UUF ±5% 500V	.15	-----
20-78	56 MMF 5% 500V	.15	-----	20-131	360 UUF ±5% 500V	.25	-----
20-79	390 MMF 2% 500V	.35	-----	20-132	10,000 UUF ±5% 300V	1.30	-----
20-80	100 MMF ¼% 350V	.30	-----	CERAMIC CONDENSERS			
20-81	200 MMF ¼% 350V	.35	-----	21-3	10 MMF ±10% 500V	.10	-----
20-82	500 MMF ¼% 350V	.40	-----	21-5	20 MMF ±10% 500V	.10	-----
20-83	1000 MMF ¼% 350V	.55	-----	21-6	27 MMF ±10% 500V	.10	-----
20-84	2000 MMF ¼% 350V	.65	-----	21-7	33 MMF ±10% 500V	.10	-----
20-85	5000 MMF ¼% 350V	1.10	-----	21-9	100 MMF ±10% 500V	.10	-----
20-86	.01 MFD ¼% 350V	1.90	-----	21-11	150 MMF ±10% 500V	.10	-----
20-87	.02 MFD ½% 350V	2.55	-----	21-13	500 MMF ±20% 500V	.10	-----
20-88	.05 MFD ¾% 350V	5.00	-----	21-14	.001 MFD ±20% 500V	.10	-----
20-89	817 MMF 1% 500V	.35	-----	21-16	.01 MFD +80 -20% 500V	.10	-----
20-90	439 MMF 1% 500V	.30	-----	21-17	270 MMF ±10% 500V	.10	-----
20-91	223 MMF 1% 500V	.25	-----	21-21	200 MMF ±10% 500V	.10	-----
20-92	150 MMF 1% 500V	.20	-----	21-22	220 MMF ±10% 500V	.10	-----
20-93	110 MMF 1% 500V	.20	-----	21-23	420 MMF ±10% 500V	.10	-----
20-94	.001 MFD 5% 500V	.30	-----	21-24	800 MMF ±10% 500V	.10	-----
20-95	290 MMF 20% 500V	.20	-----	21-25	.0013 MFD ±10% 500V	.10	-----
20-96	36 MMF 5% 500V	.15	-----	21-26	.003 MFD ±10% 500V	.10	-----
20-97	50 MMF 5% 500V	.15	-----	21-27	.005 MFD +80 -20% 500V	.10	-----
20-98	12 MMF 5% 500V	.15	-----	21-28	10 MMF ±10% 500V	.15	-----
20-99	22 MMF 5% 500V	.15	-----	21-29	4.7 MMF ±10% 500V	.15	-----
20-100	30 MMF 5% 500V	.15	-----	21-31	.02 MFD +80 -20% 500V	.15	-----
20-101	47 MMF 5% 500V	.15	-----	21-32	47 MMF ±10% 500V	.10	-----
20-102	100 MMF 5% 500V	.15	-----	21-33	3.3 MMF ±10% 500V	.10	-----
20-103	150 MMF ±5% 500V	.15	-----	21-35	.005 MFD 1.6KV	.15	-----
20-104	130 MMF ±5% 500V	.15	-----	21-36	.002 MFD ±20% 500V	.10	-----
20-105	180 MMF ±5% 500V	.20	-----	21-37	470 MMF 3KV	.30	-----
20-106	390 MMF ±5% 500V	.30	-----	21-38	.02 MFD 1600V	.20	-----
20-107	680 MMF ±5% 300V	.40	-----	21-39	.0035 MFD ±10% 500V	.15	-----
20-108	200 MMF ±5% 500V	.20	-----	21-40	47 MMF ±5% 500V	.10	-----
20-109	62 MMF ±5% 500V	.15	-----	21-41	14 MMF ±5% 500V	.10	-----
20-110	75 MMF ±5% 500V	.15	-----	21-42	.01 MFD 1600V	.15	-----
20-111	230 MMF ±5% 500V	.20	-----	21-43	.001 MFD 1KV	.10	-----
20-112	310 MMF ±5% 500V	.25	-----	21-44	.005 MFD ±20% 1.6KV	.15	-----
20-114	270 MMF ±10% 500V	.20	-----	21-45	.0025 MFD ±10% 500V	.10	-----
20-115	300 MMF ±5% 500V	.25	-----	21-46	.005 MFD ±10% 50V	.10	-----
20-118	15 MMF ±5% 500V	.15	-----	21-47	.01 MFD ±10% 50V	.15	-----
20-119	90 MMF ±5% 500V	.15	-----	21-48	.05 MFD 50V	.15	-----
20-120	220 MMF ±3% 500V	.20	-----	21-49	68 MMF ±10% 4KV	.20	-----
20-121	290 MMF ±3% 500V	.25	-----	21-50	2.2 MMF ±20% 500V	.10	-----
20-122	1000 UUF ±5% 300V	.30	-----	21-51	20 MMF ±5% 500V	.10	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
21-52	.002 MFD ±20% 1KV	.10	-----	23-13	.25 MFD 600V	.35	-----
21-53	.001 ±20% 600V	.65	-----	23-15	.5 MFD 400V	.60	-----
21-54	75 MMF ±10% 500V	.10	-----	23-16	2 MFD 200V 2%	2.35	-----
21-55	500 MMF ±20% 5KV	3.55	-----	23-17	2 MFD 200V	1.40	-----
21-56	470 MMF ±10% 500V	.10	-----	23-18	.002 MFD 600V	.15	-----
21-57	.005 MFD ±20% 500V	.10	-----	23-19	.01 MFD 400V	.75	-----
21-58	.2 MFD ±30% 50V	.65	-----	23-20	1 MFD 200V	1.05	-----
21-59	.001 MFD ±20% 1000V	.85	-----	23-24	.25 MFD	.40	-----
21-60	18 MMF ±5% 500V	.10	-----	23-25	.006 MFD 1600VDC	.15	-----
21-61	6.8 MMF ±10% 500V	.10	-----	23-26	.003 MFD	.20	-----
21-63	180 MMF +80 -20% 500V	.10	-----	23-28	0.1 MFD 200V ±20%	.20	-----
21-64	1.0 MMF ±10% 500V	.10	-----	23-29	.1 MFD 1200V	.45	-----
21-65	25 MMF ±5%	.10	-----	23-30	.2 MFD 1200V	.85	-----
21-66	50 MMF ±5%	.10	-----	23-34	.01 MFD 400V 10%	.15	-----
21-67	75 MMF ±5%	.15	-----	23-35	.001 MFD 600V	.15	-----
21-68	150 MMF ±5%	.15	-----	23-36	.0015 MFD 600V	.15	-----
21-69	170 MMF ±5%	.15	-----	23-37	.0022 MFD 600V	.15	-----
21-70	.01 UF 1400V	.20	-----	23-38	.0033 MFD 600V	.15	-----
21-71	.001 UF 1400V	.15	-----	23-39	.0047 MFD 600V	.15	-----
21-72	.005 UF 1400V	.20	-----	23-40	.0068 MFD 600V	.15	-----
21-75	100 UF ±10% 500V	.10	-----	23-41	.01 MFD 600V	.15	-----
21-76	3.9 UUF ±.1 UUF 500V	.10	-----	23-42	.015 MFD 600V	.15	-----
21-78	5 UUF ±10% 500V	.10	-----	23-43	.022 MFD 600V	.15	-----
21-79	1000 UUF ±20% 6KV	.35	-----	23-44	.033 MFD 600V	.20	-----
21-80	1000 UUF ±20% 5KV	5.00	-----	23-45	.047 MFD 600V	.20	-----
21-81	.1 UF +80 -20% 50V	.35	-----	23-46	.068 MFD 600V	.20	-----
21-82	.02 MFD 50V +80 -20%	.15	-----	23-47	.1 MFD 600V 10%	.25	-----
21-84	24 MMFD ±5% 500V	.10	-----	23-48	.15 MFD 400V	.25	-----
21-85	56 MMFD ±5% 500V	.10	-----	23-49	.22 MFD 400V	.25	-----
21-86	75 MMFD ±5% 500V	.15	-----	23-50	.022 MFD 400V	.15	-----
21-87	10 MMF ±5% 500V	.70	-----	23-52	.047 MFD 400V 20%	.15	-----
21-88	50 UUF ±5%	.20	-----	23-53	.1 MFD 400V 20%	.20	-----
21-89	20 UUF ±5%	.15	-----	23-54	.0082 MFD 400V 10%	.15	-----
21-90	.001 UFD ±20% 3000V	.20	-----	23-55	.06 MFD 400V 10%	.20	-----
21-93	20 UUF ±5% 500V	.90	-----	23-56	.5 MFD 200V 20%	.35	-----
21-94	.05 MFD +80 -20% 10V	.15	-----	23-58	.2 MFD 200V	.25	-----
21-95	.1 MFD +80 -20% 10V	.15	-----	23-59	.05 MFD 200V ±20%	.15	-----
21-99	.2 MFD +80 -20% 10V	.25	-----	23-60	.01 MFD 1600V ±20%	.25	-----
21-101	105 UUF ±5% 500V	.20	-----	23-61	.05 MFD 400V	.15	-----
21-102	20 UUF ±5% 500V	1.95	-----	23-62	.1 MFD 1600V	.60	-----
21-104	20 UUF ±5% 500V	1.55	-----	23-63	.25 MFD 400V	.25	-----
	PAPER TUBULAR CONDENSER			23-64	.01 MFD 200V ±2% Matched Pr. 1.25		-----
23-1	.001 MFD 400V	.20	-----	23-65	.1 MFD 200V ±2% Matched Pr. 1.30		-----
23-2	.005 MFD 400V	.15	-----	23-66	1 MFD 400V	.80	-----
23-3	.01 MFD 400V	.15	-----	23-67	.005 MFD 2% 100V	.65	-----
23-4	.01 MFD 1000V	.25	-----	23-68	.05 MFD 100V 2%	.80	-----
23-6	.02 MFD	.60	-----	23-69	.5 MFD 100V 2%	1.75	-----
23-8	.02 MFD 600V	.15	-----	23-70	.02 MFD 2% Matched Pair	1.30	-----
23-10	.05 MFD 600V	.20	-----	23-71	4 MFD 200V 20%	2.80	-----
23-11	.1 MFD 600V 20%	.25	-----	23-72	2 MFD at 100V 20%	.70	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
23-73	.01 MFD 400V 5%	.25	-----	25-34	125 MFD 450V	2.10	-----
23-74	.04 MFD 400V 5%	.30	-----	25-35	2 MFD 50V	.55	-----
23-75	1.75 MFD 50V	1.60	-----	25-36	40 MFD 450V	1.15	-----
23-76	11.75 MFD 50V	4.50	-----	25-37	40-40 MFD 450V	1.80	-----
23-77	.1 + .2 MFD 2500V	4.15	-----	25-38	300 MFD 150V	1.85	-----
23-78	12.5 MFD 100V	5.95	-----	25-39	2 MFD 150V	.55	-----
23-79	20 MFD 50V	7.10	-----	25-40	5-10-50-100 MFD 25V	1.45	-----
23-80	.015 MFD @ 400V ±10%	.20	-----	25-41	40 MFD 350V	1.00	-----
23-81	.01 MFD 20 Amp. 600V	1.20	-----	25-42	30-30 MFD 350V	1.15	-----
23-82	.22 MFD 200V ±2%	1.30	-----	25-43	70 MFD 350V	1.25	-----
23-83	.022 MFD 200V ±2%	1.30	-----	25-44	25 MFD 25V	.55	-----
23-84	.0022 MFD 200V ±2%	.95	-----	25-48	40 MFD 350-300-250-250V	2.10	-----
23-85	2. UF ±20% 50V	.70	-----	25-49	10,000 MFD 20V	4.95	-----
23-86	6. UF ±20% 50V	1.75	-----	25-50	150 MFD 300V	1.85	-----
23-91	.05 UF 1600V ±10%	.50	-----	25-51	200 MFD 300V	2.10	-----
23-92	3.0 UF ±20% 50V	.85	-----	25-52	40-20 MFD 350V; 40 MFD 450V	2.00	-----
23-93	4 UF ±10% 350V	2.80	-----	25-53	40-30-10 MFD 450V; 20 MFD 50V	2.25	-----
23-94	.15 UF ±10% 1600V	.90	-----	25-54	10 MFD 10V	.40	-----
	OIL FILLED CONDENSERS			25-55	50 MFD 10V	.40	-----
24-3	8 UFD ±20% 4000V DC	17.85	-----	25-56	100 MFD 10V	.45	-----
24-4	3.6-3.6-7.1 UF ±3% 125V RMS	10.35	-----	25-57	100 MFD 200V	1.00	-----
24-5	8 UFD ±20% 2000V DC	10.85	-----	25-58	50-50 MFD 200V	2.70	-----
	ELECTROLYTIC CAPACITORS			25-59	100-350-40 MFD 300V	1.90	-----
25-2	8 MFD 475V	.80	-----	25-62	40-20-20-50 MFD 450-450-400-50V	1.95	-----
25-3	Dual 8 MFD 475V	.90	-----	25-63	30-20-20-20 MFD 450-400-350-300V	2.00	-----
25-4	10 MFD 25V	.55	-----	25-65	50-50 MFD 150V; 20 MFD 25V	1.15	-----
25-5	16 MFD 150V	.60	-----	25-66	20-20 MFD 450V	1.30	-----
25-6	20-20 MFD 450; 20 MFD 25V	1.35	-----	25-67	40-40-40-20 MFD 350-300-300-250V	2.05	-----
25-7	20-20 MFD 150V	.95	-----	25-68	50-40-40-20 MFD 200-10-10-10V	1.55	-----
25-9	20-20-20 MFD 300V	1.45	-----	25-69	40-40-20-20- MFD 450-450-350-250V	2.30	-----
25-10	20-20-20 MFD 450V	1.75	-----	25-70	100-40-40 MFD 250-250-200V	1.90	-----
25-13	10-10-10 MFD 350V	2.25	-----	25-71	30 MFD 200V	.80	-----
25-14	10-80 MFD 450-400V	2.10	-----	25-75	5 MFD 100V AC	.55	-----
25-15	10,000 MFD 10V	4.95	-----	25-76	20-20-40 MFD 400-400-350V	1.75	-----
25-16	20 MFD 350V	.80	-----	25-77	40-20 MFD 300V	1.15	-----
25-17	50 MFD 350V	1.15	-----	25-78	1000 MFD 15V	1.10	-----
25-18	40-30-10 MFD 450; 20 MFD 25V	2.10	-----	25-79	50-50 MFD 150V	3.35	-----
25-19	20 MFD 150V	.55	-----	25-80	20-20 MFD 150V	1.15	-----
25-20	40 MFD 150V	.65	-----	25-83	57 MFD 50V	.85	-----
25-21	20-20-20-20 MFD 450V	2.10	-----	25-84	50 MFD 10V	.55	-----
25-22	8 MFD 350V	.70	-----	25-85	50 MFD 25V	.60	-----
25-23	80-40-20 150V	1.25	-----	25-86	40-40-25-25 MFD 450-350-25-25V	1.95	-----
25-26	1000-1000 MFD 6V	1.45	-----	25-88	50-50 MFD 12V	.90	-----
25-28	100 MFD 50V	.70	-----	25-93	60-40-20-20 MFD 450-350-350-250V	2.25	-----
25-29	40-40-40-40 MFD 300V	1.80	-----				
25-30	20-20 MFD 350V	1.05	-----				
25-31	20-20-20 MFD 250V	1.15	-----				
25-32	40-20-20 MFD 450V; 50 MFD 300V	2.40	-----				
25-33	20 MFD 450V	.80	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
25-95	10 MFD 25V	.50	-----	26-29	3-14 MMF	1.60	-----
25-96	25 MFD 6V	.50	-----	26-30	393.9 UUF	1.40	-----
25-97	100-100-100 MFD 15V	.95	-----	26-31	140 MMF	5.00	-----
25-98	50 MFD 15V	.45	-----	26-33	193.8 90-420 MMF	2.35	-----
25-99	150 MFD 15V	.55	-----	26-34	100-89 MMF	1.60	-----
25-100	40-40-40-50 MFD 450-450 350-50V	2.55	-----	26-35	50 MMF	2.40	-----
25-101	60 MFD 500V; 25 MFD 450V	2.15	-----	26-36	3 Gang 50 MMF	5.00	-----
25-102	160 MFD 25V AC	1.15	-----	26-37	Transistor Type	1.75	-----
25-103	170 MFD 50V AC	1.95	-----	26-38	5-60 MMF	2.55	-----
				26-39	Dual 3.2 to 11 MMF	3.40	-----
25-104	200 MFD 25V	.85	-----	26-40	Tuning	2.50	-----
25-105	40 MFD 25V	.55	-----	26-41	2 Gang	1.95	-----
25-106	10 MFD 10V	.40	-----	26-42	2 Gang 12 to 420 MMF	2.30	-----
25-107	100 MFD 10V	.40	-----	26-43	7 & 14 MMF	5.00	-----
25-108	100-100-100 MFD 150-150-150V	2.00	-----	26-44	15 MMF	2.00	-----
25-109	40-40-30-40 MFD 400-350- 250-150V	2.05	-----	26-45	3 Gang 452 MMF	3.50	-----
25-110	50-40-80-80 MFD 350-350- 250-250V	3.00	-----	26-46	50 MMF	5.00	-----
25-111	1000 UF 15V	1.45	-----	26-47	3 Gang 145-300-300 MMF	2.65	-----
				26-48	10.5 MMF	5.00	-----
25-113	80-50 UF 150V	.90	-----	26-49	51 MMF	2.35	-----
25-114	40-40-30-30 UF 450-250- 250-250V	2.15	-----	26-50	Midget	1.90	-----
25-115	10 UF 12V	.50	-----	26-52	5-25 MMF Per Section	5.00	-----
25-116	50 UF 10V	.55	-----	26-53	Dual 145-53 MMF	13.75	-----
25-117	100 UF 12V	.60	-----	26-54	1500-50 MMF	24.50	-----
25-118	1000-1000 UF 30-30V	3.05	-----	26-55	50 MMF Per Section	5.00	-----
25-119	60-20-20-10 UF 350-350 250-150V	2.15	-----	26-56	Single Section	1.50	-----
25-120	60-40-40-20 UF 150-150-150-25	1.75	-----	26-57	Dual 164-355 MMF	2.70	-----
25-123	2 UF 25V	.50	-----	26-58	Dual 102-217 MMF	1.95	-----
				26-59	Three Section	3.45	-----
				26-62	3 Gang 3 Section	4.20	-----
				26-64	21 MMF	1.40	-----
				26-65	2.2 MMF	1.60	-----
				26-66	5.9 MMF	1.70	-----
				26-67	393.9 MMF	1.35	-----
				26-68	3 Gang 15 MMF	5.00	-----
				26-69	1.8 to 5.1 MMF	3.15	-----
				26-70	2.7 to 19.6 MMF	3.40	-----
				26-71	Single Section	3.75	-----
				26-72	3 Gang 145-300-300 UUF	3.25	-----
				26-74	4 Section 20, 200, 20, 200 UUF	3.75	-----
				26-75	4.6 to 51 UUF	5.00	-----
				26-76	Two Section 437.4 UUF	13.30	-----
				26-77	250 UUF	5.15	-----
				26-78	Two Section Osc.	3.05	-----
				26-79	Dual Section 102-217 UUF	1.70	-----
				26-80	Dual Section 162-452 UUF	2.70	-----
				26-81	Dual Section 323-355 UUF	2.40	-----
				26-82	120 UUF	2.35	-----
				26-83	Dual Section 107.2-217.8 UUF	1.75	-----
				26-84	3-Gang 15-15-15 UUF	2.80	-----
				26-85	4 UUF	1.45	-----
VARIABLE CONDENSERS							
26-8	2 Gang 420 MMF	2.25	-----				
26-9	2 Gang 420 MMF	1.85	-----				
26-10	Tuning	2.90	-----				
26-11	Tuning 454 MMF	4.25	-----				
26-12	Tuning 7 MMF	4.50	-----				
26-13	Tuning	2.10	-----				
26-15	Tuning	2.10	-----				
26-16	2 Gang	4.15	-----				
26-17	2 Gang	2.35	-----				
26-18	250 MMF	5.00	-----				
26-19	Tuning	3.75	-----				
26-20	Differential	5.20	-----				
26-21	Tuning	4.15	-----				
26-22	75 MMF	4.20	-----				
26-23	9 MMF	1.80	-----				
26-24	20 MMF	2.20	-----				
26-25	15-353 MMF	9.75	-----				
26-28	100 MMF	1.45	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
MYLAR CONDENSERS							
27-1	.1 MFD 200V ±5%	1.30	-----	40-31	Rod Antenna	1.10	-----
27-2	1 MFD 200V ±5%	2.00	-----	40-46A	2-5 MC	.60	-----
27-3	.01 ±10% 50V	.65	-----	40-46B	5-14 MC	.60	-----
27-4	.2 UF ±20% 50V	.75	-----	40-46C	14-37 MC	.60	-----
27-19	1 UFD ±20% 200V	1.30	-----	40-46D	37-100 MC	.60	-----
27-20	.4 UF ±10% 100V	.40	-----	40-47A	A Oscillator	.55	-----
27-21	2 UF ±20% 200V	1.15	-----	40-47B	B Oscillator	.40	-----
27-25	.1 UF ±20% 200V	.65	-----	40-47C	C Oscillator	.40	-----
MOLDED PHENOLIC DIELECTRIC CAPACITOR							
28-1	2.2 UUF ±20% 500V	.10	-----	40-47D	D Oscillator	.45	-----
28-2	1.0 UUF ±10% 500V	.10	-----	40-47E	E Oscillator	.25	-----
28-3	.56 UUF ±10% 500V	.10	-----	40-48	Coupling	1.00	-----
MICA & CERAMIC TRIMMERS							
31-5	7-35 MMF	1.00	-----	40-49	Filter	.55	-----
31-6	5-20 MMF	.75	-----	40-50	Filter	.55	-----
31-7	2.5-6 MMF	1.00	-----	40-51	.35-.71 MC	(Total)	-----
31-8	1-10 MMF	.30	-----	40-51	.71-1.85 MC	2.05	-----
31-9	80-400 MMF	.40	-----	40-52	Marker Oscillator	.55	-----
31-10	4.5-25 MMF	1.05	-----	40-53A	A Oscillator	.55	-----
31-11	Dual 3-30 MMF	.45	-----	40-53B	B Oscillator	.50	-----
31-12	Dual 3-300 & 26-260 MMF	.50	-----	40-53C	C Oscillator	.45	-----
31-13	3-12 MMF	.90	-----	40-53D	D Oscillator	.30	-----
31-14	Dual 100-300 & 15-50 MMF	.60	-----	40-53E	E Oscillator	.25	-----
31-15	300-450 MMF	.40	-----	40-54	2 MC	1.00	-----
31-16	Dual 3-30 & 26-260 MMF	.50	-----	40-55	7 MC	.90	-----
31-17	5-25 MMF	.80	-----	40-56	Plate	1.95	-----
31-18	Dual 3-30 & 26-260 UUF	.50	-----	40-57	Driver Plate	1.20	-----
31-20	5-80 MMF	.25	-----	40-58	Plate	2.85	-----
31-21	1.5-10 MMF	.20	-----	40-59	160M Plate	1.90	-----
31-23	Dual 5-80 UUF	.70	-----	40-60	10M Plate	.15	-----
31-24	Triple 5-80 MMF	1.05	-----	40-61	Drive 10-15M	.30	-----
31-27	8-50 MMF	.85	-----	40-62	20M Tuned	.40	-----
31-29	40-375 UUF	.45	-----	40-63	40M Tuned	.40	-----
31-30	1.5 to 7 UUF	.85	-----	40-64	Oscillator	.40	-----
31-31	3 to 12 UUF	1.05	-----	40-65	Neutralizing	.35	-----
31-33	5 Section 8-60 UUF	1.60	-----	40-66	Antenna	.35	-----
31-34	2155 to 1000 UUF	.90	-----	40-67	1.5-3.0 MH	.95	-----
31-35	20-150 UUF	.40	-----	40-68	120-150 MH	1.10	-----
COILS							
40-11	A Oscillator	.85	-----	40-69	A Antenna	.75	-----
40-12	B Oscillator	.75	-----	40-70	B Antenna	.55	-----
40-13	C Oscillator	.75	-----	40-71	C Antenna	.55	-----
40-14	D Oscillator	.70	-----	40-72	D Antenna	.55	-----
40-23	Test	1.35	-----	40-73	A Oscillator	.55	-----
40-25	100-250 MC	.10	-----	40-74	B Oscillator	.50	-----
40-M25	100-250 MC	.15	-----	40-75	C Oscillator	.55	-----
40-28	Low Frequency	.55	-----	40-76	D Oscillator	.50	-----
40-29	High Frequency	.65	-----	40-77	BFO 455 KC	.50	-----
40-30	Oscillator	.45	-----	40-78	Ant. & Det.	.85	-----
				40-86	Final	2.65	-----
				40-87	Antenna	.60	-----
				40-88	Mixer	.85	-----
				40-89	Oscillator	.55	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
40-90	250 MH Filter	.85	-----	40-142	Tuned Line	2.20	-----
40-91	Oscillator	2.10	-----	40-148	Equalizer	1.20	-----
40-92	Equalizer	1.35	-----	40-149	FM Line Antenna	.40	-----
40-93	Tank Oscillator	1.20	-----	40-153	Driver Plate	.25	-----
40-94	Antenna	1.10	-----	40-154	6 Meter Link	.30	-----
40-95	Mixer	1.05	-----	40-155	2 Meter Link	.20	-----
40-96	Oscillator	.55	-----	40-156	80M Antenna	.60	-----
40-97	RF Oscillator	.20	-----	40-157	40M Antenna	.55	-----
40-98	RF Driver	.40	-----	40-158	20M Antenna	.55	-----
40-99	RF Pickup Link	.10	-----	40-159	15M Antenna	.55	-----
40-M100	Coaxial Cavity	.15	-----	40-160	10M Antenna	.55	-----
40-101	Bifilar	4.65	-----	40-161	80M Mixer	.40	-----
40-102	200-425 Microhenry	.50	-----	40-162	40M Mixer	.50	-----
40-103	Antenna & Rods	4.60	-----	40-163	20M Mixer	.55	-----
40-104	40M Oscillator	.60	-----	40-164	15M Mixer	.55	-----
40-105	80M Buffer	.45	-----	40-165	10M Mixer	.50	-----
40-106	40M Buffer	.45	-----	40-166	80M Oscillator	.55	-----
40-107	20M Buffer	.30	-----	40-167	40M Oscillator	.50	-----
40-108	15M Buffer	.40	-----	40-168	20M Oscillator	.50	-----
40-109	10M Buffer	.40	-----	40-169	15M Oscillator	.50	-----
40-110	Input Osc.	.90	-----	40-170	10M Oscillator	.55	-----
40-112	Broadcast Oscillator	.85	-----	40-171	Product Det. 3 MC	.50	-----
40-113	Long Wave Oscillator	.85	-----	40-175	6M Input	.80	-----
40-114	2 Band Antenna	6.40	-----	40-176	6M Interstage	.85	-----
40-115	160 Meter VFO	1.40	-----	40-177	6M Interstage	1.80	-----
40-116	40 Meter VFO	1.15	-----	40-178	6M Output	.55	-----
40-117	Driver Tank	.90	-----	40-179	6M OSC	.50	-----
40-118	Final Tank	3.60	-----	40-180	Grid Tank	4.15	-----
40-119	10 Meter Tank	.15	-----	40-181	Final Tank	15.95	-----
40-120	Bridge T 50 KC	5.00	-----	40-182	10 Meter Tank	6.85	-----
40-121	BFO 50 KC	5.00	-----	40-183	Parasitic Choke	1.60	-----
40-122	Balanced Modulator	3.70	-----	40-184	Monitor Pickup	.70	-----
40-123	80M Tuned	.40	-----	40-185	Osc. Bias Erase	3.70	-----
40-124	40M Tuned	.40	-----	40-186	11M C.B.	.40	-----
40-125	20M Tuned	.40	-----	40-187	11M Output	.60	-----
40-126	15M Tuned	.40	-----	40-193	F Oscillator	.25	-----
40-127	10M Tuned	.40	-----	40-194	Crossover 1 MH	2.35	-----
40-128	Coil Tank	.50	-----	40-198	Ferrite Rod Antenna	1.35	-----
40-129	Oscillator AM	.55	-----	40-199	Oscillator	1.10	-----
40-130	Rod Antenna AM	1.80	-----	40-200	Pickup	.50	-----
40-131	Antenna Tuning	.55	-----	40-201	Oscillator	1.00	-----
40-132	Mixer Tuning	1.45	-----	40-202	2M RF	.45	-----
40-133	Whistle Filter	1.05	-----	40-203	2M RF Tuned	2.80	-----
40-134	10.7 MC	.75	-----	40-204	Mixer Output	2.50	-----
40-135	VFO Plate	.40	-----	40-205	IF Output	3.45	-----
40-136	X-Tal Osc.	.65	-----	40-206	Oscillator	2.70	-----
40-137	Multiple Plate	.35	-----	40-207	Oscillator Mult.	2.90	-----
40-139	Final Plate 6	.95	-----	40-208	2M Neutralization	.45	-----
40-140	Link Coupling	.45	-----	40-209	Image Trap	.35	-----
40-141	Tuned Line	2.20	-----	40-243	100KC Osc.	.50	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
40-244	160M Osc.	5.00	-----	40-303	BC Regen. Detector	1.10	-----
40-245	80M Osc.	5.00	-----	40-304	Osc. 6M	.50	-----
40-246	40M Osc.	5.00	-----	40-305	Final Tank 6M	.70	-----
40-247	20M Osc.	5.00	-----	40-306	R.F. 6M	.60	-----
40-248	15M Osc.	5.00	-----	40-307	Detector 6M	.50	-----
40-249	11M Osc.	5.00	-----	40-309	AM Rod Antenna	1.15	-----
40-250	10M Osc.	5.00	-----	40-310	Receiver Antenna	.90	-----
40-251	Oscillator	5.00	-----	40-311	Transmitter Tank	1.00	-----
40-252	160M Mixer	5.00	-----	40-312	Crystal Oscillator	.75	-----
40-253	80M Mixer	5.00	-----	40-313	Variable Oscillator	.80	-----
40-254	40M Mixer	5.00	-----	40-314	Oscillator	.70	-----
40-255	20M Mixer	5.00	-----	40-315	R.F. 200 UH	.45	-----
40-256	15M Mixer	5.00	-----	40-316	R.F. 35 to 300 UH	.70	-----
40-257	11M Mixer	5.00	-----	40-317	Oscillator	.50	-----
40-258	10M Mixer	5.00	-----	40-318	Transmitter	.55	-----
40-259	Mixer	5.00	-----	40-319	Antenna	.60	-----
40-260	160M Antenna	5.00	-----	40-320	Antenna Tuning	.55	-----
40-261	80M Antenna	5.00	-----	40-321	Erase Oscillator	1.20	-----
40-262	40M Antenna	5.00	-----	40-322	Multiplier Plate .31 UH	.20	-----
40-263	20M Antenna	5.00	-----	40-324	Mixer	.85	-----
40-264	15M Antenna	5.00	-----	40-328	2 Meter Filter	.20	-----
40-265	11M Antenna	5.00	-----	40-329	VFO Slug Tuned	1.75	-----
40-266	10M Antenna	5.00	-----	40-330	Local Osc. 20 to 24 MC	.80	-----
40-267	Antenna	5.00	-----	40-331	BFO 2 MC	2.85	-----
40-268	10.7 MC Osc.	.40	-----	40-332	Tripler Plate 72 MC	1.00	-----
40-269	90 MC Osc.	.45	-----	40-333	Detector 144 MC	.55	-----
40-270	100 MC Osc.	.45	-----	40-334	Antenna 144 MC	.70	-----
40-271	107 MC Osc.	.45	-----	40-335	Final Tank 144 MC	.15	-----
40-272	Rod Antenna 395 UH	1.15	-----	40-336	Pickup	.45	-----
40-273	Rod Antenna	5.00	-----	40-337	Driver Plate	.85	-----
40-274	A Osc. Broadcast	.55	-----	40-338	Oscillator	1.25	-----
40-275	B Osc. 5 MC	.55	-----	40-341	R.F. 95 to 220 UH	.85	-----
40-276	C Osc. 10 MC	.50	-----	40-343	6 Meter RF Input	.75	-----
40-277	D Osc. 20 MC	.50	-----	40-346	6 Meter Driver Plate	.75	-----
40-278	E Osc. 30 MC	.50	-----	40-347	Low Pass Filter .32 UH	.20	-----
40-279	A Mixer Broadcast	.50	-----	40-348	Low Pass Filter .44 UH	.20	-----
40-280	B Mixer 5 MC	.50	-----	40-349	Low Pass Filter .5 UH	.20	-----
40-281	C Mixer 10 MC	.45	-----	40-351	Neutralizing	5.00	-----
40-282	D Mixer 20 MC	.45	-----	40-352	10 Meter Tank	5.00	-----
40-283	E Mixer 30 MC	.45	-----	40-353	Multiband Tank	5.00	-----
40-284	A Antenna Broadcast	.50	-----	40-355	Final Tank 6 Meter	.75	-----
40-285	B Antenna 5 MC	.50	-----	40-366	Final Tank	1.30	-----
40-286	C Antenna 10 MC	.45	-----	40-367	Voice Coil Load .7 UH	.45	-----
40-287	D Antenna 20 MC	.45	-----	40-368	Trigger	2.15	-----
40-288	E Antenna 30 MC	.45	-----	40-369	Audio Oscillator	1.05	-----
40-289	BFO 455 KC	.75	-----	40-370	Audio Filter	1.05	-----
40-299	BC Antenna	.80	-----	40-371	Detector	.55	-----
40-300	SW Antenna	.65	-----	40-372	Telephone Pick-up	1.20	-----
40-301	BC Osc.	.55	-----	40-373	Final Tank	4.65	-----
40-302	SW Osc.	.55	-----	40-374	Antenna Loading	4.70	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
40-375	RF Sampling	.45	-----	40-438	VFO Oscillator 4.9-5.5 MC	3.00	-----
40-376	Oscillator	1.40	-----	40-439	VFO Oscillator 5-5.5 MC.	3.00	-----
40-377	Antenna 2-3 MC	.60	-----	40-440	Oscillator 300 KC	.90	-----
40-378	Oscillator	.45	-----	40-441	Antenna 27 MC	.85	-----
40-379	Transmitter	.45	-----	40-442	RF 27 MC	.65	-----
40-380	Antenna Loading	.55	-----	40-443	Pick-up	.75	-----
40-381	VFO Osc. 80 Meters	2.20	-----	40-444	Oscillator 200 KC	.60	-----
40-382	Antenna Loading	.25	-----	40-446	Pick-up Loop	1.05	-----
40-383	RF Oscillator	.45	-----	40-447	Rod Antenna	1.70	-----
40-384	Oscillator 19 KC	3.15	-----	40-448	Oscillator 19 KC	1.05	-----
40-385	Doubler 10-5 MH	1.60	-----	40-449	Doubler	1.65	-----
40-386	Trap 19 KC	.85	-----	40-450	Trap 19 KC	.90	-----
40-387	Trap 38 KC	1.20	-----	40-451	Trap 38 KC	1.23	-----
40-388	Receiver Antenna	.65	-----	40-452	Trap 67 KC	1.55	-----
40-389	Receiver Mixer	.85	-----	40-453	Whistle Filter	1.00	-----
40-390	Transmitter Osc.	.85	-----	40-470	Oscillator	1.45	-----
40-391	Transmitter Tank	.85	-----	40-471	Tank	.55	-----
40-392	Trap 67 KC	1.55	-----				
40-393	A Band Antenna	.55	-----		RF CHOKES		
40-394	B Band Antenna	.55	-----	45-1	Choke	.20	-----
40-395	C Band Antenna	.50	-----	45-2	Choke	.20	-----
40-396	D Band Antenna	.55	-----	45-3	1 MH	.30	-----
40-397	A Band Oscillator	.50	-----	45-4	1.1 MH	.40	-----
40-398	B Band Oscillator	.50	-----	45-6	8.3 UH	.20	-----
40-399	C Band Oscillator	.50	-----	45-7	90 UH	.25	-----
40-400	D Band Oscillator	.50	-----	45-12	33 UH on 3.3 K	.25	-----
40-408	Rod Antenna	.75	-----	45-13	Parasitic	.40	-----
40-409	BC Oscillator	.55	-----	45-14	2.5 MH	.60	-----
40-414	Antenna 10 Meter	.65	-----	45-15	1 MH 500 MA	1.60	-----
40-415	Antenna 15 Meter	.65	-----	45-16	10 MH	.40	-----
40-416	Antenna 20 Meter	.65	-----	45-17	1 UH	.15	-----
40-417	Antenna 40 Meter	.70	-----	45-18	28 UH	.30	-----
40-418	Antenna 80 Meter	.65	-----	45-19	Parasitic	.30	-----
40-419	Mixer 10 Meter	.65	-----	45-20	Hash Filter 10 UH	.60	-----
40-420	Mixer 15 Meter	.65	-----	45-21	Choke	1.15	-----
40-421	Mixer 20 Meter	.65	-----	45-23	61 UH	.45	-----
40-422	Mixer 40 Meter	.65	-----	45-24	90 UH	.45	-----
40-423	Mixer 80 Meter	.60	-----	45-25	30 UH	.45	-----
40-424	Oscillator 10 Meter	.70	-----	45-26	33 UH on 3.3 K	.30	-----
40-425	Oscillator 15 Meter	.70	-----	45-27	30 UH	.25	-----
40-426	Oscillator 20 Meter	.70	-----	45-28	Line	.30	-----
40-427	Oscillator 40 Meter	.75	-----	45-29	230 UH	.65	-----
40-428	Oscillator 80 Meter	.65	-----	45-30	.5 UH	.50	-----
40-429	BFO 1682 KC	.85	-----	45-31	11 UH	.25	-----
40-430	Antenna Loading	.55	-----	45-32	142 UH	.35	-----
40-431	Driver	.50	-----	45-33	305 UH	.30	-----
40-432	Tank	.50	-----	45-34	33 UH	.40	-----
40-434	Line Input	.55	-----	45-35	1.7 UH	.15	-----
40-435	Line Coupling	1.55	-----	45-36	7 UH	.25	-----
40-436	Rod Antenna	1.20	-----	45-37	1.8 UH	.30	-----
				45-38	Choke	.50	-----
				45-39	Choke	.45	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
45-41	.425 UH	.50	-----	51-26	AF Output	1.15	-----
45-42	8.5 UH	.20	-----	51-27	Output	56.00	-----
45-43	Choke	.25	-----	51-29	Output	6.45	-----
45-44	150 UH	1.65	-----	51-30	Output	6.70	-----
45-45	Parasitic Grid	.45	-----	51-31	Output	1.40	-----
45-46	7 MH	.40	-----	51-32	Output	2.35	-----
45-48	75 MH	.65	-----	51-33	Driver	2.50	-----
45-49	.475 UH	.15	-----	51-34	Modulation Output	8.40	-----
45-50	930 UH	.60	-----	51-35	Output	5.00	-----
45-51	15 UH	.25	-----	51-36	Output	15.55	-----
45-52	135 UH	1.45	-----	51-37	Interstage	3.15	-----
45-53	Choke	.40	-----	51-38	Modulation	2.80	-----
45-55	2.5 MH	.60	-----	51-39	Output	1.60	-----
	AF CHOKES			51-40	Output Matrix	4.00	-----
46-1	Audio Choke	1.00	-----	51-41	Output Push Pull	6.00	-----
46-3	Filter	1.20	-----	51-42	Output	2.85	-----
46-4	5 Henry	4.05	-----	51-43	Modulation & Output	2.25	-----
46-5	10 Henry	4.60	-----	51-44	Oscillator Reactor	1.15	-----
46-8	Filter	2.10	-----	51-45	AF Driver	1.25	-----
46-9	30 Henry 50 MA	2.70	-----	51-46	AF Output	1.30	-----
46-10	5 Henry 400 MA	12.30	-----	51-47	Pulse Coupling	1.45	-----
46-11	6 Henry 150 MA	5.00	-----	51-48	Pulse Output	1.65	-----
46-12	7 Henry 150 MA	5.00	-----	51-49	Input	1.20	-----
46-13	6 Henry 300 MA	6.90	-----	51-50	Driver	1.25	-----
				51-51	Output	2.10	-----
46-14	10 Henry 50 MA	5.35	-----	51-52	Audio Oscillator	2.90	-----
46-17	5 Henry 100 MA	5.00	-----	51-53	Driver	2.30	-----
46-19	Filter	5.00	-----				
46-20	Audio Choke	2.05	-----	51-54	Driver	1.50	-----
46-21	5-25H 25 to 250 MA	7.85	-----	51-55	Output	1.40	-----
46-22	125 MA Audio	4.65	-----	51-56	Input Matching	4.15	-----
46-24	7.3 MH Crossover	1.15	-----	51-57	Hybrid Line	6.40	-----
46-27	130 MH Audio	1.50	-----	51-58	Output	7.80	-----
46-28	2.5 to 25 H 500 MA to 50 MA	17.45	-----	51-59	Output	10.70	-----
46-29	AF .4 H 100 MA	1.25	-----	51-61	Driver	3.75	-----
46-30	AF 1.5 H 10 MA	1.00	-----	51-62	Modulation Output	3.50	-----
46-31	AF 15 H 25 MA	2.60	-----	51-63	Driver Power	2.50	-----
46-32	Filter 4 H 120 MA	1.75	-----	51-64	Power Output	3.20	-----
	AF TRANSFORMERS			51-65	Output & Modulation	2.30	-----
51-3	Output	1.20	-----	51-66	Input	1.30	-----
51-5	3000 Cycle Oscillator	1.55	-----	51-67	Output & Modulation	1.15	-----
51-10	Push-Pull Output	1.15	-----	51-68	Output	2.95	-----
51-11	Output	27.00	-----	51-69	Output	2.20	-----
51-14	Output	9.00	-----	51-70	Output	4.60	-----
51-16	Bridge	5.00	-----	51-71	Interstage	1.40	-----
51-17	Output	11.65	-----	51-72	Output	1.30	-----
51-19	Output	23.30	-----	51-73	Output	8.35	-----
51-21	Output	5.00	-----	51-74	Modulation	5.00	-----
51-22	Modulation Output	7.10	-----				
51-23	Driver Input	3.45	-----	51-75	Mike Input	11.95	-----
51-24	Output	2.05	-----	51-76	Interstage	1.25	-----
51-25	AF Driver	1.25	-----	51-77	Output & Modulation	1.15	-----
				51-78	Interstage	1.45	-----
				51-79	Output & Modulation	1.30	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
51-80	Bridge	1.75	-----	52-47	Input 455 KC	.85	-----
51-81	Osc. Reactor	1.25	-----	52-48	Input 455 KC	.90	-----
51-82	Output	7.70	-----	52-49	Output 455 KC	.90	-----
51-83	Output	1.30	-----	52-50	Input 1682 KC	1.05	-----
51-84	Output	2.10	-----	52-51	Interstage	1.40	-----
51-85	Output	1.75	-----	52-52	Interstage 455 KC	.90	-----
51-86	Output	1.25	-----	52-53	Interstage 200 KC	.80	-----
51-87	Output	1.20	-----	52-55	Output 455 KC	2.45	-----
51-90	Driver	2.55	-----	52-56	Interstage 455 KC	1.05	-----
51-91	Output	2.90	-----	DISCRIMINATOR TRANSFORMERS			
51-92	Output	.90	-----	53-2	Detector 10.7 MC	1.25	-----
51-93	Modulation	5.00	-----	53-3	Discriminator 10.7 MC	1.80	-----
IF TRANSFORMERS				53-4	Detector 10.7 MC	1.10	-----
52-4	Input	.85	-----	53-5	Detector 10.7 MC	2.25	-----
52-5	Output	.95	-----	POWER TRANSFORMERS			
52-6	10.7 MC	.90	-----	54-2	Power	1.90	-----
52-7	455 KC	.85	-----	54-3	Power	5.00	-----
52-8	Input 455 KC	2.30	-----	54-5	Power	5.00	-----
52-9	Output 455 KC	2.15	-----	54-6	Power	5.00	-----
52-11	Input	1.15	-----	54-7	Power	3.30	-----
52-12	Interstage	1.30	-----	54-8	Power	5.70	-----
52-13	Output	2.55	-----	54-12	Power	7.95	-----
52-14	Output	2.50	-----	54-13	Power	8.55	-----
52-15	50 KC	3.15	-----	54-14	Power	9.60	-----
52-16	Input 1682 KC	1.80	-----	54-15	Power	4.20	-----
52-17	Interstage 1682 KC	1.55	-----	54-16	Wattmeter	1.75	-----
52-18	Input 455 KC	2.45	-----	54-17	Power	2.20	-----
52-19	Interstage	1.90	-----	54-19	Power	9.70	-----
52-20	Output 455 KC	1.60	-----	54-20	Power	9.20	-----
52-21	Input 10.7 MC	1.55	-----	54-21	Power	6.80	-----
52-22	Interstage 10.7 MC	1.40	-----	54-22	Power	5.00	-----
52-23	10.7 MC Limiter	1.50	-----	54-23	Power	1.95	-----
52-25	3 MC	1.15	-----	54-25	Power	5.45	-----
52-26	1st Stage 10.7 MC	1.00	-----	54-26	Power	7.65	-----
52-27	2nd Stage 10.7 MC	.95	-----	54-29	Power	8.55	-----
52-28	Input & Interstage	1.10	-----	54-30	Plate	14.40	-----
52-29	Output Detector	1.95	-----	54-31	Power	12.10	-----
52-30	RF Mixer	.95	-----	54-32	Power	8.25	-----
52-31	Input Primary	1.35	-----	54-33	Power	4.05	-----
52-32	Input Secondary	1.30	-----	54-34	Power	3.85	-----
52-33	Output Detector	2.80	-----	54-35	Power	4.50	-----
52-34	Input	2.25	-----	54-36	Power	5.00	-----
52-35	Input	1.95	-----	54-37	Filament	1.65	-----
52-36	Output & Detector	3.30	-----	54-38	Power	7.95	-----
52-37	Input 455 KC	2.35	-----	54-39	Power	5.95	-----
52-38	Input 455 KC	1.35	-----	54-40	Power	4.05	-----
52-39	Output 455 KC	1.25	-----	54-41	Power	5.00	-----
52-40	Input 2 MC	.80	-----	54-42	Filament	5.00	-----
52-42	22-26 MC	.80	-----	54-43	Power	5.00	-----
52-43	9 MC	.80	-----	54-44	Power	21.20	-----
52-44	Input 455 KC	1.55	-----	54-45	Filament	12.00	-----
52-45	Interstage 455 KC	1.55	-----				
52-46	Output 455 KC	1.55	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE		
54-46	Filament	9.70	-----	54-105	Power	8.45	-----		
54-47	Power	3.90	-----	54-106	Power	7.80	-----		
54-48	Power	5.00	-----	54-107	Power	7.70	-----		
54-49	Power Regulator	73.50	-----	54-108	Power	6.30	-----		
54-51	Power	6.65	-----	54-109	Power	8.75	-----		
54-52	Power	5.00	-----	54-110	Power (Plate)	27.05	-----		
54-54	Power	8.10	-----	54-111	Filament	4.95	-----		
54-55	Power	6.15	-----	54-112	Filament & Bias	6.70	-----		
54-56	Power	2.55	-----	54-113	Filament	2.25	-----		
54-57	Power	5.00	-----	54-114	Power	22.15	-----		
54-58	Power	13.90	-----	54-115	Power Relay	2.40	-----		
54-59	Power	5.00	-----	54-116	Power	7.90	-----		
54-60	Power	12.85	-----	54-117	Power	4.95	-----		
54-63	Power	5.00	-----	54-118	Power	7.20	-----		
54-64	Power	2.80	-----	54-119	Power	6.90	-----		
54-65	Power	13.05	-----	54-120	Power	5.00	-----		
54-66	Power	8.20	-----	54-121	Power Isolation	2.70	-----		
54-68	Power	9.05	-----	54-122	Power	5.00	-----		
54-69	Power	15.45	-----	54-124	Power	5.00	-----		
54-70	Power	5.00	-----	54-126	Power	5.60	-----		
54-71	Power	3.45	-----	VIBRATOR TRANSFORMER					
54-72	Power	9.85	-----	55-1	Vibrator	5.00	-----		
54-73	Power	18.90	-----	55-2	Vibrator	4.25	-----		
54-74	Inverter Power	7.00	-----	55-4	Power & Vibrator	8.20	-----		
54-75	Power	4.50	-----	55-5	6 or 12 V Vibrator	4.80	-----		
54-76	Filament	5.00	-----	55-6	Vibrator 12 V	7.00	-----		
54-77	Power	5.55	-----	55-7	Vibrator 6-12 V	5.00	-----		
54-78	Power Plate	7.30	-----	55-8	Vibrator 6-12 V	5.00	-----		
54-80	Power	9.90	-----	55-9	Vibrator - Power	5.95	-----		
54-81	Power	3.90	-----	55-10	Vibrator 12 V	6.75	-----		
54-82	Power	5.00	-----	CRYSTAL DIODE					
54-83	Filament	8.70	-----	56-4	Hughes HD2257	.65	-----		
54-84	Bias Supply	5.15	-----	56-5	Hughes HD-6226	1.35	-----		
54-85	Filament	7.80	-----	56-6	T1 IN754	2.85	-----		
54-86	Power Plate	64.55	-----	56-7	RCA IN2326	.90	-----		
54-87	Power	3.75	-----	56-8	Erie ED-5	.45	-----		
54-89	Power	8.25	-----	56-9	Type IN294	5.00	-----		
54-91	Power	5.00	-----	56-10	TI G-247	.85	-----		
54-92	Power	2.25	-----	56-11	Erie IN60A	1.35	-----		
54-93	Power	6.85	-----	56-12	Tunnel GE IN2940	5.90	-----		
54-94	Power	22.00	-----	METAL RECTIFIER					
54-96	Power	1.90	-----	57-2	65 MA Half Wave	1.15	-----		
54-97	Power	5.00	-----	57-6	Half Wave	1.20	-----		
54-98	Power Inverter	6.40	-----	57-7	Dual Half Wave	2.25	-----		
54-99	Power	19.75	-----	57-10	Mallory 1516B9VD	10.50	-----		
54-100	Power Inverter	8.20	-----	57-11	Bradley CS2C2D437	2.55	-----		
54-101	Power	5.00	-----	57-12	150 MA	1.90	-----		
54-102	Power	9.05	-----	57-13	Sarkes Model 50	.85	-----		
54-103	Power	9.55	-----	57-15	100 MA 130 V	1.50	-----		
54-104	Power	3.95	-----	57-16	100 MA 175V	2.40	-----		

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
57-17	500 MA	2.25	-----	62-18	2 Position 6 Sections	3.40	-----
57-18	20 Amp.	5.40	-----	62-19	3 Position Spring Return	1.85	-----
57-20	500 MA	1.50	-----	62-20	3 Position Lever	1.45	-----
57-21	150 MA	1.35	-----	62-21	3 Position 13 Sections	5.00	-----
57-22	10 MA 130 VAC	.75	-----				
57-23	200 MA 400V	1.30	-----				
57-25	65 MA 130V	1.35	-----				
57-27	Tungsol IN-2079	1.30	-----				
57-29	U-131	1.20	-----				
	SLIDE SWITCHES				ROTARY SWITCHES		
60-1	SPST	.15	-----	63-3	SPDT 2 Position	.50	-----
60-2	DPDT	.25	-----	63-8	4 Position	1.40	-----
60-3	DPDT	.50	-----	63-14	Single Pole 14 Position	3.05	-----
60-4	SPDT	.20	-----	63-17	2 Pole 4 Position	.95	-----
60-5	DPST	.25	-----	63-18	2 Pole 4 Position	2.05	-----
60-6	SPST	.35	-----	63-22	2 Pole 10 Position	2.20	-----
60-7	SPDT	.25	-----	63-24	3 Pole 12 Position	3.05	-----
60-8	SPST	.75	-----	63-29	7 Position 2 Deck	1.70	-----
60-9	TPDT	.65	-----	63-30	Single Pole	.90	-----
60-10	DPTT 3 Pos.	.35	-----	63-32	3 Position	.65	-----
60-11	SPDT	.15	-----	63-34	4 Position	.80	-----
60-12	SPST	.20	-----	63-37	Single Pole 5 Position	1.00	-----
60-13	DPDT	.25	-----	63-38	18 Position	1.40	-----
60-14	SPST	.20	-----	63-39	Ceramic	1.90	-----
60-15	DPDT	.25	-----	63-40	2 Pole 3 Position	1.15	-----
60-16	TPDT	.60	-----	63-41	2 Pole 5 Position	1.95	-----
60-18	SPST	.15	-----	63-43	2 Pole 3 Position	1.30	-----
	TOGGLE SWITCHES			63-45	2 Position	.85	-----
61-1	SPST	1.00	-----	63-46	12 Pos.	2.10	-----
61-2	SPDT	1.10	-----	63-47	1P 3 Position	.55	-----
61-3	DPST	1.65	-----	63-48	4 Position 2 Circuit	2.10	-----
61-4	SPST	1.15	-----	63-49	SPDT	.60	-----
61-5	DPDT	1.65	-----	63-50	Rotary	1.65	-----
61-7	SPDT	1.35	-----	63-51	6-12V Selector	1.55	-----
61-8	DPDT	1.90	-----	63-52	2 Pole 4 Position	1.50	-----
61-9	SPST	1.15	-----	63-53	2 Pole 3 Position	.65	-----
61-10	SPDT	1.35	-----	63-56	3 Pole 4 Position	1.90	-----
61-11	Two Ckt. 3 Pos.	2.05	-----	63-57	Attenuator	2.00	-----
	LEVER SWITCHES			63-58	Rotary	2.35	-----
62-1	Single Pole 3 Position	1.05	-----	63-59	Modulation	1.65	-----
62-5	3 Position Spring Return	.85	-----	63-60	4 Position	1.65	-----
62-6	3 Position Spring Return	1.15	-----	63-61	4 Position 2 Deck	2.20	-----
62-7	3 Position 10 Gang	5.00	-----	63-62	8 Position 2 Deck	2.00	-----
62-10	2 Position Spring Detent	1.20	-----	63-63	5 Position 3 Deck	2.50	-----
62-11	3 Position Spring Return	1.85	-----	63-66	1 Pole 5 Position	1.35	-----
62-12	2 Position 5 Pole ST	1.55	-----	63-67	5 Position 2 Section	1.45	-----
62-13	2 Position 9 Pole DT	2.20	-----	63-68	Rotary	2.55	-----
62-14	3 Position 6 Sections	7.55	-----	63-69	Rotary	.85	-----
62-15	3 Position Spring Return	1.75	-----	63-70	Rotary	.80	-----
62-16	3 Position 1 Section	1.65	-----	63-71	1 Pole 5 Position	1.35	-----
				63-73	2 Pole 9 Position	1.40	-----
				63-74	2 Sec. 5 Position	1.45	-----
				63-75	1 Sec. 4 Position	.90	-----
				63-76	1 Sec. 4 Position	.90	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
63-77	1 Pole 3 Position	.70	-----	63-132	1 Sec. 3 Position	.95	-----
63-78	3 Pole 3 Position	2.30	-----	63-133	6 Pos. 2 Sec.	1.80	-----
63-79	3 Deck 7 Position	2.35	-----	63-134	3 Pos. 1 Sec.	2.40	-----
63-80	3 Deck 5 Position	1.85	-----	63-135	4 Pos. 1 Sec.	7.65	-----
63-82	4 Position	1.45	-----	63-136	2 Pole 9 Pos.	2.25	-----
63-83	1 Section 6 Position	1.10	-----	63-137	2 Sec. 5 Pos.	2.25	-----
63-87	Selector	.95	-----	63-138	4 Pos. 1 Sec.	.60	-----
63-88	Selector	.60	-----	63-139	1 Sec. 5 Pos.	1.50	-----
63-90	5 Position 2 Pole	2.15	-----	63-140	2 Sec. 5 Pos.	2.45	-----
63-91	9 Position 2 Pole	1.25	-----	63-144	Rotary	.70	-----
63-92	Rotary	1.10	-----	63-145	2 Position 1 Sec.	.55	-----
63-93	10 Position Single Pole	1.30	-----	63-146	Rotary	5.00	-----
63-94	2 Pole 5 Position	1.20	-----	63-147	2 Sec. 6 Pos.	3.65	-----
63-95	2 Pole 3 Position	1.40	-----	63-148	2 Sec. 4 Position	3.50	-----
63-96	2 Deck 7 Position	5.00	-----	63-149	2 Sec. 7 Position	2.35	-----
63-97	1 Pole 10 Position	5.00	-----	63-150	3 Sec. 4 Position	4.45	-----
63-98	1 Pole 5 Position	2.95	-----	63-151	1 Sec. 2 Pole 2 Pos.	1.50	-----
63-99	2 Pole 3 Position	2.00	-----	63-152	3 Sec. 6 Pole	2.65	-----
63-100	5 Position	1.90	-----	63-153	2 Sec. 2 Pole 5 Pos.	2.65	-----
63-101	9 Position	1.90	-----	63-154	1 Sec. 3 Pole 4 Pos.	2.35	-----
63-102	SPST	.75	-----	63-155	1 Sec. 1 Pole 5 Pos.	1.65	-----
63-103	2 Section 3 Position	2.00	-----	63-156	5 Sec. 5 Pos.	4.05	-----
63-104	1 Section 4 Position	1.15	-----	63-157	3 Pole 1 Sec. 3 Pos.	1.70	-----
63-105	2 Section 6 Position	1.80	-----	63-158	Rotary	4.30	-----
63-106	3 Pole 4 Position	1.45	-----	63-159	2 Pole 2 Pos. 2 Sec.	1.65	-----
63-107	8 Position	1.70	-----	63-160	SPDT	.50	-----
63-108	11 Position	1.75	-----	63-161	3 Pos. 2 Circuit	1.05	-----
63-109	Rotary	.55	-----	63-162	2 Pole 2 Pos.	1.55	-----
63-110	Rotary	1.75	-----	63-164	2 Sec. 8 Pos.	2.90	-----
63-111	5 Position	1.90	-----	63-165	2 Sec. 8 Pos.	2.80	-----
63-112	Single Pole 4 Position	.70	-----	63-166	1 Sec. 3 Pos.	1.30	-----
63-113	Rotary	2.55	-----	63-167	1 Sec. 20 Pos.	2.15	-----
63-114	Rotary	1.85	-----	63-168	1 Sec. 10 Pos.	.95	-----
63-115	Rotary	1.30	-----	63-169	3 Position 3 Pole	1.20	-----
63-116	2 Sec. 7 Position	1.75	-----	63-170	2 Section	5.05	-----
63-117	2 Sec. 7 Position	1.65	-----	63-171	SPST	.65	-----
63-118	2 Sec. 10 Position	2.35	-----	63-172	1 Section	2.20	-----
63-119	2 Sec. 10 Position	4.80	-----	63-173	1 Section	2.15	-----
63-120	2 Sec. 7 Position	5.00	-----	63-174	2 Section	2.60	-----
63-121	1 Sec. 17 Position	4.00	-----	63-175	1 Section	1.70	-----
63-122	1 Sec. 2 Position	1.00	-----	63-176	1 Section	1.90	-----
63-123	1 Sec. 1 Position	1.15	-----	63-177	Rotary	.65	-----
63-124	2 Position 1 Sec.	.90	-----	63-178	SPST	.75	-----
63-125	4 Position 1 Sec.	.90	-----	63-179	1 Pole 4 Position 3 Section	3.00	-----
63-126	2 Position 2 Pole	.90	-----	63-180	5 Position 1 Section	1.80	-----
63-127	SPST	.45	-----	63-181	2 Position 1 Section	1.05	-----
63-128	2 Deck 5 Pos.	1.90	-----	63-182	2 Position 1 Section	1.15	-----
63-129	12 Position 3 Wafer	2.05	-----	63-183	SPST	.70	-----
63-130	1 Section 5 Position	2.05	-----	63-184	SPST	.70	-----
63-131	12 Pos. 2 Pos.	4.50	-----	63-185	SPST	.45	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
63-188	3 Pole 2 Position 1 Section	1.05	-----	63-246	5 Position 1 Section	1.40	-----
63-189	1 Section 3 Position	1.30	-----	63-247	6 Position 4 Section	5.00	-----
63-190	1 Pole 3 Position	.65	-----	63-248	4 Position Single Section	2.15	-----
63-191	1 Pole 4 Position	.75	-----	63-249	SPST	.60	-----
63-192	1 Pole 12 Position	2.10	-----	63-250	SPDT	.55	-----
63-193	3 Section 5 Position	3.70	-----	63-251	3 Position Single Section	.70	-----
63-194	2 Position	.55	-----	63-252	SPST	.40	-----
63-195	2 Position	.45	-----	63-253	4 Position One Section	1.30	-----
63-196	3 Section 3 Position 6 Pole	3.55	-----	63-254	5 Position One Section	2.65	-----
63-197	2 Position	.70	-----	63-255	7 Position Two Section	2.35	-----
63-198	6 Position	.95	-----	63-256	7 Position Four Section	2.70	-----
63-199	6 Position	.90	-----	63-258	4 Position Single Section	1.15	-----
63-200	9 Position	3.30	-----	63-259	6 Position Single Section	.90	-----
63-201	6 Position	3.45	-----	63-261	5 Position Five Section	4.70	-----
63-202	2 Position	4.75	-----	63-262	5 Position Two Section	3.25	-----
63-203	3 Position	2.95	-----	63-263	2 Position Single Section	1.70	-----
63-204	6 Position 3 Section	5.00	-----	63-264	7 Position Five Section	5.10	-----
63-205	5 Position 1 Section	16.20	-----	63-265	3 Position Single Section	.55	-----
63-206	6 Position 4 Section	5.00	-----	63-266	6 Position 6 Section	7.65	-----
63-207	4 Position Single Section	1.15	-----	63-267	SPST AC Snap	1.55	-----
63-208	4 Position Single Section	2.20	-----	63-268	4 Position 2 Section	5.00	-----
63-209	3 Position Single Section	1.80	-----	63-269	Rotary AC Snap	1.55	-----
63-210	3 Position Single Section	1.35	-----	63-270	4 Position Single Section	.95	-----
63-211	2 Position Single Section	.65	-----	63-271	7 Position 2 Section	2.15	-----
63-214	7 Position Single Section	1.00	-----	63-272	3 Position 2 Section	2.25	-----
63-215	4 Position Single Section	1.25	-----	63-273	10 Position 4 Section	3.05	-----
63-216	6 Position Single Section	.95	-----	63-274	6 Position 3 Section	2.55	-----
63-217	12 Position Single Section	1.00	-----	63-275	10 Position 3 Section	2.60	-----
63-218	8 Position 6 Section	4.25	-----	63-276	6 Position 1 Section	1.20	-----
63-219	6 Position Four Section	2.95	-----	63-277	16 Position 1 Section	1.80	-----
63-220	4 Position Single Section	1.00	-----	63-278	8 Position 1 Section	1.00	-----
63-221	20 Position Single Section	2.40	-----	63-279	3 Position 1 Section	3.15	-----
63-222	4 Position Two Section	1.95	-----	63-280	7 Position 2 Section	2.20	-----
63-223	2 Position Two Section	2.30	-----	63-281	18 Position 2 Section	2.80	-----
63-225	5 Position 2 Section	2.20	-----	63-282	3 Position 1 Section	.65	-----
63-226	5 Position 2 Section	3.70	-----	63-283	11 Position 3 Section	2.65	-----
63-227	3 Position	2.55	-----	63-284	2 Position 1 Section	3.00	-----
63-230	2 Position 2 Section	1.65	-----	63-286	4 Position 2 Section	1.90	-----
63-231	3 Position 1 Section	1.15	-----	63-287	3 Position 1 Section	1.70	-----
63-232	2 Position 1 Section	1.20	-----	63-288	4 Position 1 Section	1.65	-----
63-233	4 Position 2 Section	2.10	-----	63-289	3 Position 1 Section	.75	-----
63-234	8 Position 1 Section	5.00	-----	63-290	5 Position 1 Wafer	1.90	-----
63-237	7 Position 1 Section	1.00	-----	63-291	10 Position 1 Section	.90	-----
63-238	5 Position 4 Section	4.00	-----	63-292	11 Position 1 Section	1.40	-----
63-239	6 Position 1 Section	1.75	-----	63-293	4 Position 3 Wafer	2.00	-----
63-240	3 Position 1 Section	.55	-----	63-295	3 Position 1 Section	1.00	-----
63-241	2 Position 2 Section	2.15	-----	63-299	5 Position 6 Section	5.00	-----
63-242	5 Position 1 Section	.95	-----	63-301	5 Position 2 Section	2.00	-----
63-243	6 Position 2 Section	1.85	-----	63-302	3 Position 1 Wafer	.75	-----
63-244	5 Position 2 Section	1.90	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
PUSH BUTTON SWITCHES				ACETATE INSULATOR			
64-1	SPDT	1.00	-----	70-1	Acetate Sleeve	.10	-----
64-2	DPDT	1.65	-----	70-4	Paper Sleeve	.10	-----
64-3	SPST	.90	-----	70-5	Nylon Sleeve Banana Plug	.10	-----
64-4	SPST	.55	-----	70-6	Nylon Sleeve Banana Plug	.10	-----
64-5	SPST	1.60	-----	CERAMIC INSULATOR			
64-6	DPDT	1.65	-----	71-2	Cone Feed Thru	.55	-----
64-7	SPST	.90	-----	71-3	Ceramic Coil Form	.50	-----
64-10	(2) DPDT & (2) SPST	2.20	-----	71-4	Stand Off Ceramic	.40	-----
64-12	Push Button	.30	-----	71-5	Stand Off Ceramic	.35	-----
64-13	SPST	1.30	-----	71-6	Porcelain for Antenna	.10	-----
64-14	4 Pole DT	1.00	-----	INSULATORS			
64-15	4 Pole DT	1.75	-----	73-1	3/8 x 9/32 ID Grommet	.10	-----
64-16	SPST	1.10	-----	73-2	3/4 x 9/16 ID Grommet	.10	-----
64-17	Push Button	5.00	-----	73-3	1/2 x 3/8 ID Grommet	.10	-----
64-18	SPDT	.70	-----	73-4	5/16 x 3/16 ID Grommet	.10	-----
SWITCH MISCELLANEOUS				73-5	Cushion Strip	.10	-----
65-1	Overload	.55	-----	73-6	7/16 x 7/32 ID Grommet	.10	-----
65-2	Knife Type SPST	.30	-----	73-7	1/8 x 3/8 x 7 Gasket	.30	-----
65-6	Leaf Type DPST	.75	-----	73-11	Test Clip Insulator	.10	-----
65-7	Circuit Breaker 10 Amp.	1.05	-----	73-12	Test Clip Insulator	.10	-----
65-8	Circuit Breaker 15 Amp.	1.05	-----	73-14	Anode Clip Insulator	.45	-----
VIBRATORS				73-15	1/8T x 3/8W x 6 1/2L Gasket	.10	-----
68-1	6V Mallory 1601	2.40	-----	73-M16	1/8T x 3/8W x 2 Gasket	.10	-----
68-2	12V Mallory G1601	2.40	-----	73-17	1/8T x 3/8W c 5'L Gasket	.20	-----
68-5	6V Mallory 1610	2.55	-----	73-18	2 1/2 x 2 1/8 ID Grommet	.35	-----
68-6	6V 12V Dual Mallory 1701	5.40	-----	73-19	1/8T x 3/8W x 3'L Gasket	.15	-----
68-7	12V Mallory G-1501	5.00	-----	73-20	Test Clip Insulator	.10	-----
RELAYS				73-21	Test Clip Insulator	.10	-----
69-1	5000 Ohm SPST	4.35	-----	73-22	1 1/2 O.D. 5/8 ID Grommet	.10	-----
69-2	4 Pole Double Throw	6.80	-----	73-23	15/16 OD 7/16 ID Gasket	.10	-----
69-3	SPST 5 K Ohm 6 Amp.	3.85	-----	73-24	1/8T x 3/8W x 18" Gasket	.10	-----
69-4	4 Pole D. T.	5.85	-----	73-25	1/16T x 2 x 9 1/4 Adhesive	.25	-----
69-5	110 AC Coil DPDT=	5.00	-----	73-27	13/32 ID Gasket	.10	-----
69-6	5 Pole Telephone Type	6.65	-----	73-28	Tubular 1 OD x 7/8 ID x 1-1/2	.30	-----
69-8	3PDT	5.00	-----	73-M29	1/8 x 3/8 x 9" Rubber	.10	-----
69-9	3 PST 10K Ohm	6.50	-----	73-30	Rubber Strip 20"	.25	-----
69-10	SPST 12V DC 10 Amp.	4.60	-----	73-M31	Rubber 1/8T x 3/8W x 12"L	.10	-----
69-11	DPST 110V AC Coil 20 Amp.	6.90	-----	73-32	Rubber 1/16T x 2 x 9 1/4"	.25	-----
69-12	Amperite 115 NO60	5.00	-----	73-33	Grommet 7/16 OD x 11/64 ID	.10	-----
69-13	SPDT 6V DC	2.95	-----	75-1	Phenolic	.20	-----
69-14	10MA DC 3 PDT	5.00	-----	75-2B	Binding Post Cap	.10	-----
69-15	SPDT 6V dc	2.20	-----	75-2R	Binding Post Cap	.10	-----
69-16	10,000 Ohm 5 PDT	6.55	-----	75-5	Condenser Mounting	.20	-----
69-17	SPDT 10,000 Ohm	5.00	-----	75-6	Terminal Board	.40	-----
69-18	SPST 6V DC 20 Amp.	4.65	-----	75-9	Terminal	.30	-----
69-19	SPDT 12V AC	5.00	-----	75-10	Board	.10	-----
69-20	Thermal Delay 117V	2.40	-----	75-11	Chassis Board	.25	-----
				75-M12	Plastic	.10	-----
				75-13	Battery Mounting Plate	.25	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
75-14	Plexiglas	.70	-----	84-23	Tone Control Network	.80	-----
75-15	Terminal Half Shell	.30	-----	84-24	Transient Suppressor	.65	-----
75-16	Terminal Half Shell	.30	-----	84-25	Ratio Detector	.60	-----
75-17	Bushing Low-C	.10	-----	84-27	IF Amplifier Strip	3.90	-----
75-18	Bushing Nylon	.10	-----				
75-19	Control Mtg. Strip	.30	-----		PRINTED CIRCUIT		
75-20	Plate	.10	-----	85-2	309-C Circuit Board	.35	-----
75-21	Phenolic	.10	-----	85-3	337-C Circuit Board	.25	-----
75-22	Terminal Board	.10	-----	85-M4	338-C Circuit Board	.60	-----
75-23	Board High Voltage	.35	-----	85-9F102	V-7A Circuit Board	1.35	-----
				85-M10F131	ES201 Circuit Board	1.00	-----
75-24	Line Cord Strain Relief	.10	-----	85-11F141	O-11 Circuit Board	2.25	-----
75-25	Condenser Mounting	.35	-----	85-12F179	O-12 Circuit Board	1.90	-----
75-26	Mica	.10	-----	85-13F182	OM-3 Circuit Board	1.20	-----
75-27	Terminal Board	.10	-----	85-14F178	O-12 Circuit Board	2.40	-----
75-29	Line Cord Strain Relief	.15	-----				
75-30	Line Cord Strain Relief	.10	-----	85-15F208	TR-1D Circuit Board	1.65	-----
75-31	Board Phenolic	.15	-----	85-16F209	TR-1D Circuit Board	1.25	-----
75-32	Line Cord Strain Relief	.20	-----	85-17F426	AJ-30 Circuit Board	2.25	-----
75-33	Tube Mounting	1.00	-----	85-18F217	PT-1 Circuit Board	.95	-----
75-34	Phenolic	.10	-----	85-19F712	AJ-41 Circuit Board	1.30	-----
				85-20F299	SP-2A Circuit Board	1.30	-----
75-38	Insulating Board	.10	-----	85-21F239	TR-1A Circuit Board	1.05	-----
75-41	Plate	.10	-----	85-22F238	TR-1A Circuit Board	1.45	-----
75-42	Plate Celluloid	.10	-----	85-23F332	AA-30 Circuit Board	1.05	-----
75-43	Plate Punched	.45	-----	85-25F427	AA-100 Circuit Board	4.00	-----
75-44	Mica	.10	-----				
75-45	Vulcanized Fibre	.10	-----	85-26F308	GC-1 Circuit Board	1.30	-----
75-46	Plate Two Holes	.10	-----	85-27F324	AA-50 Circuit Board	1.60	-----
75-47	Vulcanized Fibre	.45	-----	85-31F368	R-110 Circuit Board	.70	-----
75-48	Vulcanized Fibre	.10	-----	85-M32	R-160 Circuit Board	.45	-----
75-49	Plate	.10	-----	85-33F373	GW-30 Circuit Board	.75	-----
75-50	Plate	.10	-----	85-34F472	GD-71 Circuit Board	.50	-----
75-52	Phenolic Plate	.10	-----	85-35	R-220 Circuit Board	.75	-----
75-55	Round Nylon Bobbin	.10	-----	85-36F509	GW-31 Circuit Board	.70	-----
	PACKAGED ELECTRONIC CIRCUIT			85-37F582	GW-21 Circuit Board	.90	-----
84-1	Tone Control Network	1.95	-----	85-38F610	GR-91 Circuit Board	1.50	-----
84-2	Component Assembly	4.50	-----	85-39F621	HM-10 Circuit Board	.55	-----
84-3	Component Assembly	4.80	-----	85-40F679	GR-131 Circuit Board	1.30	-----
84-4	Component Assembly	3.75	-----	85-42F713	AJ-41 Circuit Board	2.25	-----
84-5	Component Assembly	5.00	-----				
84-6	Component Assembly	4.35	-----		PERFORATED BOARD		
84-7	Component Assembly	4.80	-----	86-1F369	R-120 Board	.50	-----
84-8	Compensation Network	2.10	-----	86-2F370	R-140 Board	.55	-----
84-9	Loudness Control Network	.85	-----	86-3F371	R-160 Board	.60	-----
				86-4F399	R-210 Board	.25	-----
84-10	Phase Shift Network	5.90	-----	86-5F403	SK-30 Board	.50	-----
84-13	Tone Control Network	.80	-----	86-6F404	SK-40 Board	.55	-----
84-15	Tone Control Network	3.45	-----	86-7F405	SK-50 Board	.60	-----
84-17	Oscillation Suppressor	1.80	-----	86-M8F409	SK-20 Board	.25	-----
84-18	Oscillation Suppressor	1.05	-----	86-M9	R-240 Board	.15	-----
84-19	Component Assembly	3.45	-----	86-10F	EF-1 Board	.25	-----
84-20	Tone Control Network	.55	-----	86-12	R-340 Board	.30	-----
84-22	Phase Shift Network	.95	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
LINE CORD							
89-1	6 Ft. Standard	.25	-----	90-M87	SP-1	2.40	-----
89-3	6 Ft. TV Type	.45	-----	90-89	TC-3	5.00	-----
89-4	8 Ft. Without Plug	.40	-----	90-91	VHF-1	24.60	-----
89-6	15 Ft. Standard	.60	-----	90-95	MT-1	5.35	-----
89-10	15 Ft. Special	.60	-----	90-96	PS-4	5.00	-----
89-11	20 Inches Special	.25	-----	90-97	EC-1	35.90	-----
89-12	6 Ft. Special	4.05	-----	90-M99F	PM-2	.40	-----
89-13	8 Ft. Molded Plug	.35	-----	90-100	MR-1	5.00	-----
89-14	16 In. 3 Conductor	.35	-----	90-101	XC-6	3.30	-----
89-15	10 Ft. 3 Conductor	1.60	-----	90-103	OR-1	7.40	-----
89-16	Type SPT-1	.10	-----				
89-17	8 Ft. Without Plug	.50	-----	90-M104F263	AK-7	1.40	-----
89-19	6 Ft. With Plug	.45	-----	90-M105	FM-4	1.45	-----
METAL CABINETS							
90-4	PS-1	5.00	-----	90-106	KL-1	22.80	-----
90-10	VC-1	2.80	-----	90-107	KS-1	5.00	-----
90-14	SG-7	4.55	-----	90-M109F562-563	AA-191	1.40	-----
90-17	VTVM	2.60	-----	90-110	RF-1	4.65	-----
90-18	QM-1	5.00	-----	90-111	CB-1	4.90	-----
90-19	GD-1	1.95	-----	90-M112F559-560-561	AA-201	2.65	-----
90-20	IT-1	2.65	-----	90-113F	DS-1	5.00	-----
90-24	LG-1	5.00	-----	90-114F486	DM-275	3.75	-----
90-25	O-9	7.15	-----				
90-26	AW-1	2.85	-----	90-M115	EA-3	1.85	-----
90-M29	WA-P2	.75	-----	90-M117	SA-2	2.20	-----
90-30	VF-1	5.00	-----	90-118	KS-1	3.70	-----
90-M37F	(FM-3)	.90	-----	90-119F	DF-3	5.00	-----
90-39	QF-1	2.95	-----	90-120	GC-1	5.20	-----
90-47	XO-1	3.25	-----	90-121F305	DF-3	4.10	-----
90-48M	ES-400 Bottom	5.00	-----	90-122	HD-19	5.00	-----
90-M49F	ES-400 Left Side	5.00	-----	90-M125	AA-20	1.50	-----
90-M50F	ES-400 Right Side	4.95	-----	90-M126F	AN-10	1.45	-----
90-M51F183	ES-400 Front	2.65	-----	90-M127	AJ-10	1.80	-----
90-M52F	ES-400 Back	3.05	-----	90-M128F	HD-20	.35	-----
90-54	DX-20	5.00	-----	90-M130F355	AA-80	1.20	-----
90-55	ES-600	8.70	-----	90-M131F	GW-10	1.95	-----
90-60	AG-9A	4.70	-----	90-M132F	IT-10	.55	-----
90-61	BE-5	5.00	-----	90-M133F363-364	IT-10	.50	-----
90-62	CD-1	5.00	-----	90-M134F	R-150	.20	-----
90-M63F167	B-1	1.35	-----	90-M135F	R-150	.20	-----
90-64	AM-2	2.85	-----	90-M136F	R-150	.35	-----
90-65	MC-1	5.00	-----	90-M137F	R-150	.25	-----
90-72	DF-1	2.95	-----	90-M138F	R-150	.20	-----
90-75	SB-10	6.00	-----	90-M139F	R-150	.15	-----
90-M76	EA-2	1.70	-----	90-M140F	R-130	.25	-----
90-80	DF-2	5.00	-----	90-M141F	R-130	.30	-----
90-82	TX-1	30.00	-----	90-M142F	R-130	.45	-----
90-83	W-7	3.85	-----	90-M143F	R-130	.25	-----
90-85	OP-1	9.00	-----	90-144	R-170	2.70	-----
90-86	PT-1	3.05	-----	90-146	IO-10	5.00	-----
				90-148	IO-20	7.70	-----
				90-149	IP-10	5.00	-----
				90-150	HW-20	5.40	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
90-M152F	DX-60	2.60	-----	90-M206F	GR-81	1.45	-----
90-M153F406	SK-60	.35	-----	90-M207F	AA-171	1.80	-----
90-M154F422	SK-60	.30	-----	90-M208F	EK-3	.45	-----
90-M155F407-422	SK-70	.25	-----	90-M209F	EK-3	.25	-----
90-M156F	SK-70	.25	-----	90-M210F	EK-3	.20	-----
90-M157F	SK-20	.20	-----	90-M211F	EK-3	.15	-----
90-M158F	SK-20	.20	-----	90-M212F	EK-3	.20	-----
90-M159F411	SK-10	.35	-----	90-M213F	EK-3	.20	-----
90-M160F	SK-10	.25	-----	90-M214	AC-11B	1.55	-----
90-M161	AJ-30	3.50	-----	90-215	AA-111	5.00	-----
90-163	HA-10	33.10	-----	90-219	DMW-273A	12.60	-----
90-165	MWW-11	17.00	-----	90-220	IT-21	5.00	-----
90-M166	AJ-11	3.05	-----	90-223F737	MR-21	5.00	-----
90-M167F	AA-31	2.55	-----	90-224F727-728	MR-21	5.00	-----
90-168F	DM-275	5.00	-----	90-225F730	MI-11	3.55	-----
90-M169F	DM-277	1.90	-----	90-226F731-732	MI-11	1.85	-----
90-170F	DM-274	5.00	-----				
90-171F495-496	DM-274	4.05	-----		WOOD CABINETS		
90-172	DM-273	12.20	-----	91-1	TC-1-2	5.00	-----
90-M173F	AA-181	2.05	-----	91-3	DR-1	4.50	-----
90-M174F	IM-30	2.45	-----	91-6	DC-1	3.90	-----
90-175	IT-11	4.95	-----	91-8	TC-1P-2P	7.50	-----
90-176F	GW-31	1.25	-----	91-9	BR-2	4.95	-----
90-177F514	MR-11	4.15	-----	91-10	AR-2	4.95	-----
90-M177F495-598	DM-337	4.15	-----	91-14	CC-1	6.60	-----
90-M178F	GP-11	1.45	-----	91-15	AR-3	4.95	-----
90-M179F	HG-10	2.55	-----	91-17	SS-1B	31.45	-----
90-180	IM-21	3.15	-----	91-20	HH-1C	75.55	-----
90-181	IO-21	5.60	-----	91-22	HH-1C	75.55	-----
90-M182F	AJ-31	1.45	-----	91-26	SS-1	4.95	-----
90-M183	DA-287	1.90	-----	91-28	SS-2	15.35	-----
90-M184	DA-281	4.05	-----	91-29	SW-1	5.00	-----
90-M185	DA-283	2.60	-----	91-30	SE-1M	130.10	-----
90-M186	DA-286	3.15	-----	91-31	SE-1B	130.10	-----
90-187	AA-81	5.00	-----	91-32	SC-1MR	35.30	-----
90-188	AA-91	5.00	-----	91-33	SC-1ML	35.30	-----
90-189	AA-121	5.00	-----	91-34	SC-1BR	35.30	-----
90-190	IOS-10	5.70	-----	91-35	SC-1BL	35.30	-----
90-M191	GW-21	.65	-----	91-36	SS-3	7.55	-----
90-M192	AA-141	2.35	-----	91-37	CE-2B	38.85	-----
90-M193F	AC-11	.85	-----	91-38	CE-2M	38.85	-----
90-M194	DA-330	1.20	-----	91-39	CE-2T	38.85	-----
90-195	IM-11	2.45	-----	91-41	AK-5	5.00	-----
90-M196	R-110	.35	-----	91-42	SD-1M	44.65	-----
90-198	HX-11	5.40	-----	91-43	SD-1B	44.65	-----
90-M199	R-190	.40	-----	91-47	AS-2M	34.15	-----
90-200	HD-11	2.85	-----	91-48	AS-2B	33.75	-----
90-M201F	GR-91	1.95	-----	91-49	AS-2U	20.80	-----
90-M204F	IN-11	1.20	-----	91-50	TT-1	11.15	-----
90-M205F	IN-21	.85	-----	91-53	AK-8	3.95	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
MOLDED CABINETS							
91-54	AD-10	4.85	-----	92-6	Housing Side Plates LSR-1	.10	-----
91-55	AD-40	20.15	-----	92-7	Housing End Cap LSR-1	.10	-----
91-56	ADA-70U	4.95	-----	92-7F196	Housing End Cap LSR-1	.15	-----
91-58	ADA-70B	6.95	-----	92-7F197	Housing End Cap LSR-1	.15	-----
91-59	ADA-70M	6.95	-----	92-7F198	Housing End Cap LSR-2	.15	-----
91-61	ADA-50W	5.95	-----	92-7F199	Housing End Cap LSR-2	.15	-----
91-62	ADA-50M	6.95	-----	92-7F200	Housing End Cap LSC-1	.15	-----
91-63	ADA-50U	4.95	-----	92-7F201	Housing End Cap LSC-1	.15	-----
91-64	AE-20U	79.95	-----	92-7F202	Housing End Cap LSC-2	.15	-----
91-65	AE-20M	99.50	-----	92-7F203	Housing End Cap LSC-2	.15	-----
91-66	AE-20W	99.50	-----	92-8	Cabinet Shell XR-2	1.35	-----
91-67	AE-30U	31.95	-----	92-9	Cabinet Front XR-2	1.05	-----
91-68	AE-30M	38.95	-----	92-10	Cabinet Shell TCR-1	1.00	-----
91-69	AE-30W	38.95	-----	92-11	Cabinet Top TCR-1	.55	-----
91-70	AE-40U	37.95	-----	92-12	Cabinet Top XI-1	1.35	-----
91-71	AE-40M	44.95	-----	92-13	Cabinet Base XIR-1	.70	-----
91-72	AE-40W	44.95	-----	92-14	Cabinet Grill XI-1	.50	-----
91-73	AS-10U	27.10	-----	92-M15	Cabinet Assembly TCR-1	1.85	-----
91-74	AS-10M	38.80	-----	92-M17F365-366	Front Panel R-150	1.15	-----
91-75	AS-10W	35.20	-----	92-M18F365	Front Panel R-150 Remote	.55	-----
91-76	AEA-20U	12.95	-----	92-21	Cabinet GD-71	3.15	-----
91-77	AEA-20M	14.95	-----	92-M22F482-483	Cabinet R-240	.95	-----
91-78	AEA-20W	14.95	-----	92-M23F484-485	Cabinet R-220	1.35	-----
91-79	GD-10	16.70	-----	92-24	Cabinet GR-11	1.60	-----
91-80	GD-31	61.60	-----	92-26F590-686-687	Panel GR-11	.80	-----
91-81	AS-21U	72.80	-----	92-26F654-685-686	Panel GR-10	.80	-----
91-82	AS-21M	82.25	-----	92-27	Panel GR-121	.70	-----
91-83	AS-21W	84.00	-----	92-30	Cabinet Assembly GR-131	2.25	-----
91-84	GDW-41W Drum	5.00	-----	92-31	Cabinet GD-51	1.00	-----
91-85	GDW-41W	152.30	-----	92-32	Top GD-51	1.35	-----
91-86	AS-41	7.00	-----	92-33	Base GD-131	.70	-----
91-87	GD-61	18.35	-----	92-34	Cover R-340	.80	-----
91-88	AS-41U	6.40	-----	92-35	Mike Housing R-320	1.05	-----
91-89	GD-61M	22.85	-----	LEATHER CASE			
91-90	GD-61W	22.85	-----	93-2	XR-2L	5.20	-----
91-91	GDW-41W Drum	5.00	-----	93-3	TCR-1	4.95	-----
91-93	GR-21	10.10	-----	93-4	GW-30	3.90	-----
91-94	DA-289	25.95	-----	93-5	DM-278	3.90	-----
91-95	AS-51U	17.00	-----	93-6	GR-151	5.00	-----
91-96	AS-51M	28.70	-----	93-7	DG-294	5.00	-----
91-97	AS-81U	8.25	-----	MOLDED CASE			
91-98	AS-81M	10.45	-----	95-1	Remote Control Case SP-2	.65	-----
91-99	AS-81W	10.25	-----	95-2	Speaker Housing AS-2	2.25	-----
91-100	TTA-1-1	5.20	-----	95-3	Antenna Housing DF-3	.75	-----
91-101	ADA-61-2	4.45	-----	95-4	Bottom Case DF-3	.45	-----
91-102	ADA-61-3	4.95	-----	95-M6	Plastic Case R-180	.15	-----
91-103	ADA-32-1	31.85	-----	95-7	Pickup Clamp Case IO-20	.40	-----
91-104	TT-1A	11.50	-----	95-8	Pickup Clamp Cover IO-20	.40	-----
				95-9	Speaker Housing AS-10	.55	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
95-10 } 95-11 }	L & R Housing ID-11	3.75	-----	100-115	Cable RX-1	2.45	-----
95-12	Antenna Housing DM-274	.90	-----	100-M117	Chassis Base RX-1	4.40	-----
95-13	Case Bottom DM-274	.60	-----	100-M118	Chassis Base TX-1	5.00	-----
ASSEMBLIES				100-119	Cable TX-1	3.40	-----
100-M10	Knob Pointer	.20	-----	100-M120	Dial Drive Cam TX-1	.30	-----
100-M13	Battery Holder M-1	.40	-----	100-M121	Dial Pulley TX-1	.25	-----
100-M16	Binding Post Cap	.10	-----	100-M122	Dial Drum Shaft TX-1	.35	-----
100-M19	Drive Pulley QM-1	.20	-----	100-M125	Left End Plug TX-1	.30	-----
100-M24	Dial Plate BR-2	.35	-----	100-M126	Drive Plate TX-1	.30	-----
100-M25	Dial Pulley BR-2	.25	-----	100-M127	Drive Plate TX-1	.30	-----
100-M27	Dial Cord BR-2	.10	-----	100-M128	Drive Plate TX-1	.25	-----
100-28	Mounting Ring MM-1	1.00	-----	100-M129	Drive Arm Plate TX-1	.30	-----
100-29	Mounting Ring MM-1	1.00	-----	100-M130	Drive Arm Plate TX-1	.30	-----
100-M31	Pointer & Bushing AR-2	.20	-----	100-M131	Dial Escutcheon TX-1	1.05	-----
100-M33	Panel GD-1B	.80	-----	100-M132	Left Support TX-1	.20	-----
100-35	Coils; Set of 5 SG-8	2.00	-----	100-M138	Pulley RX-1	.20	-----
100-39M	Dial Knob AM-1	1.00	-----	100-139	Tuning RX-1	159.30	-----
100-41	Coil & Switch LG-1	5.00	-----	100-M140	Knob Pointer DF-2	1.00	-----
100-42	Coils; Set of 3 VF-1	3.80	-----	100-M141	Panel DF-2	1.50	-----
100-M43	Dial Drive Plate VF-1	.25	-----	100-142	Coils; Set TX-1	5.00	-----
100-M44	Friction Drive VF-1	.25	-----	100-M143	C.R.T. Clamp OP-1	.20	-----
100-M45	RF Choke TS-4	.70	-----	100-M144	Tube Shield OP-1	16.30	-----
100-M46	Knob & Pointer TS-4	.35	-----	100-145	Coil Set OP-1	1.75	-----
100-M51	Sub Chassis VF-1	.50	-----	100-146	Cable OP-1	.50	-----
100-M54	Knob Pointer TC-2	.55	-----	100-M148	Drive Pulley PT-1	.25	-----
100-M57	Sub Chassis DX-100	.80	-----	100-M149	Panel PT-1	2.40	-----
100-M58	Drive Plate DX-100	.45	-----	100-M151	Dial Cord PT-1	.10	-----
100-M59	Drive Plate DX-100	.40	-----	100-M152	Dial Cord PT-1	.15	-----
100-M60	Pointer Knob DX-100	.60	-----	100-M153	Front Panel SP-1	1.50	-----
100-M62	Drive Pulley HD-1	.30	-----	100-M154	Panel Escutcheon TC-3	1.05	-----
100-M64	Cord HD-1	.10	-----	100-M155	Brake Clamp SW-1	.40	-----
100-M65	Knob Pointer AO-1	.30	-----	100-156	Set of Coils SB-1	8.60	-----
100-M70	Dial Drum Pulley FM-3	.20	-----	100-M157	Lamp Bracket TC-3	.20	-----
100-M74	Pointer QF-1	.15	-----	100-M158	Switch VHF-1	.80	-----
100-75	Set of Coils AR-3	4.20	-----	100-M159	Dial Cord VHF-1	.25	-----
100-M76F116	Dial Plate AR-3	.45	-----	100-M160	Dial Cord VHF-1	.10	-----
100-81	Coil Set QM-1	3.90	-----	100-M161	Dial Cord VHF-1	.10	-----
100-83	Coil Set GD-1B	2.95	-----	100-M162	Shaft & Pulley VHF-1	.25	-----
100-M85	Dial Cord BC-1	.10	-----	100-M163	Chassis Base DX-100B	4.30	-----
100-M96	Panel FM-3A	1.20	-----	100-M165	Dial Drum Pulley VHF-1	.20	-----
100-97	Set of Chokes O-11	1.70	-----	100-M166	Dial Drum Pulley VHF-1	.25	-----
100-M99F	Dial Plate BC-1A	.50	-----	100-M167	Dial Drive Plate VHF-1	1.30	-----
100-M100	Front Panel BC-1A	1.20	-----	100-M168	Dial Drive Plate VHF-1	.40	-----
100-M103	Pointer CD-1	.25	-----	100-M169F	Pointer Bracket VHF-1	.55	-----
100-M104	Pointer Knob CD-1	.35	-----	100-M170	Dial Cord Bracket VHF-1	.40	-----
100-110	Cable SB-10	1.50	-----	100-M171	Linkage Plate VHF-1	.20	-----
100-111	Cable SB-10	.50	-----	100-M172	Linkage Plate VHF-1	.20	-----
100-113	Transducer DS-1, MI-10	13.50	-----	100-M173	Linkage Plate VHF-1	.25	-----
				100-M174	Linkage Plate VHF-1	.20	-----
				100-M175	Idle Cam SW-1	.20	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
100-M181	Chassis VHF-1	4.00	-----	100-M272	Power Supply Shield GW-10	.50	-----
100-M186	Dial DF-2	.70	-----	100-M274	Front Panel GD-1B	1.45	-----
100-M189	Chassis Base MR-1	1.40	-----	100-M275	Chassis GW-30	.80	-----
100-M190	Bottom Cover PT-1	.55	-----	100-M277	Front Panel AJ-20	1.70	-----
100-M191	Front Panel SP-2	1.50	-----	100-M278F	Dial Plate AJ-20	.75	-----
100-M192	Interlock Arm TE-1	.35	-----	100-M280	Linkage Arm AD-40	.35	-----
100-193	Pinion Gear TX-1, RX-1	.90	-----	100-M281	Linkage Arm AD-40	.30	-----
100-194	Drive Gear TX-1, RX-1	1.80	-----	100-M284	Pulley Bracket HW-10	.20	-----
100-M196	Chassis Base MT-1	1.65	-----	100-M285	Front Panel HW-10	.60	-----
100-M197	Support Bracket TR-1D	.35	-----	100-M286	Dial Pulley HW-20	.25	-----
100-M198	Support Bracket TR-1D	.40	-----	100-M287	Dial Cord HW-20	.20	-----
100-M200	Dial Drum MT-1, MR-1	.30	-----	100-M288	Dial Cord HW-20	.15	-----
100-201	Pinion Gear MT-1, MR-1	.85	-----	100-M289F392-429	Front Panel HW-20	1.20	-----
100-202	Drive Gear MT-1, MR-1	1.85	-----	100-M290F	Back Plate HW-20	.55	-----
100-M209	Roller Gear TC-3	1.05	-----	100-M292	C.R.T. Shield IO-20	14.30	-----
100-M210	Roller Gear TC-3	1.10	-----	100-M293	Clamp Trigger IO-20	.95	-----
100-211	Spur Gear VHF-1	1.10	-----	100-M294	Chassis IO-30	1.75	-----
100-M212	Dial Plate MT-1, MR-1	.85	-----	100-M295	Panel Ring IO-30	.60	-----
100-M213	Dial Plate MT-1, MR-1	.45	-----	100-M296	Panel Ring IO-30	.75	-----
100-M217	Back Plate TX-1	.45	-----	100-M300	Front Panel EK-2B	.90	-----
100-M218	Front Plate TX-1, RX-1	.40	-----	100-M301	Dial Cord AJ-30	.15	-----
100-M219	Back Plate RX-1	.60	-----	100-M302	Pulley Bracket AJ-30	.10	-----
100-M220F	Dial Plate FM-4	.50	-----	100-M303	Knob Pointer DX-60	.50	-----
100-M221	Dial Cord FM-4	.15	-----	100-M304F432	Chassis Base HA-10	3.95	-----
100-M222	Front Panel FM-4	.65	-----	100-M307F445	Chassis GD-31	2.80	-----
100-M224	Chassis Base KL-1	5.80	-----	100-M310	Idler Sprocket GD-20	1.30	-----
100-M225	Idler Arm KL-1	.65	-----	100-311	Counter Shaft GD-20	3.00	-----
100-M226	Idler Arm KL-1	.70	-----	100-M312F	Dial Plate AJ-11	.90	-----
100-M227	Drive Arm KL-1	.40	-----	100-M313	Dial Cord AJ-11	.15	-----
100-M228F267	Front Panel FM-4	.45	-----	100-M315	Pulley Bracket AJ-11	.40	-----
100-M228F378	Front Panel AJ-20	.45	-----	100-M316	Dial Cord AJ-11	.15	-----
100-M230F268	Front Panel SD-1	.85	-----	100-M317	Dial Pointer MWW-11	.25	-----
100-M231	Front Panel MT-1	2.75	-----	100-M318	Circuit Board R-220	14.15	-----
100-M232	Front Panel MR-1	2.75	-----	100-M319	Indicator Plate GDW-41W	.35	-----
100-M235F	Indicator DS-1	.90	-----	100-M320F493	Front Panel GDW-81W	1.00	-----
100-M240F287-317-318	Front Panel XI-1	.45	-----	100-M321F506-507-508	Top Panel IM-30	2.40	-----
100-M242	Escutcheon TT-1	1.35	-----	100-M322	Front Panel CW-31	.60	-----
100-243	Roller Gear TT-1	1.65	-----	100-M323	Dial Plate GR-21	.85	-----
100-M246F	Dial Plate DF-3	.30	-----	100-M324	Dial Pulley GDW-41W	.40	-----
100-M247	Dial Cord DF-3	.15	-----	100-M325F	Dial Plate GDW-81W	.50	-----
100-M250F323	Chassis Base GC-1	2.25	-----	100-M326F	Dial Plate GDW-91W	1.30	-----
100-M251F309-310	Front Panel GC-1	.85	-----	100-M327	Panel Ring IO-21	.40	-----
100-M252	Dial Pulley GC-1	.25	-----	100-M329	Panel Ring & Pad IO-21	.50	-----
100-M253F	Supply Mounting GC-1	.40	-----	100-M330F540	Front Panel DA-287	.60	-----
100-M254F	Supply Mounting XP-2	.45	-----	100-M331F	Dial Mounting AJ-31	.70	-----
100-M255F	Sub Panel EK-2	.55	-----	100-M332F	Dial Mounting DA-287	.45	-----
100-M258	Back Plate GC-1	.70	-----	100-M333	Dial Cord AJ-31	.15	-----
100-M260	Dial Cord EK-2	.10	-----	100-M334	Dial Cord DA-287	.15	-----
100-M270	Dial Pointer GW-10	.25	-----	100-M335F	Pulley Plate DA-286	.40	-----
100-M271	Front Panel Dress GW-10	.95	-----	100-M336	Dial Cord DA-286	.15	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
100-M338F	Cabinet Shell GW-21	.85	-----	134-16	Transformer Cable TT-1	1.65	-----
100-M339F584	Control Mounting GW-21	.30	-----	134-17	10 Conductor W-7A	.60	-----
100-M340F592	Panel Cover AA-11	.55	-----	134-18	27 Conductors W-7A	1.10	-----
100-M341	Chassis DA-282	5.00	-----	134-19	IO-30 Cable	1.95	-----
100-M342	Phono Output DA-282	.75	-----	134-23	15 Conductors & Socket IO-20	2.85	-----
100-M343	Chassis DA-287	3.05	-----	134-24	42 Conductors HW-20	3.15	-----
100-M344	Chassis DA-283	4.55	-----	134-25	22 Conductors DX-60	1.65	-----
100-M345	Chassis DA-281	4.60	-----	134-26	8 Conductors IM-20	.50	-----
100-M346	Input Bracket DA-281	1.00	-----	134-27	5 Conductors AJ-30	.85	-----
100-M346	Chassis DA-330	4.50	-----	134-28	4 Conductors IM-10	.25	-----
100-M349	Chassis DA-286	5.00	-----	134-29	Cable HX-20	7.05	-----
100-M352	Dial Cord GR-91	.15	-----	134-34	Cable HX-10	5.65	-----
100-M353F612	Dial Plate GR-91	.85	-----	134-35	32 Conductors MWW-11	2.35	-----
100-M355F	Dial Mounting AJ-21	.75	-----	134-36	Shielded Cable AJW-30	.75	-----
100-M356	Dial Cord AJ-21	.10	-----	134-37	Shielded Cable RX-1	.75	-----
100-M357	Dial Pointer HD-11	.35	-----	134-38	19 Conductors IT-11	1.10	-----
100-M358	Front Panel HW-21	.50	-----	134-39	8 Conductors GW-21	.45	-----
100-M367F656-657-658	Panel IN-11	1.50	-----	134-40	Cable HR-10	2.25	-----
100-M368F659-660-680	Panel IN-21	1.05	-----	134-41	22 Conductors AA-11	1.65	-----
100-M372F683	Front Panel GD-51	.45	-----	134-42	28 Conductors AA-11	1.80	-----
100-373F	Tube Mounting DM-349	1.55	-----	134-43	11 Conductors TTA-1-1	.70	-----
100-M374	Cabinet Shell GW-21	1.10	-----	134-45	32 Conductors DMW-273A	2.65	-----
100-377	Transducer DM-234	14.85	-----	134-47	Cable IT-21	1.40	-----
				134-48	Cable IT-21	.90	-----
				134-49	Cable AJ-41	1.40	-----
PRE-ALIGNED & ASSEMBLED TUNERS							
110-1	FM Front End Tuner FM-4	11.50	-----				
110-2	Three Band Tuner DF-3	33.95	-----				
110-3	FM Front End Tuner AJ-10	12.15	-----				
110-4	FM Front End Tuner FM-4	9.90	-----				
110-5	FM Front End Tuner AJ-30	20.80	-----				
110-6	3-Band Tuner MR-11	34.40	-----				
110-7	FM Tuner GR-11	7.50	-----				
110-9	3-Band Tuner MR-21, DM-337	34.40	-----				
PACKAGED MECHANICAL KITS							
121-1	Car Top Carrier CSS-1	9.00	-----	141-1	CB-1 Set	2.95	-----
121-3	Record Changer AD-60	51.30	-----	141-2	FMO-1 Set	2.20	-----
CABLE ASSEMBLIES				141-3	GC-1 Set	5.00	-----
134-1	VHF-1 Cable	2.95	-----	141-5	MI-10 Set	2.60	-----
134-2	8 Conductor EC-1	.40	-----	141-7	AJ-10 Set	4.30	-----
134-3	9 Conductor EC-1	.45	-----	141-9	HW-30 Set	4.30	-----
134-4	MT-1 Cable	1.30	-----	141-10	HW-20 Set	2.95	-----
134-5	13 Conductor OR-1	1.20	-----	141-11	HW-20 Set	6.00	-----
134-6	33 Conductor KL-1	3.40	-----	141-12	HW-20 Set	2.75	-----
134-7	1 Conductor MK-4	.15	-----	141-13	MT-1 Set	4.30	-----
134-10	25 Conductor TT-1	1.40	-----	141-14	DX-60 Set	3.70	-----
134-11	16 Conductor TT-1	.80	-----	141-15	HW-10	1.90	-----
134-12	Test Switch Cable TT-1	.75	-----	141-16	HW-10 Set	5.00	-----
134-13	Switch to Socket TT-1	1.10	-----	141-17	HW-10 Set	1.95	-----
134-14	Socket to Socket TT-1	.70	-----	141-18	HW-29A Set	2.95	-----
134-15	Filament Switch Cable TT-1	1.30	-----	141-21	HX-20 Set	3.80	-----
				141-22	EK-2B Set	2.70	-----
				141-23	HX-10, HX-20 Set	6.50	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
141-24	HX-10 Set	4.30	-----	200-M67	VF-1 Cover	.25	-----
141-25	GR-91 Set	4.00	-----	200-M68	TS-4	1.35	-----
141-27	GR-81 Set	2.55	-----	200-M73	AA-1	1.50	-----
141-28	HR-20 Set	6.80	-----	200-M85	HD-1	1.85	-----
ANTENNA ASSEMBLIES & PARTS				200-M88	CC-1	.50	-----
142-1	Utility (Gutter Clamp) CBU-1	10.30	-----	200-M91	QF-1	.40	-----
142-3	Fixed (Ground Plane) CBF-1	16.40	-----	200-M93	AR-3	1.10	-----
142-4	Chain Mount CBM-1	15.50	-----	200-M94	S-3	.70	-----
142-5	Whip (In Two Sections) CBM-1	6.30	-----	200-M98	ES-100	.65	-----
142-6	Auto Swivel Mount RM-1	5.50	-----	200-M99	ES-151	.90	-----
142-7	Base Spring RM-1	5.00	-----	200-M100	ES-505	.85	-----
142-8	Mast Extension RM-1	5.95	-----	200-M102F	125 XO-1	1.40	-----
142-9	Whip 60" Long RM-1	5.40	-----	200-M103	ES-2	5.00	-----
142-10	Loading Coil RM-1	16.15	-----	200-M104	ES-50	1.75	-----
142-11	Tie Down Bracket RM-1	.80	-----	200-M105	VC-3	.45	-----
142-12	Collapsible Whip GC-1	4.25	-----	200-M107	ES-400	.90	-----
142-13	Collapsible Whip DF-3	3.25	-----	200-M113	AV-3	.45	-----
142-16	Vertical Base CBF-1	3.00	-----	200-M115	ES-600	.80	-----
142-17	Radial Rod & Pin CBF-1	3.00	-----	200-M119	CT-1	.35	-----
142-18	Extension Rod CBF-1	1.50	-----	200-M120	BE-5	1.60	-----
142-23	Base Bracket CBF-1	5.00	-----	200-M123	AG-9A	.75	-----
142-27	Base Spring CBM-1	4.05	-----	200-M124	CA-1	.40	-----
142-34	Collapsible Whip R-130	.70	-----	200-M127	CD-1	2.10	-----
142-35	Collapsible Whip GW-30	1.60	-----	200-M128	CD-1 Sub.	.75	-----
142-36	Fixed Coaxial GY-11	20.20	-----	200-M129	CD-1 Sub. RF	.45	-----
142-41	Swivel Base GY-21	5.00	-----	200-M130F	B-1	1.85	-----
142-42	Collapsible Whip GW-31	1.90	-----	200-M131F	MC-1	1.20	-----
142-43	Strap Mount Base GY-31	6.60	-----	200-M132	AG-10	1.65	-----
PRE-WIRED CIRCUIT ASSEMBLIES				200-M133F	DF-1 Sub. RF	.30	-----
150-10	Reverb Unit GD-61	11.00	-----	200-M134F	DF-1 Sub. IF	.40	-----
SWITCH ASSEMBLIES				200-M135	DF-1 AF	.65	-----
163-1	Band Switch VHF-1	5.00	-----	200-M140F	229-567-568 AA-61	1.05	-----
163-2	Band Switch RF-1	5.00	-----	200-M142	SB-10 Audio Deck	1.10	-----
CHASSIS				200-M143	SB-10 Modulator Deck	.65	-----
200-M19	AF-1	1.50	-----	200-M144	SB-10 RF Amplifier Deck	.60	-----
200-M20	SQ-1	1.70	-----	200-M150	T-4	.45	-----
200-M33	AG-8	1.05	-----	200-M151	DF-2 Main	.85	-----
200-M34	AO-1	1.15	-----	200-M152	DF-2 Sub.	.75	-----
200-M35	C-3	.65	-----	200-M153	RX-1 Base Front Sec.	.40	-----
200-M41	QM-1 Gen. Sub.	.55	-----	200-M154	RX-1 Base Inner Front Sec.	.55	-----
200-M42	QM-1 Sub.	.65	-----	200-M155	RX-1 Base Rear Sec.	.65	-----
200-M48	BR-2	1.00	-----	200-M156	RX-1 Base Left Side Sec.	.45	-----
200-M54	SG-8	.80	-----	200-M157	RX-1 Base Right Side Sec.	.40	-----
200-M55	SG-8 Sub.	.40	-----	200-M158	RX-1 Base Center Sec.	.45	-----
200-M60	LG-1	1.50	-----	200-M159	TX-1 Base Inner Front Sec.	.60	-----
200-M61	LG-1 Sub.	.30	-----	200-M160	TX-1 Base Center Sec. Rear	.65	-----
200-M65	VF-1	.70	-----	200-M161	TX-1 Base Rear Sec.	.75	-----
200-M66	VF-1 Front Plate	.25	-----	200-M162	TX-1 Base Center Sec. Left	.35	-----
				200-M163	TX-1 Base Center Sec. Right	.35	-----
				200-M164	TX-1 Base Left Side	.50	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
200-M165	TX-1 Base Right Side	.45	-----	200-M242F	DF-3	1.35	-----
200-M166	TX-1 Sub. VFO	1.00	-----	200-M244F569	AA-71	1.95	-----
200-M167	RX-1 RF	2.55	-----	200-M245	GC-1 Main Base Sec.	.70	-----
200-M168	RX-1 Second Conv.	.65	-----	200-M246	GC-1 Rear Base Sec.	.30	-----
200-M169	RX-1 IF & Audio	1.85	-----	200-M247	GC-1 Partition	.25	-----
200-M170	RX-1 Sub., RF	.75	-----	200-M248	GC-1 Sub Panel	.40	-----
200-M172	TO-1	.30	-----	200-M250	EK-2	1.50	-----
200-M173F	206-570-571 AA-91	2.65	-----	200-M252F326	HD-19	.90	-----
200-M174F	211-212 OP-1	3.30	-----	200-M253F344-572-573	AA-111	2.40	-----
200-M179	TC-3	1.15	-----	200-M254F335	AA-20	1.40	-----
200-M183	VHF-1 Base	1.65	-----	200-M255F336	HP-10	1.35	-----
200-M184	VHF-1 Sub., U Type VFO	.50	-----	200-M256F339	AN-10	1.15	-----
200-M185	VHF-1 Sub., L Type VFO	.65	-----	200-M257F343	MP-10	1.00	-----
200-M186	VHF-1 Sub., U Type Mult.	.55	-----	200-M257F488	DM-276	1.00	-----
200-M187	VHF-1 Sub., L Type Mult.	.60	-----	200-M258F494	GDW-91W	1.85	-----
200-M191	TE-1	1.90	-----	200-M259F351-574-575	AA-121	3.20	-----
200-M193	MR-1 Base RH	.35	-----	200-M260	HD-20	.30	-----
200-M194	MR-1 Base LH	.25	-----	200-M261F	AA-80 Sub.	.60	-----
200-M195	MR-1 Base Rear	.50	-----	200-M262	GW-10	1.20	-----
200-M196	PS-4	1.80	-----	200-M263	GW-10A Sub.	.20	-----
200-M197	MR-1 Base Center Sec.	.60	-----	200-M264	GW-10D Sub.	.25	-----
200-M198	MT-1 Base RH	.25	-----	200-M265	GW-30	.65	-----
200-M199	MT-1 Base LH	.30	-----	200-M266	10-10	1.20	-----
200-M200	MT-1 Base Rear	.45	-----	200-M267F564-565-566	AA-81	2.55	-----
200-M201	EC-1 Plate	3.60	-----	200-M268F380	AJ-20	1.25	-----
200-M203	MT-1 Base Center Sec.	.50	-----	200-M269F383-384	AD-40	2.00	-----
200-M206	OR-1	2.45	-----	200-M270F385-386	AD-40 Sub	1.00	-----
200-M207	OR-1 Sub.	1.30	-----	200-M271F387	10-20 Main	1.80	-----
200-M208	FM-4 Base	.85	-----	200-M271F481	IOW-20	1.80	-----
200-M209	SD-1 Cross Over Network	2.00	-----	200-M273F388	HW-10	2.95	-----
200-M210	SD-1 Amplifier	2.00	-----	200-M274	HW-20 Receiver Sub.	.65	-----
200-M211	KL-1 Base Inner Front Sec.	.75	-----	200-M275	IP-10	1.30	-----
200-M212	KL-1 Base Rear Section	1.10	-----	200-M276	IP-10 Sub.	.35	-----
200-M213	KL-1 Base Left End Sec.	.45	-----	200-M277F394	AA-60	1.50	-----
200-M214	KL-1 Base Center Sec. Left	.75	-----	200-M278F410	IM-10	.85	-----
200-M215	KL-1 Base Center Sec. Right	.60	-----	200-M279F396-402	HP-20	1.80	-----
200-M216	KL-1 Base Right End Sec.	.60	-----	200-M280F398	HW-30	1.10	-----
200-M217	KS-1	5.00	-----	200-M281	HW-10 Sub.	.60	-----
200-M218	KL-1	.55	-----	200-M282F419	DX-60	2.80	-----
200-M219F	297 WCB-1	1.05	-----	200-M283F436	AA-100	3.05	-----
200-M221	SG-9	1.25	-----	200-M284F425	AJ-30	2.25	-----
200-M222	SA-3	.95	-----	200-M285	GD-10	.75	-----
200-M223	XR-2	.35	-----	200-M287	GD-31	1.95	-----
200-M227	TCR-1 Plate	.50	-----	200-M289	GD-20 Trans.	.35	-----
200-M233	XI-1	.35	-----	200-M290	GD-20 Receiver	.45	-----
200-M237	TT-1	1.50	-----	200-M291F	GD-20 Drive	3.25	-----
200-M238	TT-1 Sub.	1.20	-----	200-M292F455-456	GD-61	1.65	-----
200-M239	FMO-1 Main Plate	.40	-----	200-M293	ID-11	.25	-----
200-M240	FMO-1 Sub.	.10	-----	200-M294F458	MWW-11	2.95	-----
200-M241	FMO-1 Sub.	.15	-----	200-M295F465-466	AJ-11	2.40	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
200-M296F469-470	AA-151	2.60	-----	202-M18	SB-10 Rear Apron	.55	-----
200-M297F473	GDW-41	1.65	-----	202-M19	TX-1 Sub.	.25	-----
200-M298F475-476	AA-31	3.10	-----	202-M21	TRID RH	.30	-----
200-M299	DM-277	1.45	-----	202-M22	TRID LH	.25	-----
200-M300F502	AA-181	2.35	-----	202-M25	XI-1 Plate Left	.25	-----
200-M301F516	GR-10	.95	-----	202-M26	XI-1 Plate Right	.25	-----
200-M302	IT-11	.90	-----	202-M27	HA-10 Plate Left	.60	-----
200-M303F	MR-11	.90	-----	202-M28	HA-10 Plate Right	.45	-----
200-M304F515	GP-11	.70	-----	202-M29	HA-10 Front Apron	.60	-----
200-M305F517	GR-11	1.70	-----	202-M30	HA-10 Rear Apron	.75	-----
				202-M40F673	GD-121 Left Plate	.25	-----
200-M306F518	GDW-41W	1.35	-----	202-M41F674	GD-121 Right Plate	.30	-----
200-M307F519	GR-21	1.55	-----				
200-M308	IM-20	.20	-----		PANELS		
200-M309	IM-21 Top	.40	-----	203-M20F21	SQ-1	1.15	-----
200-M310	IM-21 Bottom	.45	-----	203-M28F6	RS-1	.30	-----
200-M311	IO-21	1.25	-----	203-32F71	GD-1B	.75	-----
200-M312F536	DA-287, AJ-31	1.20	-----	203-M37F8	DC-1	.55	-----
200-M313F436	DA-281	3.05	-----	203-39F7	C-3	1.20	-----
200-M314F549	AA-161	2.20	-----	203-M41F31	QM-1	3.35	-----
200-M315F553	DA-286	2.35	-----	203-M42F54	IT-1	.50	-----
				203-46F74	LG-1	1.70	-----
200-M316F576	AC-11	.95	-----	203-M49F	BR-2 Cabinet	.55	-----
200-M317F577	DA-282	2.85	-----				
200-M318F394	AA-131	1.65	-----	203-M54F61	IB-2	2.45	-----
200-M319F647	AA-141	2.50	-----	203-M57F70	CS-1	.25	-----
200-M320F593-594-595	AA-11	3.15	-----	203-65F133	TS-4A	1.65	-----
200-M325F615	GR-91	2.10	-----	203-67F87	AA-1	2.75	-----
200-M326F617	EF-1	.80	-----	203-68F180	O-12 Front	1.70	-----
200-M328F642	HX-11	2.05	-----	203-68F181	OM-3 Front	1.70	-----
200-M329F643	AJ-21	1.80	-----	203-73F99	HD-1	1.95	-----
200-M330F644	GRA-21-1	1.70	-----	203-M75F105	CC-1	.85	-----
				203-79F109	QF-1 Front	.65	-----
200-M331	HD-11	.55	-----	203-80F158	AG-9A Front	1.20	-----
200-M334	GR-131	.45	-----				
200-M335F665	GR-81	1.80	-----	203-M81F115	AR-3	.65	-----
200-M336	GD-121	.60	-----	203-82F117	S-3	1.25	-----
200-M337	EK-3	.20	-----	203-M85F118	ET-1	.35	-----
200-M338	EK-3	.35	-----	203-M86F121	CR-1	.40	-----
200-M341F682	GD-51	.80	-----	203-M94F126-127	ES-400 Front	6.10	-----
	CHASSIS BASE			203-M95F	ES-400 Top	1.55	-----
201-M21	XP-1	.35	-----	203-96F128	VC-3	.80	-----
201-M24F342	MP-10	.50	-----	203-105F144	AV-3 Front	.70	-----
201-M25F353-354	AA-80	1.60	-----	203-105F529-530-531	IM-21 Front	.70	-----
201-M26	10-30	1.10	-----	203-107F147	ES-600 Front	5.00	-----
201-M27F	GD-20	.80	-----				
201-M28F342	DM-276	.50	-----	203-111F213-214	OP-1 Front	2.50	-----
201-M29F524	HG-10	2.20	-----	203-113F153	CT-1 Front	.75	-----
	CHASSIS END			203-114F155	BE-5 Front	1.65	-----
202-M12	ES-2 LH	2.20	-----	203-117F159	CA-1 Front	.65	-----
202-M13	ES-2 RH	.30	-----	203-123F165	CD-1 Front	1.95	-----
202-M17	SB-10 Front Apron	.55	-----	203-125F166	AM-2 Front	.70	-----
				203-126F168	MC-1 Front	1.30	-----
				203-128F169	AG-10 Front	1.65	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
203-130F170	DF-1 Front	.85	-----	203-215F395	IM-10 Front	1.20	-----
203-136F175	SB-10	1.40	-----	203-M216F400-401	DX-60	.90	-----
203-143F188	T-4 Front	.70	-----	203-M217F408	SK-20 Front Left	.25	-----
203-144F189	DF-2 Front	1.40	-----	203-M217F669	EK-3 Front	.25	-----
203-M148F191	TX-1 Front	5.00	-----	203-M218F	SK-20 Front Right	.30	-----
203-M149F192	RX-1 Front	5.00	-----	203-219F412	IO-30 Front	1.65	-----
203-152F195	TO-1 Front	1.00	-----	203-M220F435	AJ-30 Front Top	.65	-----
203-157F221	TC-3 Front	1.75	-----	203-M222F424	AJ-30 Control	.35	-----
203-M160F225	VHF-1 Front	2.65	-----	203-M223	AJ-30 Front Bottom	.25	-----
203-M163F237	TE-1 Front	.60	-----	203-M224F435	AA-100 Front	.65	-----
203-166F241	PS-4 Front	1.65	-----	203-M225F430	AA-100 Control	.30	-----
203-M167F245	EC-1 Front	5.00	-----	203-M226	AA-100 Front Bottom	.25	-----
203-168F247-253	MR-1 Front	2.75	-----	203-M228F434	HA-10 Front	4.85	-----
203-168F248-252	MT-1 Front	2.75	-----	203-229F	AD-40 Top	1.40	-----
203-168F439-440	HX-20 Front	2.75	-----	203-M231F464	AJ-11 Control	.35	-----
203-168F607-608	HR-20 Front	2.75	-----	203-M232	AJ-11 Sub.	.25	-----
203-M171F	PM-2 Meter	.35	-----	203-M233F463-498	AJ-11 Front	.60	-----
203-172F257	EK-1 Front	.70	-----	203-M234F467	AA-151 Control	.35	-----
203-173F261-262	OR-1 Front	2.05	-----	203-M234F719	AA-141A Control	.35	-----
203-M175F265	CO-1 Front	.30	-----	203-M235F468-498	AA-151 Front	.60	-----
203-M177	SD-1 Front	.55	-----	203-M235F498-588	AA-141 Front	.60	-----
203-M179F269	KL-1 Front	4.55	-----	203-M236	AA-151 Sub.	.30	-----
203-180F273	RF-1 Front	1.15	-----	203-M237F474-479	GDW-41W Front	.80	-----
203-181F274	CB-1 Front	1.10	-----	203-M238F477-478	AA-31 Front	.75	-----
203-181F327	HW-19 Front	1.10	-----	203-239	R-240 Rear	.10	-----
203-181F328	HW-29 Front	1.10	-----	203-M240	R-220 Rear	.10	-----
203-181F397	HW-30 Front	1.10	-----	203-M241F489-501	DM-277 Front	.65	-----
203-181F520	HW-29A Front	1.10	-----	203-M241F489-678	GW-11 Front	.65	-----
203-M186F289	FMO-1 Front	.80	-----	203-M242	DM-277 Sub.	.55	-----
203-189F295	TT-1 Front	4.20	-----	203-M243F491-492	GDW-91W Front	.90	-----
203-M192	GC-1 Front	.50	-----	203-M244	GDW-81W Front	.65	-----
203-M194F313	EK-2 Front	.55	-----	203-M246F460-461-497	MWW-11 Front	.55	-----
203-195F325	HD-19 Front	.90	-----	203-M246F460-461-696	DMW-273A Front	.55	-----
203-M196F330	AA-20 Front	.55	-----	203-M247F503	AA-181 Front	.50	-----
203-M200F352	HD-20 Front	.30	-----	203-M247F547	AA-161 Front	.50	-----
203-M201	GW-10 Front Sub.	.45	-----	203-M248F504-505	AA-181 Bottom	.30	-----
203-M202F360-361	GW-10 Front	.60	-----	203-M248F505-548	AA-161 Bottom	.30	-----
203-M203F414	R-110 Front	.15	-----	203-M248F505-586	AA-131 Bottom	.30	-----
203-204F71	GD-1B Front	.75	-----	203-M249	IM-30 Top	1.15	-----
203-205	GW-30 Front	1.30	-----	203-250F511-512-513	IT-11 Front	1.15	-----
203-206F374	IO-10 Front	1.00	-----	203-251F510-523	GW-31 Front	.50	-----
203-206F581	IOS-10 Front	1.00	-----	203-M253F	GR-21 Dial	.35	-----
203-M208F415	R-190 Front	.15	-----	203-M254	HG-10 Sub.	.95	-----
203-209F347	IO-20 Front	1.25	-----	203-M255F526-527	HG-10 Front	.55	-----
203-209F480	IOW-20 Front	1.25	-----	203-M256F528	IM-20 Front	.30	-----
203-M210	HW-10 VFO Housing	.55	-----	203-258F533-534-535	IO-21 Front	1.15	-----
203-M211F389	AD-70 Front	2.10	-----	203-M259F537	AJ-31 Front	.50	-----
203-212F390	IP-10 Front	1.40	-----	203-M259F619	AJ-20 Front	.50	-----
203-M213	HW-20 Front	.30	-----	203-M260F505-538	AJ-31 Bottom	.40	-----
203-M214F393	AA-60 Front	.60	-----	203-M260F505-620	AJ-20 Bottom	.40	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
203-M261	DA-287 Front	.30	-----	204-M60	Front	.10	-----
203-262F541	DA-287 Trim	1.25	-----	204-M61	Back	.15	-----
203-M263F544	DA-281 Front	.70	-----	204-M64	Z	.30	-----
203-264F545	DA-281 Trim	1.40	-----	204-M65	L End	.25	-----
203-M265F550	DA-283 Front	.45	-----	204-M66	R. End	.30	-----
203-266F551	DA-283 Trim	1.35	-----	204-M67	Cable	.10	-----
203-M267F555	DA-286 Front	.80	-----	204-M68	Light Shield	.10	-----
203-268F554	DA-286 Trim	1.30	-----	204-M69	Assembly	.25	-----
203-M269F578	DA-282 Front	.55	-----	204-M74	Sub Chassis	.10	-----
203-270F579	DA-282 Trim	1.40	-----	204-M76L	Triangular	.15	-----
203-M271F583	GW-21 Front	.35	-----	204-M77	Tube Support	.70	-----
203-M272F587	AA-131 Front	.50	-----	204-M78	Angle	.15	-----
203-M273F435	AA-11 Front	.60	-----	204-M79	Resistor Mtg.	.25	-----
203-M274	AA-11 Control	.40	-----	204-M80	CR Tube	.70	-----
203-M275	AA-11 Sub.	.60	-----	204-M81	Triangular	.25	-----
203-M276F599	AC-11 Front	.15	-----	204-M82	Triangular	.30	-----
203-M276F604	DA-330 Front	.15	-----	204-M83	Direct Input	.15	-----
203-M277F600	AC-11 Rear	.20	-----	204-M84	Z	.10	-----
203-278F601-602-603	IM-11 Front	.65	-----	204-M85	Control	.15	-----
203-M279F600	DA-330 Rear	.20	-----	204-M87	Condenser Mtg.	.10	-----
203-280F624-625	HX-11 Front	1.45	-----	204-M88	Drive Shaft	.20	-----
203-M282F	GRA-21-1 Dial	.25	-----	204-M89	Control	.15	-----
203-283F626-627	HD-11 Front	.70	-----	204-M90	Left End	.25	-----
203-285F	AD-41 Top	1.40	-----	204-M91	Right End	.35	-----
203-M288	GR-81 Front	.90	-----	204-M93	Coil	.35	-----
203-M289F661	GR-81 Dial	.35	-----	204-M94	Battery	.30	-----
203-M290F	GR-81 Sub.	.60	-----	204-M95	Power Supply	.20	-----
203-M291F663-664	AA-171 Front	.60	-----	204-M96	Tube Socket	.15	-----
203-M292F287-666	GD-121 Front	.55	-----	204-M97	Calibration Control	.10	-----
203-M293F	EK-3 Right Front	.30	-----	204-M98	Stiffener	.10	-----
203-M296	GD-141 Front	.60	-----	204-M99	Battery Spring	.70	-----
203-M298	GD-51 Front	.20	-----	204-M102	Condenser Mounting	.10	-----
203-306	R-320 Rear	.10	-----	204-M103	Mounting	.10	-----
BRACKETS				204-M106	Panel & Hinge	.65	-----
204-9	Angle	.10	-----	204-M107	Condenser Shelf	2.20	-----
204-M22	Control	.10	-----	204-M108	Tray Shelf Left	.40	-----
204-M27	Wide Z Angle	.10	-----	204-M110	AC Outlet	.70	-----
204-M28	Narrow Z Angle	.15	-----	204-M112	Circuit Board Left	.15	-----
204-M29	Chassis	.25	-----	204-M113	Circuit Board Right	.15	-----
204-M32	Part Mounting	.30	-----	204-M114	End	.20	-----
204-M34	Tube Mounting	.15	-----	204-M115	Tweeter Mtg.	.15	-----
204-M37	Panel Set	.15	-----	204-M116	Condenser Mtg.	.10	-----
204-M40	Tube Mtg.	.10	-----	204-M117	Condenser Mtg.	.15	-----
204-M41	Angle	.20	-----	204-M118	Heat Shield	.20	-----
204-M42	Drive Shaft	.15	-----	204-M121	CR Tube	.55	-----
204-M46	Dial Plate	.10	-----	204-M122	Filter	.35	-----
204-M50	Angle Mounting	.25	-----	204-M123	Sub Chassis	.35	-----
204-M52	CRL Control Mtg.	.10	-----	204-M125	Shield	.15	-----
204-M57	Switch Mounting	.15	-----	204-M126	Control Mtg.	.10	-----
204-59	Resistor Ring	.20	-----	204-M127	Control Mtg.	.20	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
204-M128	Shield & Tube	.45	-----	204-M192	Brake Release	.15	-----
204-M129	Tube Mount	.35	-----	204-M193	Brake Anchor	.10	-----
204-M132	Sub-Chassis	.40	-----	204-M194	Switch Support	.40	-----
204-M133	Rectifier	.10	-----	204-M195	Control Mounting	.10	-----
204-M134	Condenser Mtg.	.55	-----	204-M196	Driver Mounting	.25	-----
204-135	Angle	.10	-----	204-M197	Meter Mounting	.45	-----
204-M136	Assembly	.15	-----	204-M198	Capacitor Mounting	.25	-----
204-M137	Shield	.40	-----	204-M199	Control Support	.25	-----
204-M138	Switch Support	.15	-----	204-M200	Dial Pointer	.35	-----
204-M139	Trimmer Mtg.	.10	-----	204-M201	Dial Cord	.30	-----
204-M140	Bulk Head Mtg.	.15	-----	204-M202	Bal. Control	.15	-----
204-M141F	Back Panel	.15	-----	204-M203	Mtg. LH	.25	-----
204-M147L	Reinforcement L.	.25	-----	204-M204	Mtg. RH	.20	-----
204-M148R	Reinforcement R.	.25	-----	204-M206	Switch Mounting	.30	-----
204-M149	Input Mounting	.10	-----	204-M207	Bulkhead Mounting	.50	-----
204-M150	Tube Mtg.	.15	-----	204-M208	Control Mounting	.15	-----
204-M151	Dial Pointer	.25	-----	204-M209	Counter Mounting	.15	-----
204-M153	Dial Support Right	.10	-----	204-M210	Connector	.20	-----
204-M154	Filter Mtg.	.15	-----	204-M211	Cabinet Mounting	.10	-----
204-M155	Capacitor Mtg.	.35	-----	204-M212	Mounting	.25	-----
204-M156	Capacitor Mtg.	.20	-----	204-M213	Top Plate	.20	-----
204-M157	Control & Tube	.25	-----	204-M214	Shield	.10	-----
204-M158	Meter Mtg.	.35	-----	204-M215	Dial Pointer	.20	-----
204-M159	Dial Stop Mtg.	.15	-----	204-M216	Loading Shaft	.10	-----
204-M160	Control Support	.15	-----	204-M217	Tube Sub Mount	.30	-----
204-M162	Dial Support R.	.10	-----	204-M218	Deck Support LH	.45	-----
204-M163	Crystal	.20	-----	204-M219	RH Panel Support	1.45	-----
204-M164	Band Switch Mtg.	.15	-----	204-M220	LH Panel Support	1.35	-----
204-M165	Condenser Mtg.	.20	-----	204-M221	Chassis Support	1.00	-----
204-M166	Condenser Mtg.	.15	-----	204-M222	Meter Mounting	.35	-----
204-M167	Condenser Mtg.	.15	-----	204-M223	Panel Mounting	.40	-----
204-M168	Switch Mtg.	.15	-----	204-M224F	Magnet Mounting	.10	-----
204-M169	Dial Brace	.25	-----	204-M227	Sub Chassis	.40	-----
204-M171	Condenser Mtg.	.30	-----	204-M228	Sub Chassis	.45	-----
204-M172	Tube Mtg.	.25	-----	204-M229	String Guide	.20	-----
204-M173	Deck Support	.25	-----	204-M230	Assembly	.35	-----
204-M174	Meter Jack Mtg.	.10	-----	204-M231	CR Tube Support	.50	-----
204-M175	Pilot Light Mtg.	.10	-----	204-M233	Rear Mounting	.10	-----
204-M176	Z Angle	.10	-----	204-M234	Leg Shaft	.10	-----
204-M177	CR Support	1.30	-----	204-M235F	Swivel Mounting	.10	-----
204-M179F210	Control Mtg.	.20	-----	204-M236	CR Tube Shield	.15	-----
204-M180	Resistor Mtg.	.60	-----	204-M237	Battery Mounting	.20	-----
204-M181	Capacitor Mtg.	.15	-----	204-M238	Tuner Mounting	.10	-----
204-M182	Antenna Mtg.	.10	-----	204-M239	Transformer Mounting	.10	-----
204-M185	Panel Support	.20	-----	204-M240	Transistor Mounting	.10	-----
204-M186	Pilot Lamp	.10	-----	204-M241	Panel Mounting	.10	-----
204-M187	Pilot Lamp	.10	-----	204-M242	Panel Mounting	.20	-----
204-M188	Roll Chart	.30	-----	204-M243	Panel Mounting	.20	-----
204-M189	Roll Chart	.30	-----	204-M245	Chassis Base	.15	-----
204-M190	Take-Up Roller	.10	-----	204-M246	Chassis Base	.20	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIBED	HEATH PRICE	DEALER PRICE
204-M247	Control Tube	.65	-----	204-M316	Coil Mounting	.10	-----
204-M248	Resistor Support	1.35	-----	204-M317	Battery Retaining	.10	-----
204-M249	Final Tank	.10	-----	204-M318	Battery Retaining	.10	-----
204-M250	Capacitor Mounting	.30	-----	204-M320	Battery Holder	.35	-----
204-M251	Grid Tank	.25	-----	204-M321	Control Mounting	.10	-----
204-253	Blower Mounting	5.00	-----	204-M322	Switch Mounting	.10	-----
204-M254	Battery Holder	.10	-----	204-M323	Panel Mounting	.25	-----
204-M256	Capacitor Mounting	.40	-----	204-M324	Panel Mounting	.20	-----
204-M257	Antenna Mtg.	.15	-----	204-M325	Transformer Mounting	.45	-----
204-M258	Switch Support	.15	-----	204-M326	Rear Panel	.35	-----
204-M259	Battery Holder	.40	-----	204-M327	Panel Support	.45	-----
204-M266	Control Mounting	.10	-----	204-M329	Drive Shaft	.70	-----
204-M269F	Support Gimbal	1.65	-----	204-M330	Battery Retaining	.10	-----
204-M270	Terminal Strip	.15	-----	204-M331	Tube Mounting	.25	-----
204-M271	Shaft Support	.10	-----	204-M332	Control Mounting	.10	-----
204-M272	Phone Jack	.10	-----	204-M333	Deck Support	.30	-----
204-M273	Socket Mounting	.25	-----	204-M334	Sub Chassis Support	.10	-----
204-M274	Speaker Mounting	.15	-----	204-M335	Chassis Mounting	.10	-----
204-M275	Phono Jack	.20	-----	204-336	Switch Guide	.20	-----
204-M276	Roll Chart	.40	-----	204-M339	C. R. T. Support	.45	-----
204-M277	Roll Chart	.40	-----	204-M340	Shaft Support	.25	-----
204-M278	Sup Chassis Mtg.	.30	-----	204-M341	Shaft Support	.30	-----
204-M279	Sub Chassis Mtg.	.25	-----	204-M343	Pulley	.20	-----
204-M280	Panel Support	.30	-----	204-M344	Switch Mounting	.10	-----
204-M281	Panel Support	.35	-----	204-M345	Vertical Support	.25	-----
204-M282	Panel Lamp	.20	-----	204-M346	Horizontal Support	.10	-----
204-M283	Reflector	.20	-----	204-M348	Resistor Mounting	.15	-----
204-M284	Switch Mounting	.30	-----	204-M349	Control Mounting	.15	-----
204-M286	Sub Chassis Support	.15	-----	204-M350F	Support Gimble	1.50	-----
204-M287	Capacitor Mounting	.30	-----	204-M351	Power Supply	.35	-----
204-M288	Bleeder Support	.25	-----	204-M352	Control Mounting	.15	-----
204-M289F	Meter Mounting	.25	-----	204-M353	Magnet Pole	.10	-----
204-M290F	Cabinet Mtg.	.20	-----	204-M354	Shaft Bearing	.10	-----
204-M291	Chassis Mtg.	.10	-----	204-M355	Coil Core	.10	-----
204-M293	Control Mtg.	.35	-----	204-M356	Crystal Mounting	.35	-----
204-M294	Power Outlet	.15	-----	204-M357	Deck Support	.25	-----
204-M295	Dial Light Mtg.	.10	-----	204-M358	Triangular	.20	-----
204-M296	Condenser Mtg.	.60	-----	204-M359	Triangular	.20	-----
204-M297F	Jack Support	.15	-----	204-M360	Panel Ring Mounting	.10	-----
204-M298	Chassis Support	.10	-----	204-M361	C. R. Tube Support	.70	-----
204-M302	Pulley Plate Mtg.	.20	-----	204-M362	Control Mounting	.25	-----
204-M303	Pulley Plate Mtg.	.20	-----	204-M363	Angle Bracket	.10	-----
204-M304	Socket Mtg.	.10	-----	204-M364	Microphone Support	.10	-----
204-M305F	Chassis Support	.10	-----	204-M365	Control Mounting	.25	-----
204-M306F	Tuner Support	.15	-----	204-M366	Panel Mounting	.25	-----
204-M307F	Support Gimbal	.70	-----	204-M367	Panel Mounting	.25	-----
204-M310	Panel Support	.20	-----	204-M368	Pulley Mounting	.10	-----
204-M311	Panel Support	.20	-----	204-M369	Socket Mounting	.25	-----
204-M312	Chassis Support	.15	-----	204-M370	Chassis Support	.35	-----
204-M313	Relay Mounting	.10	-----	204-M371	Tube Mounting	.55	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
204-M373	Capacitor Mounting	.25	-----	204-M435	Board Mounting	.10	-----
204-M374	Panel Support	.10	-----	204-M436	Control Mounting	.15	-----
204-M375	Capacitor Mounting	.30	-----	204-M437	Control Mounting	.30	-----
204-M379	Osc. Mounting	.15	-----	204-M438	Panel Support Left	.20	-----
204-M380	Filter Mounting	.15	-----	204-M439	Panel Support Right	.20	-----
204-M381	Control Mounting	.10	-----	204-M440F	Adaptor Mounting Rear	.30	-----
204-M382	Cable Connector	.70	-----	204-M441F	Adaptor Mounting Front	.40	-----
204-M383	Connector Mounting	.40	-----	204-M442	Switch Mounting	.10	-----
204-M384	Battery Contactor	.10	-----	204-M443	Capacitor Mounting	.25	-----
204-M385	Battery Terminal	.10	-----	204-M444	Panel Mounting Left	.40	-----
204-387	Coil Mounting	.45	-----	204-M447	Panel Mounting Right	.40	-----
204-392F	Front Beam Mounting	1.05	-----	204-M448	Shaft Mounting	.10	-----
204-M393	Switch Mounting	.20	-----	204-M452	Antenna Mounting	.10	-----
204-M394	Nut Guide	.25	-----	204-M458	Battery Retaining	.20	-----
204-395F	Rear Support	.80	-----	204-460	Tube Flange	.85	-----
204-396F	Door Arm	.70	-----	204-M467	Switch Mounting	.10	-----
204-397F	Support Gimbal	5.00	-----				
204-M398	Tube Mounting	.20	-----		PLATES		
204-M399	Shaft Mounting	.10	-----	205-M1	Line Cord	.15	-----
204-M401	Control Mounting	.10	-----	205-M15	Bottom Mtg.	.25	-----
204-M402	Breaker Mounting	.30	-----	205-M17F33	Dial Gen. QM-1	.30	-----
204-M404F	Coil Mounting	.15	-----	205-M17F34	Dial QM-1	.30	-----
204-M405	Pulley Mounting	.25	-----	205-M18	Template	.10	-----
204-406	Coil Mounting	.15	-----	205-M22F57	Dial BR-2	.35	-----
204-M408	Drum Stop	.20	-----	205-M27	Shield	.20	-----
204-M409F	Support Gimbal	1.65	-----	205-M29	Battery Contact	.10	-----
204-410F	Support Gimbal	5.00	-----	205-M30	Trimmer Mtg.	.15	-----
204-M411	Control Mounting	.25	-----	205-M32	Line Filter Jig	.25	-----
204-M412	Antenna Mounting	.10	-----	205-M35	Dial Drive	.10	-----
204-M413	Battery Spacing	.10	-----	205-M37	Shield	.25	-----
204-414	Panel Hanger	.10	-----	205-M44	Gusset	.10	-----
204-416	Antenna Mounting	.15	-----	205-M45	Switch Template	.10	-----
204-M417	Left Amp. Mounting	.45	-----	205-M48F115	Control AR-3	.25	-----
204-M418	Right Amp. Mounting	.50	-----	205-M49F116	Dial AR-3	.30	-----
204-M419	Tuner Mounting	.30	-----	205-M52F	Bottom	.50	-----
204-M420	Speaker Mounting	.25	-----	205-M53	Relay Mtg.	.60	-----
204-M421	Tube Mounting	.10	-----	205-M54F	Top	.25	-----
204-M422	Lamp Mounting	.10	-----	205-M55	Shield	.30	-----
204-M423	Capacitor Mounting	.30	-----	205-71F	Escutcheon	.70	-----
204-M424	Tube Mounting	.35	-----	205-72F	Escutcheon	1.00	-----
204-M425	Ring Mounting	.10	-----	205-73F193	Escutcheon	1.35	-----
204-M426	Tuner Mounting	.15	-----	205-73F194	Escutcheon	1.35	-----
204-M427	Tuner Mounting	.15	-----	205-73F270	Escutcheon	1.35	-----
204-M428	Panel Mounting Left	.25	-----	205-75	Switch Drive	.25	-----
204-M429	Panel Mounting Right	.20	-----	205-76	Switch Drive	.20	-----
204-M430	Panel Mounting Left	.20	-----	205-77	Switch Drive	.20	-----
204-M431	Panel Mounting Right	.15	-----	205-78	Drive Arm	.20	-----
204-M432	Tube Mounting	.10	-----	205-79	Drive Arm	.25	-----
204-433	Wire Stand	.40	-----	205-M82	Cover	.40	-----
204-434	Antenna Mounting	.15	-----	205-M83	Top	3.00	-----
				205-M84	Crystal	.10	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
205-M85	Side	.40	-----	205-193F296	Escutcheon	1.65	-----
205-M87	Shield	.10	-----	205-M194	Meter Mounting	.30	-----
205-99F222	Escutcheon	1.20	-----	205-M195	Chassis Back	.25	-----
205-M100	Meter Mounting	.30	-----	205-M196F	Bottom	.35	-----
205-105	Switch Blade	.35	-----	205-M197F	Top	.30	-----
205-M106	Chassis End	.35	-----	205-M198F322	Chassis Top	1.10	-----
205-M107	Dial Drive	1.20	-----	205-M199F	Dial Back	1.45	-----
205-M108	Dial Drive	.30	-----	205-M201	Supply Mounting	.20	-----
205-109	Switch Linkage	.15	-----	205-M202F	Chassis	.40	-----
205-110	Switch Linkage	.30	-----	205-M203	Supply Mounting	.25	-----
205-111	Switch Linkage	.35	-----	205-M208	Chassis Bottom	1.20	-----
205-112	Switch Linkage	.30	-----	205-M209F	Heat Sink	.10	-----
205-118	Switch	.35	-----	205-M210	Chassis Bottom	.55	-----
205-M120	Dial Main	.65	-----	205-M211F	Back	.50	-----
205-M121	Front Dial	.30	-----	205-M212	Trim	.45	-----
205-M123	Interlock Arm	.25	-----	205-M213	Gusset	.10	-----
205-M124	Chassis End	1.40	-----	205-M214F340	Terminal	.55	-----
205-M128	Control & Terminal	.20	-----	205-M217	Chassis Bottom	.75	-----
205-M132	Top	1.55	-----	205-M218	Chassis Bottom	1.65	-----
205-M133F242	Escutcheon	.70	-----	205-M220	Gusset	.10	-----
205-M136	Shield Cover	.25	-----	205-M221F362	Dial	.15	-----
205-M137	Chassis Top	1.30	-----	205-M222F	Chassis Bottom	.65	-----
205-M138F	Grill Speaker	1.00	-----	205-M223	Power Supply Top	.30	-----
205-M140	Tube Pin Shield	.10	-----	205-M224	Power Supply Top	.25	-----
205-M141	"Magnet Pole"	.10	-----	205-M225F	Tuner Front	.15	-----
205-M146F	Cabinet Mounting	2.25	-----	205-M226F	Tuner Side	.20	-----
205-M147F	Cabinet Back	.35	-----	205-M227F	Tuner Rear	.15	-----
205-M148	Dial Back	.30	-----	205-M228	Switch Mounting	.25	-----
205-M149	Dial Front	.30	-----	205-M229	Rear Cover	.30	-----
205-M150	Dial Drive	.25	-----	205-M230	Panel Trim	.20	-----
205-M151	Bottom Cover	.65	-----	205-M232	Chassis Bottom	1.05	-----
205-M154	Satellite Back	.40	-----	205-M233	Dial Mounting	.45	-----
205-M155	Plate, Aluminum	1.30	-----	205-236	Head Cover	.80	-----
205-M156	Tube Mounting	1.25	-----	205-239	Linkage Long	.25	-----
205-M157	Chassis Top	1.80	-----	205-240	Linkage Short	.25	-----
205-M158	Chassis Bottom	.65	-----	205-M241	Bottom Cover	1.10	-----
205-M159	Resistor	.70	-----	205-M242	Access Shield	.25	-----
205-M160	Chassis Bottom	1.65	-----	205-M244	Sub Panel	.25	-----
205-M161	Chassis Bottom	.55	-----	205-M245	VFO Housing Top	.20	-----
205-M162	Chassis Bottom	.70	-----	205-M246	Partition Left Hand	.30	-----
205-M163	Socket Mounting	.10	-----	205-M247	Partition Right Hand	.40	-----
205-M167F	Speaker Mounting	.30	-----	205-M248	Shield	.40	-----
205-M169	Chassis Bottom	.70	-----	205-M249	Chassis Shield	.35	-----
205-M170	Right Hand	.20	-----	205-M250	Chassis End Left Hand	.30	-----
205-M171	Left Hand	.20	-----	205-M251	Chassis End Right Hand	.35	-----
205-M178	Condenser Mounting	.15	-----	205-M252	Panel Support	.40	-----
205-M179	Chassis & Front	.25	-----	205-M253	Reinforcing	.25	-----
205-M180	Chassis & Front	.25	-----	205-254	Tool Blade	.10	-----
205-M181	Face Mounting	.55	-----	205-M255	Chassis Bottom	1.15	-----
205-182	Dial	.40	-----	205-M256	Dial Back	.40	-----
205-183	Face	.30	-----	205-M257F	Crystal Access	.20	-----
205-M185	Chassis Bottom	.65	-----	205-M258	Motor Armature	.10	-----
205-M189F293-319	Bottom Front	.55	-----	205-M259	Top Plate	.35	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
205-M260	Chassis Bottom	.90	-----	205-M322	Dial Pulley	.20	-----
205-M261	End Plate	.20	-----	205-M323	Chassis Bottom	.90	-----
205-M262	Bottom Cover	.45	-----	205-M324F	Chassis Bottom	.60	-----
205-M263	Pulley Mtg.	.75	-----	205-M325F585	Chassis Bottom	1.00	-----
205-M264F	Dial Guide	.25	-----	205-M326	Chassis Bottom	.65	-----
205-M265	Chassis Bottom	1.00	-----	205-M327F596	Chassis Bottom	1.50	-----
205-266F	Cabinet Bottom	.65	-----	205-M328F	Battery Mounting	.20	-----
205-M267	Panel Support	.10	-----	205-M329F	Chassis Bottom	.60	-----
205-M268F423	Bottom	1.80	-----	205-M331	Dial Back Plate	.70	-----
205-M269	Spacer	.10	-----	205-M332	Chassis Bottom	.65	-----
205-M270F458	Trim	.20	-----	205-M333F611	Escutcheon	.25	-----
205-M271	Chassis Top	3.55	-----	205-M334	Control Mounting	.60	-----
205-M272	Tube Mounting	.30	-----				
205-M273	RF Top Plate	.80	-----	205-339	Head Cover	1.15	-----
205-M274F433	Escutcheon	.55	-----	205-341	Control Panel	3.10	-----
205-M275	Capacitor	.15	-----	205-M342F662	Control	.20	-----
205-M276	Panel Brace	.10	-----	205-M343	Chassis Bottom	.50	-----
205-M282	Gusset	.15	-----	205-M344F293-668-675	Panel	.60	-----
205-283	Control Panel	1.75	-----	205-M349	Neutralizing Plate	.15	-----
205-M289F454	Control Plate	.10	-----	205-M367F	Tuner Access	.15	-----
205-M290F	Coil Mounting	.20	-----	205-M368F	Battery Mounting	.20	-----
205-291	Dial Back Plate	.75	-----				
205-292	Pressure Plate	.15	-----		SHIELDS		
205-293	Bearing Clamp	.25	-----	206-3	Tube	.15	-----
205-M294	Chassis Bottom	1.00	-----	206-4	Spirashield	.15	-----
205-M295	Dial Pulley	.55	-----	206-6	Spirashield	.20	-----
205-M296	Chassis Bottom	1.50	-----	206-8	Front Section	.50	-----
205-M297	Chassis Bottom	1.10	-----	206-9	Middle Section	.90	-----
205-M298F	Chassis Bottom	1.70	-----	206-10	Rear Section	.50	-----
205-M299F487	Indicator	.30	-----	206-11	Attenuator Ring	.95	-----
205-M300F362	Dial Plate	.35	-----	206-12	Attenuator Back	.15	-----
205-M301F	Chassis Bottom	.65	-----	206-M13	Attenuator Center	2.15	-----
205-M302F	Mounting Unit	.20	-----				
205-M303	Chassis Bottom	1.00	-----	206-14	Attenuator Front	.30	-----
205-M304	Bottom Plate	.70	-----	206-M16	Bracket	.35	-----
205-M305F	Tuner Access	.15	-----	206-M17	Tube	.50	-----
205-M306	Chassis Bottom	1.15	-----	206-M18	Coil	.40	-----
205-M307F	Rear Cover	.40	-----	206-M22	Bracket	.35	-----
205-M309F	Battery Mounting	.20	-----	206-23	AC Switch	.15	-----
205-M310F	Chassis Bottom	.45	-----	206-24	Spirashield	.35	-----
205-M311	Dial Mounting	.65	-----	206-25	Tube	.15	-----
205-M312F525	Chassis Top	.60	-----	206-M26	Light	.20	-----
205-M313	Chassis Bottom	.60	-----	206-M29	Bottom	.20	-----
205-M314	Gear Mounting	.75	-----				
205-M315F	Dial Mask	.20	-----	206-30	Spirashield	.10	-----
205-M316	Back Plate	.35	-----	206-M31	Sub Chassis	.70	-----
205-M317F532	Warning Sign	.15	-----	206-M32	Amplifier	.55	-----
205-M318	Dial Mounting	.45	-----	206-M33	Driver	.30	-----
205-M319	Dial Mounting	.30	-----	206-M34	Audio	.20	-----
205-M320	Chassis Bottom	.55	-----	206-M35	Upper Front	.20	-----
205-M321F546	Chassis Bottom	1.45	-----	206-M36	Lower Front	.15	-----
				206-M37	Rear	.15	-----
				206-M38	Top	.25	-----
				206-M39	Bottom	.25	-----
				206-43	Coaxial Jack	.40	-----
				206-44	Tube	.20	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
206-M46F	Heat	5.00	-----	206-M116	Partition	.25	-----
206-M52	Upper Front	.15	-----	206-M117	Oscillator	.35	-----
206-M53	Top	.25	-----	206-M118	Oscillator Cover	.20	-----
206-54	Tube	.25	-----	206-M120	Switch Cover	.10	-----
206-55	Tube Base	.10	-----	206-M121	Finger Guard	.15	-----
206-56	Meter	.15	-----	206-M122	Osc. Mixer	.30	-----
206-M59	Plate	.20	-----	206-M123	Mixer RF	.30	-----
206-M60	Amplifier Front	.70	-----	206-124	Spirashield	.10	-----
206-M61	Amplifier Wraparound	1.70	-----	206-M125F	Plate	.15	-----
206-M62	Amplifier Top	.80	-----	206-M126	Box	.20	-----
206-M63	Driver Partition	.40	-----	206-M128	Plate	.30	-----
206-M64	Driver	.20	-----	206-M130	Plate	.30	-----
206-M65	Cord Terminal	.15	-----	206-131	C. R. Tube	14.45	-----
206-66	Heat Insert	.35	-----	206-133	C. R. Tube	14.10	-----
206-M67	Plate	.45	-----	206-M134	Filter Partition	.10	-----
206-68	Tube	.10	-----	206-135	Tube	1.95	-----
206-69	CR Tube	14.10	-----	206-M136	Oscillator Partition	.25	-----
206-M70	Plate Rear	.45	-----	206-M137	Driver Partition	.30	-----
206-M71	Plate Right	.25	-----	206-M138	Front Left Section	.60	-----
206-M72	Plate Left	.40	-----	206-M139	Rear Right Section	.60	-----
206-M73	Power Supply	.35	-----	206-140	Shield Can	.10	-----
206-M74	High Voltage	.35	-----	206-M141	Shield Can	.15	-----
206-M75	RF	.10	-----	206-M142	Partition	.10	-----
206-M76	Bottom	.35	-----	206-M143	Filter Housing	.45	-----
206-77	Tube	.10	-----	206-M144	Plate Top	.20	-----
206-M79	Driver Bottom	.40	-----	206-M145	Plate Bottom	.20	-----
206-M80	Amp. Housing	1.60	-----	206-M146	Bias Switch	.10	-----
206-M81	Amp. Back	.50	-----	206-147	Spirashield	.25	-----
206-M82	Amp. Top	.50	-----	206-M148	Front RF Section	1.45	-----
206-M83	VFO Bottom	.20	-----	206-M149	Rear RF Section	1.50	-----
206-M84	Multiplier Bottom	.20	-----	206-M150	Output-Input	.15	-----
206-M85	Driver Housing	.90	-----	206-M172F	Chassis Cover	.80	-----
206-86	Light	.10	-----	206-M172F500	Chassis Cover	.80	-----
206-M87	Bottom	.50	-----	206-M172F698	Chassis Cover	.80	-----
206-M89	Plate Oscillator	.35	-----	206-M173F457	Chassis Cover	.90	-----
206-M90	RF Partition	.45	-----	206-M173F697	Chassis Cover	.90	-----
206-M91	Product Det.	.50	-----	206-M176F471	Input Terminal	.70	-----
206-M92	Transistor	.10	-----	206-M177	Chassis Cover	1.45	-----
206-93	Switch	.20	-----	206-M178	Input Section	.15	-----
206-M94	Rear Plate	.30	-----	206-M179	Switch Shield	.15	-----
206-M95	Plate Center	.40	-----	206-180	CR Tube Shield	3.30	-----
206-M97	VFO	.35	-----	206-M181	Input Socket	.15	-----
206-103	Spira Shield	.25	-----	206-M183	Switch Shield	.30	-----
206-M108	Front Left	.60	-----	206-M189	Input Shield	.10	-----
206-M109	Right Front	1.40	-----	206-193	Coaxial Tubing	1.15	-----
206-M110	Right Rear	.80	-----				
206-M112	Control	.15	-----				
206-M113	Interstage	.20	-----				
206-M114	Control	.25	-----	207-M1	CR Tube Mounting	.10	-----
206-M115	Plate	.60	-----	207-2	Mounting	.20	-----
				207-3	Cable	.10	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
207-4	Cable	.10	-----	210-M1	O-10 CR Tube	.60	-----
207-5	Cable	.10	-----	210-M2	O-10 Ring Less Felt	.55	-----
207-6	Grounding	.15	-----	210-M5	O-10 Ring Welded	.20	-----
207-M7	Panel	.10	-----	210-M8	IA-1 CR Tube	.65	-----
207-8	Cable	.10	-----	210-9	OP-1 Front Bezel	1.55	-----
207-M11	Cable	.10	-----	210-10	DS-1 Front Bezel	1.65	-----
207-M15	Panel	.10	-----	210-12F	IO-10 Front Bezel	.60	-----
207-18	Plastic	.10	-----	210-13F	IO-30 Front Bezel	.95	-----
207-19	Plastic	.10	-----	210-14	AA-100 Front Bezel	2.70	-----
207-M20	Resistor Mtg.	.15	-----				
					PANEL RING		
207-M21	CR Tube Neck	.10	-----	210-M15	O-9 Ring Formed	.25	-----
207-22	Rod Antenna	.10	-----	210-16F	AA-181 Bezel	1.50	-----
207-M23	Brake	.20	-----	210-M17	IO-21 Panel Ring	.10	-----
207-M24	CR Tube Neck	.10	-----	210-18	GWW-273A Bezel	4.75	-----
207-M25	Spring	.30	-----	210-19	MI-11 Bezel	1.50	-----
207-M27	Choke End	.30	-----				
207-M28	Choke Center	.35	-----		HANDLE		
207-M30	Pull Ring Mounting	.10	-----	211-2	Black Plastic	.50	-----
207-34	Spark Pickup	.35	-----	211-4	Grey Plastic	.20	-----
207-36	Trolley Stop	.65	-----	211-13	Molded Rubber	.45	-----
207-37	Tube Retaining	.10	-----	211-14	Metal	.55	-----
207-38	Cable	.10	-----	211-15	Black Plastic	.25	-----
				211-16	Mocha Plastic	.25	-----
	CLIPS			211-17	Beige Plastic	.25	-----
208-1	Battery	.70	-----	211-19	Wire Ring	.10	-----
208-2	Capacitor Retaining	.10	-----	211-22	IOS-10 Leather	2.40	-----
208-3	Battery Spring	.20	-----				
208-4	Spring Retaining	.40	-----		STRIP		
208-6	Capacitor Retaining	.10	-----	212-M1	Ring Welding	.10	-----
208-10	Capacitor Retaining	.10	-----	212-M2	1/4" x 3"	.10	-----
				212-M3	Bonding Silver	.35	-----
	SPEAKER GRILL			212-M4	Connecting	.20	-----
209-10	DF-1 Wire Screen	.25	-----	212-M5	Grounding	.20	-----
209-16	SS-3 Screen	.40	-----	212-M6	Tube Choke	.20	-----
209-17	CO-1 Wire Screen	.25	-----	212-M7	Choke Tank	.25	-----
209-18	SD-1M Cloth	3.00	-----	212-M8	Tank Loading	.20	-----
209-19	SD-1M Cloth	.90	-----	212-M9	Loading Choke	.20	-----
209-20	SD-1M Cloth	1.35	-----				
209-21	SD-1B Cloth	3.00	-----	212-M10	Choke Output	.20	-----
209-22	SD-1B Cloth	.90	-----	212-14	Jumper	.10	-----
209-23	SD-1B Cloth	1.35	-----	212-M15	Antenna Mounting	.10	-----
				212-M16	Battery Retaining	.10	-----
					WIRE MOUNTING RINGS		
209-25	CB-1	.70	-----	213-M1	Resistor Mounting	.10	-----
209-28	GC-1 Wire Screen	.25	-----	213-M2	Condenser Mounting	.10	-----
209-29F	EK-2B Aluminum	.35	-----				
209-30	GW-10 Wire Screen	.20	-----		HOUSINGS		
209-32	HW-20 Wire Screen	.20	-----	214-M1	Battery MM-1	.10	-----
209-M33	GD-71 Aluminum	.30	-----	214-2	Battery V-7	.15	-----
209-34	GW-31 Cloth	.10	-----	214-5	Battery TCR-1	1.80	-----
209-35	GW-21 Screen	.15	-----	214-6	Battery DS-1	1.85	-----
209-M36	GD-141 Screen	.25	-----	214-M7	Battery XI-1	.35	-----
209-37	DM-348 Screen	.50	-----	214-M8	Power Supply XP-2	.55	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
214-M9	VFO Shell HW-10	.50	-----	250-40	6-32 x 1 1/2" RHMS		-----
214-M10	Filter Base HW-10	.40	-----	250-41	#8 x 3/4" RH Wood		-----
214-M11	Filter Cover HW-10	.40	-----	250-42	6-32 x 2 1/4" RHMS		-----
214-M12	Battery SK-10	.25	-----	250-43	8-32 x 1/4" Slotted Set		-----
214-M13	Battery GD-71	.25	-----	250-46	6-32 x 1/2" Self Tapping		-----
214-M14	Battery IM-30	.80	-----	250-47	6-32 x 2" FHMS		-----
214-M15	Battery IM-20	.30	-----	250-48	6-32 x 1/2" RHMS		-----
214-M16	Speaker GD-141	.60	-----	250-49	3-48 x 1/4" BHMS		-----
214-19	Battery DM-234	1.60	-----	250-50	10-32 x 3/8" PHMS		-----
	HEAT SINK			250-51	#10 x 3/8" Pan Hd. S.M.		-----
215-M1F	HP-10	1.05	-----	250-52	4-40 x 1/4" PHMS		-----
215-M2F	MP-10	1.10	-----	250-53	10-24 x 3 1/2" Slotted		-----
215-4	KL-1	1.15	-----	250-54	10-32 x 5/8" RHMS		-----
215-M5F	DM-276	1.10	-----	250-55	3/16 - 24-4 1/2 Cap Screw		-----
	SCREWS			250-56	6-32 x 1/4" BHMS		-----
250-1	2-58 x 1/8" Self Tapping		-----	250-57	#6 x 3/4" RH Wood		-----
250-2	3-48 x 5/16" RHMS		-----	250-59	#7 x 1" FH Wood		-----
250-3	4-40 x 3/16" RHMS		-----	250-60	#7 x 1/2" FH Wood		-----
250-4	4-40 x 3/8" RHMS		-----	250-61	#7 x 5/8" RH Wood		-----
250-5	4-48 x 2 1/8" Fill. Head MS		-----	250-62	#8 x 1/4" RH Wood		-----
250-6	6-32 x 1" Stud		-----	250-63	3-48 x 1/8" RHMS		-----
250-7	6-32 x 3/16" RHMS		-----	250-65	#6 x 1 1/4" RH Wood		-----
250-8	#6 x 3/8" Pan Head Sheet Metal Type "A"		-----	250-66	#8 x 1 1/4" FH Wood		-----
250-9	6-32 x 3/8" RHMS		-----	250-67	10-32 x 1 1/8" RHMS		-----
250-10	6-32 x 1/2" Truss Head MS		-----	250-68	#7 x 1/2" FH Wood		-----
250-11	6-32 x 1/2" FHMS		-----	250-69	5/16 - 18 x 1/4" RHMS		-----
250-12	#6 x 5/8" Pan Head S.M.		-----	250-70	6-32 x 3/16" FHMS		-----
250-13	6-32 x 1" RHMS		-----	250-71	6-32 x 1" FHMS		-----
250-15	8-32 x 1/8" Slotted Set		-----	250-72	8-32 x 1/4" RHMS		-----
250-16	8-32 x 3/16" Slotted Set		-----	250-74	10-32 x 1 1/8" RHMS		-----
250-17	8-32 x 1/4" RHMS		-----	250-75	#6 x 1/2" RH Wood		-----
250-18	8-32 x 3/8" RHMS		-----	250-76	#8 x 1/4" RH Wood		-----
250-19	10-24 x 3/8" RHMS		-----	250-77	1/4 - 20 x 1 1/4" F. H. MS		-----
250-20	Special Thumb		-----	250-78	1/4 - 20 x 1 1/2" Bolt		-----
250-22	8-32 x 7/16" Slotted Set		-----	250-79	6-32 x 1 1/4" RHMS		-----
250-25	4-40 x 1/8" Fill MS		-----	250-80	#8 x 1/4" RH Wood		-----
250-26	6-32 x 5/8" BHMS		-----	250-M81	#8 x 1/4" RH Wood		-----
250-27	6-32 x 2" RHMS		-----	250-82	#4 x 1/2" RH Wood		-----
250-28	6-32 x 1/4" Slotted Set		-----	250-83	#10 x 1/2" Sheet Metal		-----
250-29	6-32 x 3/4" RHMS		-----	250-84	8-32 x 7/8" Stud		-----
250-31	6-32 x 1/4" RHMS		-----	250-85	8-32 x 3/8" Oval Head		-----
250-32	6-32 x 3/8" FHMS		-----	250-86	1/4 - 20 x 1 7/16" Stud		-----
250-32F	6-32 x 3/8" FHMS		-----	250-87	8-32 x 3/16" RHMS		-----
250-33	6-32 x 1/8" Slotted Set		-----	250-88	#10 x 1/2" FH Sheet Metal		-----
250-34	4-40 x 1/2" RHMS		-----	250-89	6-32 x 3/8" BHMS		-----
250-35	#8 x 7/8" Pan Hd. S. M.		-----	250-90	#6 x 1/4" RH Wood		-----
250-38	10-32 x 5/8" FHMS		-----	250-91	#4 x 3/8" Wood		-----
250-39	10-32 Special		-----	250-92	8-32 x 5/8" RHMS		-----
				250-93	8-32 x 1/4" Allen		-----
				250-94	10-24 x 4/4" RHMS		-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
250-95	5-40 x 1/4" RHMS		-----	250-156	4-40 x 1/8" Allen		-----
250-98	8-32 x 1/2" RHMS		-----	250-159	6-32 x 1/2" Stud		-----
250-99	6-32 x 5/16" BHMS		-----	250-160	4-36 x 1/4" BHMS		-----
250-100	6-32 x 5/16" Slotted Set		-----	250-161	5-40 x 1 1/2" BHMS		-----
250-104	8-32 x 3/8" FHMS		-----	250-162	6-32 x 1/2" BHMS		-----
250-105	8-32 x 1/8" Allen		-----	250-163	4-40 x 5/16" Self Tapping		-----
250-106	6-32 x 3/8" Self Tapping		-----	250-164	3-48 x 5/16" Fill. Hd. M.S.		-----
250-107	10-24 x 1/4" PHMS		-----	250-165	#8 x 1 1/4" Wood		-----
250-108	8-32 x 3/8" Self Tapping		-----	250-166	1/4" - 28 x 1/2" PHMS		-----
250-110	#6 x 7/8" FH Wood		-----	250-167	8-32 x 8 3/8" Stud		-----
250-111	#6 x 1" FH Wood		-----	250-168	6-32 x 1 3/8" RHMS		-----
250-112	#6 x 1 1/8" FH Wood		-----	250-170	#6 x 1/4" Sheet Metal		-----
250-113	#6 x 1 1/4" FH Wood		-----	250-171	6-32 x 3/8" Self Tapping		-----
250-114	#6 x 1 1/2" FH Wood		-----	250-172	3-48 x 3/8" P. H. MS		-----
250-115	8-32 x 2 1/2" RHMS		-----	250-173	4-40 x 1/4" Stud		-----
250-116	6-32 x 1/4" Truss Hd.		-----	250-174	8-32 x 1/4" B. H. MS		-----
250-117	6-32 x 11/16" RHMS		-----	250-175	2-56 x 3/8" B. H. MS		-----
250-118	6-32 x 1" Fill. Hd. MS		-----	250-176	8-32 x 3/16" Thumb		-----
250-119	8-30 x 1/4" Furniture		-----	250-178	8-32 x 1/4" Thumb		-----
250-120	5-40 x 7/8" Stud		-----	250-179	8-32 x 1/4" Thumb		-----
250-121	#4 x 5/8" Wood		-----	250-180	8-32 x 1/2" Set		-----
250-122	Connector		-----	250-181	6-32 x 3/8" Special		-----
250-123	10-24 x 2 1/4" Hex Hd. MS		-----	250-182	2-56 x 1/4" Fill. H. MS		-----
250-124	6-32 x 3/16" Fill. Hd. MS		-----	250-183	1/4" - 20 x 1 1/2" RHMS		-----
250-125	#6 x 1/4" Sheet Metal		-----	250-184	1/4" - 20 x 11/16" RHMS		-----
250-126	10-32 x 1/2" Truss Hd. MS		-----	250-185	2-56 x 3/16" BHMS		-----
250-127	6-32 x 1/2" Self Tapping		-----	250-186	4-24 x 3/8" Slotted		-----
250-128	#10 x 7/8" Sheet Metal		-----	250-187	8-32 x 1 1/2" RHMS		-----
250-133	3-48 x 7/16" PHMS		-----	250-189	10-24 x 7/8" Stud		-----
250-134	6-32 x 1/4" RHMS		-----	250-190	8-32 x 2" Special		-----
250-135	5-40 x 5/16" Hex Hd.		-----	250-191	10-24 x 1 1/8" RHMS		-----
250-136	3-48 x 1/2" Fill. Hd. MS		-----	250-192	3/8" - 16 x 2 1/4" Hex		-----
250-137	8-32 x 3/8" PHMS		-----	250-193	1/4" - 20 x 1" Hex		-----
250-138	6-32 x 3/16" BHMS		-----	250-194	1/4" - 20 x 2 1/2" Hex		-----
250-139	10-24 x 1/2" Thumb		-----	250-195	1/4" - 20 x 2" Hex		-----
250-140	#8 - 1 1/4" Sheet Metal		-----	250-196	10 x 1 1/2" Wood		-----
250-141	10-24 x 1/2" RHMS		-----	250-197	1/4" - 20 Stud		-----
250-142	6-32 to 10-32 Adapter		-----	250-198	1/4" - 1 1/2" Lag		-----
250-143	6-32 x 1/2" Stud		-----	250-199	4 x 1" RH Wood		-----
250-144	6-32 x 1/4" Stud		-----	250-202	3-48 x 7/8" BHMS		-----
250-145	6-62 Stud		-----	250-203F	6-32 x 3/8" FHMS		-----
250-146	6 x 1/4" Wood		-----	250-204	5/16" - 18 x 2 1/4" Hex		-----
250-147	8-32 x 1" RHMS		-----	250-205	5-40 x 1" Stud		-----
250-149	10-24 x 1 1/4" Bolt		-----	250-206	6-32 x 11/16" BHMS		-----
250-150	10-24 x 3 3/4" Bolt		-----	250-207	10-32 x 1/2" Stud		-----
250-151	#6 x 1/2" Wood		-----	250-208	6-32 x 1/8" RHMS		-----
250-152	10-24 x 1/4" RHMS		-----	250-209	4 x 1" FH Wood		-----
250-153	10-24 x 1/2" FHMS		-----	250-210	12 x 5/8" PH Metal		-----
250-154	#10 x 1 1/4" Wood		-----	250-211	1/4" - 20 x 1/4" Set		-----
250-155	#6 x 3/8" Sheet Metal		-----	250-212	2-56 x 3/16" Self Tapping		-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
250-213	4-40 x 5/16" PHMS		-----	252-27	#6-32 Lock		-----
250-214	6-32 x 55/64" Stud		-----	252-28	Thumb 8-32		-----
250-215	10-24 x 1/4" Thumb		-----	252-M29	#6 Speed		-----
250-216	1/4-28 x 1/2" PHMS		-----	252-30	10-24		-----
250-217	10 x 5/8" RH Wood		-----	252-31	10-24 Wing		-----
250-218	6-32 x 3/8" PHMS		-----	252-32	Speed Push On		-----
250-219	6 x 1" PH Self Tapping		-----	252-33	#5-40		-----
250-220	10-32 x 1 1/4" RH Steel		-----	252-34	6-32 Palnut		-----
250-221	3/8-16 x 1" RH Steel		-----	252-35	Knurled Thumb		-----
250-222	10 x 5/8" Wood		-----	252-36	Speed		-----
250-223	14 x 5/8" Wood		-----	252-37	9/32-32 x 3/8		-----
250-224	6 x 1 1/4" RH Wood		-----	252-38	3/8-32 x 3/32		-----
250-225	4-40 x 5/16" FHMS		-----	252-39	1/4-32 x 3/32		-----
250-226	4-40 x 1 1/4" BHMS		-----	252-40	5-40 x 1/4		-----
250-227	6-32 x 7/8" PH Steel		-----	252-42	5/16-18 Tee		-----
250-228	6-32 x 1 3/8" PH Steel		-----	252-43	5-40-3/8"		-----
250-229	6-32 x 1/4" PHMS Steel		-----	252-44	10-32 3/8"		-----
250-230	6-32 x 3/16" Set		-----	252-47	3-48 Speed		-----
250-231	8-32 x 5/8" PH Steel		-----	252-48	1/4-28 x 5/8		-----
250-232	8-32 x 1 1/4" PH Steel		-----	252-49	10-32 3/8		-----
	SPADE BOLT			252-50	4-40 Speed		-----
251-1	6-32		-----	252-51	2-56		-----
251-2	1/4" - 20		-----	252-52	8-32 x 7/16 Thumb		-----
251-3	6-32 Special Stud		-----	252-54	#10 Speed		-----
	NUTS			252-55	1/4-20 Weld		-----
252-1	3-48 x 3/16"		-----	252-56	3/8 x 16 Hex		-----
252-2	4-40 x 1/4"		-----	252-57	1/4 x 20 Hex		-----
252-3	6-32 x 1/4"		-----	252-58	1/4 x 20 Hex		-----
252-4	8-32 x 3/8"		-----	252-59	5/8 x 18 Hex		-----
252-5	10-32 x 3/8"		-----	252-60	7/16 Speed Push On		-----
252-6	5/16" - 18		-----	252-61	1/4 x 28 - 1/2 Shoulder		-----
252-7	3/8-32 x 3/32		-----	252-62	1/4 x 28 Hex		-----
252-9	Speed		-----	252-63	10/32 Hex		-----
252-10	Speed		-----	252-64	3/8 - 16 Hex		-----
252-11	1 - 72		-----		WASHERS		
252-12	21/32-27 x 7/32		-----	253-1	#6 Fibre 3/8 OD .140 ID x 3/64		-----
252-13	5/16-24		-----	253-2	#6 Fibre 3/8OD .140ID x 5/64		-----
252-14	Cap 8-32		-----	253-3	#10 Fibre 1/2OD .203ID x 1/16		-----
252-15	4-40 x 3/16		-----	253-4	#8 Fibre 3/8OD .171ID x 1/16		-----
252-16	Speed		-----	253-5	#8 Fibre 5/16OD .171ID x 1/16		-----
252-17	Tee 10/24		-----	253-6	#10 Fibre 11/16OD .203ID x 1/16		-----
252-18	3/8 Square 10-24		-----	253-7	#10 Fibre 1/2OD .203ID x 3/32		-----
252-19	6-32 Tension Type		-----	253-8	#10 Brass 7/16OD .200ID x .036		-----
252-20	Control Guard		-----	253-9	#8 Brass 3/8OD .172ID x .032		-----
252-22	#6-32 Speed		-----	253-10	Flat Steel 5/8OD .380ID x 1/32		-----
252-23	Thumb #6-32		-----	253-11	Shaft E		-----
252-24	1/4" - 20 Tee		-----	253-13	#8 Fibre 7/16OD .170ID x 3/32		-----
252-25	1/4" - 20 Square		-----	253-14	#8 Fibre 7/16OD .171ID x 1/32		-----
252-26	#6 Speed		-----	253-15	Flat Fibre 5/8OD .380ID x .031		-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
253-16	Shoulder Fibre 5/8OD .380ID x 5/64			254-9	#4 Shakeproof		
253-19	#10 Steel 3/8OD .203ID x 1/16			254-10	5/16" Shakeproof		
253-21	Flat Steel 9/16OD .156ID x .031			254-12	3/4" Shakeproof		
253-22	Flat Steel 3/16OD .390ID x 1/8			254-13	#12 Shakeproof		
253-23	Flat Fibre 3/16OD .109ID x 1/16			254-14	3/4" Shakeproof		
253-26	Dished Brass 41/64OD .171ID x .010			254-15	#16 Internal		
253-27	Flat Steel 5/16OD .156ID x 1/16			254-16	#10 Split		
253-28	Plastic "O" Ring			254-17	33/64 Internal		
253-29	Retaining			254-18	Split 3/4"		
253-30	Flat Steel 3/8OD .500ID x .032			254-19	Split 3/8"		
253-31	Flat Steel 3/8OD .265ID x .050			SPACERS			
253-32	Flat Steel 1 1/8OD .265ID x .050			255-1	1/8"		
253-34	Flat Fibre 3/8OD .156ID x 3/32			255-2	#6 x 3/16"		
253-35	Flat Fibre 3/8OD .156ID x 3/32			255-3	#6 x 3/8"		
253-36	Formed Brass 1/2OD .265ID x .010			255-4	#10 x 3/8"		
253-37	Formed Brass .755OD .395ID x .015			255-5	#6 x 3/4"		
253-M38	"Dog" Brass .040			255-6	#6 x 1-1/8"		
253-39	Flat Steel 9/16OD .265ID x 1/32			255-7	1 3/4" x 6-32		
253-40	Flat Steel 7/16OD .140ID x .010			255-8	3-15/16" x 6-32		
253-41	Flat Steel 9/16OD .312ID x .010			255-10	#6 x 1 1/4"		
253-42	Flat Steel 3/8OD .187ID x 3/64			255-11	5/16 x 1" #6-32		
253-43	Flat Fibre 3/8OD .130ID x 1/32			255-12	Insulating		
253-44	Flat Alum. 1 OD .147ID x .064			255-13	3/4" x #6		
253-45	Flat Steel 3/8OD .171ID x 1/32			255-14	10-32		
253-46F246	Flat Steel 1 1/4OD .281ID x .059			255-15	#6 x 3/4"		
253-46F304	Flat Steel 1 1/4OD .281ID x .059			255-16	Aluminum		
253-48	Flat Steel 3/8OD .171ID x 7/64			255-17	Dial Stop		
253-49	Flat Nylon 7/16OD 3/4ID x 1/16			255-18	6-32 x 1-7/8"		
253-50	Shoulder Nylon 13/32OD x 3/4ID			255-20	8-32 x 1-5/16		
253-51	E-Ring .102 Groove			255-21	7/8" x 6-32		
253-52	Flat Steel 1.097OD 25/64ID x .060			255-22	Sleeve		
253-53	Flat Steel .675OD .250ID x .114			255-23	5/16 x 15/32		
253-54	Brass 3/8OD .505ID x .010			255-27	1/8 x #3		
253-55	Brass 7/8OD .395ID x .064			255-28	1/16 x #3		
253-56	Rubber "O" Ring			255-29	#3 x 7/32		
253-57	Cambric 7/16OD 1/2ID x .010			255-30	3/16 Thick Steel		
253-58	Cambric 3/8OD 3/16ID x .010			255-31	1" x 6-32		
253-59	Steel 3/8OD .125ID x .012			255-32	11/64" Aluminum		
253-60	Steel 3/8OD .156ID x .032			255-33	3/4" x 6-32		
253-61	Fiber 3/8OD .312ID x .030			255-34	10-32		
253-62	Fiber .500OD .250ID x .031			255-35	11/16" x 3-48		
LOCKWASHERS				255-36	1" x 6-32		
254-1	#6 Shakeproof			255-37	3/4 x 8-32		
254-2	#8			255-38	1" Aluminum		
254-3	#10			255-39	1 1/4" x 6-32		
254-4	Control 3/8ID 11/16OD x .035			255-40	5/32 x 3-48		
254-5	Control 3/8ID 15/32OD x .022			255-41	3/4 Aluminum		
254-6	#6 Shakeproof			255-42	3/4" x 6-32		
254-7	#3 Internal			255-43	19/32 x 8-32		
254-8	#6 Split			255-44	10-32		

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
255-45	9/16 x 6-32		-----	258-M27	Key Contactor	.10	-----
255-46	Steel 3/16"		-----	258-29	Pressure Pad Link	.15	-----
255-47	.698 x 8-32		-----	258-30	Battery Contact	.05	-----
255-48	1/4 x 28 Threaded		-----	258-31	Battery Contact	.05	-----
255-49	Aluminum 5/16 x .156		-----	258-32	Heat Sink	.05	-----
255-50	Aluminum 19/32 x .156		-----	258-33	Battery Holder	.10	-----
255-51	Aluminum .437 x .156		-----	258-M35	Grounding	.10	-----
255-52	Aluminum 13/32 x .130		-----	258-M37	Key Contactor	.10	-----
255-53	Steel Cap Insert		-----	258-38	Contact	.05	-----
255-54	3/8 x #4-40		-----	258-42	Spark Pickup	.05	-----
RIVETS				258-43	Battery Contact	.05	-----
256-1	1/8" x 3/32"		-----	258-44	Catch Loading	.35	-----
256-2	1/8" x 3/16"		-----	258-45	Linkage Arm Loading	.25	-----
256-3	1/8" x 7/32" x 11/32"		-----	258-46	Cable Exit	.15	-----
256-4	1/8" x 1/8"		-----	258-47	Switch Terminal	.05	-----
256-5	1/8" x 7/32"		-----	258-48	Circuit Connector	.05	-----
256-6	1/8" x 3/16"		-----	258-49	Circuit Connector	.05	-----
256-7	1/8" x 15-32" x 19/32		-----	258-50	Contact	.15	-----
256-8	1/8" x 5/32"		-----	258-51	Gear Tension	.35	-----
256-9	.088 x 1/8		-----	258-53	Contact Loading	.05	-----
256-10	.088 x 7/32		-----	258-56	Connector	.20	-----
256-11	1/8 x 1/2 x 5/8		-----	258-58	Pulley Loading	.10	-----
256-12	3/32 Dia. x 1/4		-----	SOLDER LUGS			
256-13	3/32 x 7/32		-----	259-1	#6 Solder		-----
256-14	3/32 x 5/32		-----	259-2	#8 Solder		-----
256-15	1/16 x 1/8		-----	259-5	#10 Solder		-----
256-16	1/8 x 11/32 x 15/32		-----	259-6	#6 Small		-----
EYELET				259-7	Terminal 9/32" Slot		-----
257-1	Eyelet Dial Cord		-----	259-10	Control		-----
257-2	Eyelet .246 OD		-----	259-11	Spade #6		-----
257-3	Eyelet .093 OD		-----	259-12	Solder (Shakeproof)		-----
SPRINGS				259-14	#10 Spade		-----
258-1	Dial Coil	.05	-----	259-15	#8 Terminal		-----
258-2	Tip	.10	-----	259-16	#8 Spade		-----
258-3	Body	.20	-----	259-17	#12 Solder 21/32 Shake Proof		-----
258-4	Dial Coil	.05	-----	259-18	#3 Solder		-----
258-5	Battery Small	.05	-----	CLIPS			
258-6	Battery Large	.05	-----	260-1	Alligator	.10	-----
258-7	Phosphor Bronze	.05	-----	260-2	Grid	.05	-----
258-M9	Battery Contact	.05	-----	260-3	Grid	.25	-----
258-10	Dial Drum Tension	.10	-----	260-6	Anode	.10	-----
258-11	Battery Contact	.10	-----	260-7	IF Transformers	.05	-----
258-15	Tension Brake	.05	-----	260-10	Ceramic Anode	.50	-----
258-18	Button Lock	.05	-----	260-11	Spring Catch	.05	-----
258-19	Trigger Arm	.05	-----	260-12	Aluminum Anode	.40	-----
258-20	Trigger Rod	.05	-----	260-14	Test	.10	-----
258-21	Top Spring	.65	-----	260-15	Test	.10	-----
258-25	Gear Tension	.05	-----	260-16	Alligator Small	.10	-----
258-26	Gear Tension	.05	-----	260-18	Grid with Lead	.55	-----
				260-21	Ignition Pickup	1.10	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
260-23	Ceramic Anode	.55	-----	265-M2	Hinge	7.75	-----
260-24	Neon Bulb	.25	-----	265-3	Brass Plated	.15	-----
260-26	Heat Sink	.10	-----	265-4	Support L. H.	.45	-----
260-27	Solder Clip	.10	-----	265-5	Support R. H.	.45	-----
260-28	Test Terminal	.25	-----	265-6	Spring Loaded	.20	-----
260-29	Crystal Holding	.20	-----				
260-30	Fahnstock	.05	-----				
260-31	Fahnstock	.05	-----				
260-32	Lock	.30	-----				
260-33	Retaining	.45	-----				
260-34	Anode Connector	.15	-----				
260-35	Coil Contact	.25	-----				
260-36	Wire Retainer	.05	-----				
	MOUNTING FEET						
261-1	Rubber Feet	.05	-----	266-2	Linkage Arm Spl.	.65	-----
261-4	Rubber Feet	.05	-----	266-3	Rotor Arm Spl.	.90	-----
261-6	Rubber Feet	.05	-----	266-M7	Short Linkage Arm	.10	-----
261-8	Metal Glides	.10	-----	266-M8	Long Linkage Arm	.15	-----
261-9	Rubber Feet	.05	-----	266-M9	Linkage Arm	.15	-----
261-11	Feet Plastic	.10	-----	266-10	Brake Release Arm	.25	-----
261-13	Feet Plastic	.10	-----	266-M11	Linkage Arm Long	.10	-----
261-16	Plastic Foot	.05	-----	266-M12	Linkage Arm Short	.10	-----
261-17	Foot Plastic	.05	-----	266-M13	Linkage Arm Long	.10	-----
261-18	Foot Rubber	.15	-----				
261-19	Foot Steel	.40	-----	266-M14	Linkage Arm Short	.20	-----
261-20	Foot Rubber	.15	-----	266-15	Idler Arm	.30	-----
261-21	Foot Rubber	.15	-----	266-17	Steel Ball	.10	-----
	PINS			266-18	Stop 180°	.15	-----
262-3	Banana Shank	.25	-----	266-19	Stop 90°	.25	-----
262-4	Spring Catch	.25	-----	266-M20	Stop	.15	-----
262-5	Banana Spl.	.30	-----	266-21	Fan Blade	.60	-----
262-M7	Wire Stop	.05	-----	266-22	Bar Bail	.50	-----
262-8	Terminal	.05	-----	266-23	Support Leg	.70	-----
	FELT FEET			266-M25	Front Channel	.55	-----
263-4	½" Cup Tack	.05	-----	266-M26	Linkage Arm	.15	-----
263-5	Screw Mounting	.05	-----	266-27	Air Pipe	1.30	-----
263-6	½" Dia. Plain	.05	-----	266-30	Link Arm	1.35	-----
263-7	½" Dia. Taupe	.05	-----	266-31	Idler Arm	.55	-----
	NAILS & STAPLES			266-32	Drive Arm Switch	.55	-----
264-1	Nail Clamp 9/16 x ¼		-----	266-33	Drive Arm Switch	.30	-----
264-2	Nail 3D Finish		-----	266-M34	Linkage Arm	.25	-----
264-3	Staples Grill Cloth		-----	266-35	Stator Switch	1.00	-----
264-4	Wire Brad 1"		-----	266-36	Band Switch	1.00	-----
264-5	Nails 6D Box		-----	266-37	Rotor Blade	.30	-----
264-6	Wire Brad 5/8"		-----	266-38	Rotational Stop	.20	-----
264-7	Wire Brad ¾"		-----	266-M44	Aluminum Slug	.10	-----
264-8	Wire Brad 3/8"		-----	266-45	Linkage Rod	.10	-----
264-9	Wire Brad ½"		-----	266-46	Fan Blade	.65	-----
264-10	Carpet Tack		-----	266-49	Safety Release Trolley	.60	-----
264-11	Nail #9 x ¼ Thread		-----	266-50	Safety Release Chain	1.30	-----
				266-51	Turn Buckle	.35	-----
				266-52	Connecting Link	.70	-----
				266-53F	Linkage Arm Trolley	2.90	-----
				266-54F	Linkage Arm Door	1.45	-----
				266-M55	Beam Trolley	2.90	-----
				266-56	Stand Retainer	.45	-----
				266-58	Snap Fastner	.05	-----
				266-59	Idler Stop	.75	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
266-60	Shaft Stop	.80	-----	344-9	#30 Stranded	.05 ft.	-----
266-61	Transducer Insert	5.00	-----	344-10	#30 Stranded	.05 ft.	-----
266-62	Rotor Disc	.30	-----	344-11	#30 Stranded	.05 ft.	-----
STRAPS				344-12	#30 Stranded	.05 ft.	-----
267-2	Leather GW-21	1.10	-----	344-13	#22 Solid	.05 ft.	-----
CHAIN & BELTS				344-14	#20 Stranded	.05 ft.	-----
268-1	Steel 108½" Long GD-20		-----	344-15	16 Strands #30	.05 ft.	-----
268-2	Link & 268-1 GD-20	5.35	-----	344-16	16 Strands #30	.05 ft.	-----
268-3	V Type Belt GD-20	1.75	-----	344-28	16 Strands #30 Yellow	.05 ft.	-----
WINDOW SCREEN				344-29	16 Strands #30 Blue	.05 ft.	-----
310-4	Plastic Black AK-5	.15	-----	344-30	16 Strands #30 Orange	.05 ft.	-----
FIBRE & SPUN GLASS				344-31	16 Strands #30 Brown	.05 ft.	-----
335-1	Batts 11x15x3	.45	-----	344-32	16 Strands #30 Green	.05 ft.	-----
335-2	Batt ¼ x 2" x 1"	.10	-----	BRAID			
335-4	Packaged Assembly AS-2	1.85	-----	345-1	Braid	.10 ft.	-----
BARE WIRE				345-2	36 x 40 Copper	.10 ft.	-----
340-1	Copper #14	.05 ft.	-----	SLEEVING			
340-2	Copper #20	.05 ft.	-----	346-1	#15 x 1/16" - 1/8"	.05 ft.	-----
340-3	Copper #16	.05 ft.	-----	346-2	3/16" Dia. 5" Lengths	.05 ft.	-----
340-4	Copper #10	.05 ft.	-----	346-3	¼" Dia. Size "O"	.10 ft.	-----
340-6	#11 Manganin	.15 ft.	-----	346-4	#13 Black	.05 ft.	-----
340-8	Copper #22	.05 ft.	-----	346-5	¼" I. D. Plastic	.10 ft.	-----
340-10	7 Strands #26 Copper 75 ft.	1.35	-----	346-6	3/8" ID Fiber	.05 ft.	-----
340-11	Copper #12	.05 ft.	-----	346-7	#5 Plastic x 186 ID	.05 ft.	-----
340-12	Alloy #15	.10 ft.	-----	346-10	3/8" ID Fiberglass	.25 ft.	-----
TEST LEAD WIRE				346-11	¼" ID	.55 ft.	-----
341-1	Black	.05 ft.	-----	346-12	3/32" ID Rubber	.05 ft.	-----
341-2	Red	.05 ft.	-----	CABLE			
SHIELDED WIRE				347-1	8 Conductors #22	.10 ft.	-----
342-1	Shielded	.10 ft.	-----	347-2	Twin 300 Ohm Line	.05 ft.	-----
SHIELDED TEST LEAD WIRE				347-3	2 Conductor Shielded	.10 ft.	-----
343-2	RG 58A/U	.10 ft.	-----	347-7	4 Conductor	.10 ft.	-----
343-3	#22 Plastic	.05 ft.	-----	347-9	3 Conductor Shielded	.10 ft.	-----
343-4	Beldens #8411	.10 ft.	-----	347-13	2 Conductor #12	.20 ft.	-----
343-5	RG-62U (Belden #825A)	.10 ft.	-----	347-14	Coaxial 52 Ohm	.25 ft.	-----
343-6	#33 7 Strands	.05 ft.	-----	347-15	5 Conductor Shielded	.30 ft.	-----
343-7	#34 7 Strands	.15 ft.	-----	347-16	2 Conductor #22 50 ft.	1.50	-----
HOOKUP WIRE				347-18	8 Conductors	.15 ft.	-----
344-1	#22	.05 ft.	-----	347-19	3 Conductor	.15 ft.	-----
344-2	#18 Stranded	.05 ft.	-----	347-20	2 Conductor #22 20 ft.	.85	-----
344-3	Stranded Red	.05 ft.	-----	347-22	3 Conductor #19 50 ft.	1.95	-----
344-5	22 Gauge Stranded	.20 ft.	-----	347-23	3 Conductor	.70	-----
344-6	Solid 18 Ga.	.05 ft.	-----	MAGNET WIRE			
344-7	#14 Stranded	.05 ft.	-----	348-1	#24 Single	.10 ft.	-----
344-8	#30 Stranded	.05 ft.	-----	DIAL CORD			
HOOKUP WIRE				349-1	Dial Cord	.05 ft.	-----
349-2				349-2	Lacing Cord	.05 ft.	-----
349-3				349-3	Dial Cable	.05 ft.	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
349-4	Bead Chain #6 Long	.35 ft.	-----	390-83	XI-1 Battery Box	.10	-----
349-5	Bead Chain #6 Short	.30 ft.	-----	390-85	EA-3 Terminal	.10	-----
349-6	O Ring Belt	.65	-----	390-86	XI-1 Terminal	.10	-----
	LABELS			390-88	TT-1 Switch	.10	-----
390-1	GD-1 Set of 8	.10	-----	390-89	US-3 Speaker Carton	.10	-----
390-7	Peak to Peak #338	.10	-----	390-92	TR-1E Adjustment	.10	-----
390-11	Graph Sheet #341-A	.15	-----	390-93	EK-2 Ant. & Output	.10	-----
390-13	Probe Set #375	.10	-----	390-95	US-4 Speaker Carton	.10	-----
390-16	OL-1	.10	-----	390-96	GC-1 Transistor Placement	.10	-----
390-21	CC-1	.35	-----	390-97	AA-20 Control Location	.15	-----
390-22	AR-3	.10	-----	390-98	RM-1 Heathkit Decal	.15	-----
390-32	AM-2 Output	.10	-----	390-101	GW-10 Identification	.10	-----
390-33	AM-2 Input	.10	-----	390-103	R-180 Decal "Heathkit Jr."	.10	-----
390-36	EA-2 Output	.10	-----	390-104	GW-30 Transistor Placement	.15	-----
390-37	EA-2 Input	.10	-----	390-106	DX-60 Terminal Indication	.15	-----
390-38	RX-1 Rear Apron	.10	-----	390-108	AS-21 Instruction	.15	-----
390-39	TX-1 Rear Apron	.10	-----	390-109	AS-31 Instruction	.15	-----
390-40	T-4 Audio-RF	.10	-----	390-110	GD-61 Control Function	.40	-----
390-41	Deviation Chart	.10	-----	390-112	MWW-11 Channel	4.05	-----
390-42	Radio Station Chart	.15	-----	390-113	GD-20 Transmitter ID	.10	-----
390-43	TR-ID Input & Output	.10	-----	390-114	IM-30 Battery Orient	.20	-----
390-44	TR-ID Adjustments	.10	-----	390-115	IT-11 Schematic	.15	-----
390-45	OP-1 Cabinet Bottom	.10	-----	390-117	GW-31 Battery Replace	.10	-----
390-50	TR-1C Input-Output	.10	-----	390-118	GW-31 FCC Part #15	.10	-----
390-51	TR-1C Adjustments	.10	-----	390-119	DM-278 FCC Part #15	.10	-----
390-52	IA-1 Warning CR Tube	.10	-----	390-120	IM-20 Battery Placement	.10	-----
390-53	SB-10	.10	-----	390-121	AA-191 Terminal Indication	.10	-----
390-54	TE-1 Input-Output	.10	-----	390-123	DA-281 Inventory Control	.10	-----
390-55	MK-1 Decal	.10	-----	390-124	GH-10 Solder Label	.10	-----
390-57	TR-1A Function	.10	-----	390-126	DM-348 Channel	.40	-----
390-59	VHF-1 Terminal	.10	-----		NAME PLATES		
390-60	MT-1 Terminal	.10	-----	391-2	Logo-Black	.20	-----
390-62	MR-1 Terminal	.10	-----	391-3	Logo-Silver	.30	-----
390-63	W-IA-1A Tube Placement	.10	-----	391-5	Gold-White-Black	.15	-----
390-64	W-IA-1A Caution	.25	-----	391-6	Logo-Black-Gold	.25	-----
390-65	PM-2 Identification	.10	-----	391-7	Logo-Black-Silver	.25	-----
390-66	OR-1 Identification	.10	-----	391-8	Black-Gold	.10	-----
390-67	SD-1 Network Terminal	.10	-----	391-11	Red-Black-Silver	.15	-----
390-68	KL-1 R. F. Chassis	.20	-----	391-12	Red-Black-Gold	.25	-----
390-69	KL-1 Power Supply	.10	-----	391-13	Red-Black-Silver	.30	-----
390-70	US-1 Speaker Carton	.10	-----	391-14	Red-Black-Gold	.30	-----
390-72	US-2 Speaker Carton	.10	-----	391-15	Spun Aluminum	.40	-----
390-73	SD-1 Amplifier Chassis	.10	-----	391-16	Green-Blue	.15	-----
390-74	MK-4 Terminal	.10	-----	391-17	Red-Black	.30	-----
390-75	KS-1 High Voltage	.15	-----	391-20	Black-Silver	.10	-----
390-76	CB-1 Characters	.10	-----		HORNS		
390-78	AS-2 Instruction	.15	-----	400-1	500 Cps Cutoff	42.00	-----
390-79	XR-2 Parts Placement	.10	-----	400-2	800 Cps Cutoff	27.60	-----
390-81	TCR-1 Parts Placement	.10	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
SPEAKERS							
401-2	4" P.M.	2.85	-----	401-59	3" Square	2.50	-----
401-6	12" P.M.	7.80	-----	401-M60	Ear Phone	.55	-----
401-9	5½" Square	3.24	-----	401-61	2½" Round	2.35	-----
401-11	2½" Square	2.40	-----	401-62	Ear Phone	.70	-----
401-12	8" P.M.	7.80	-----	401-63	4 x 6 Oval	3.20	-----
401-13	Tweeter	12.45	-----	401-64	12" P.M.	62.50	-----
401-14	Headset Dual	4.25	-----	401-65	15" P.M.	42.14	-----
401-15	15" Woofer	47.60	-----	401-66	5½" P.M.	6.35	-----
401-16	Tweeter	17.55	-----	401-67	3" Tweeter	2.85	-----
401-17	L.F. Driver	76.00	-----	401-69	3½" Square	3.30	-----
401-18	H.F. Driver	68.00	-----	401-70	Headset	23.95	-----
401-19	4 x 6 P.M.	2.70	-----	401-71	3 x 5 Oval	3.10	-----
401-20	3½" Weatherproof	2.35	-----	401-72	3½ x 3½ P.M.	2.55	-----
401-21	3½" P.M.	2.25	-----	401-73	4" Square	1.65	-----
401-22	8" P.M.	5.00	-----	401-74	12" Round	28.91	-----
401-23	4 x 6 Weatherproof	3.45	-----	INDUCTOR CONTROLABLE			
401-24	5" Round	3.20	-----	403-2	Controlable Inductor	13.70	-----
401-25	6 x 9	5.00	-----	CRYSTAL			
401-26	8" Woofer	15.00	-----	404-1	4.5 MC TS-3,4,4A	3.10	-----
401-27	12" P.M.	11.95	-----	404-2	189 KC CD-1	5.30	-----
401-28	10" P.M.	38.40	-----	404-3	3563.795 KC CD-1	3.45	-----
401-29	5" P.M.	4.00	-----	404-4	4.5 MC CD-1	3.10	-----
401-30	4½" P.M.	3.55	-----	404-5	1632-1732 KC RX-1	6.00	-----
401-31	12" Coaxial	19.95	-----	404-6	100 KC RX-1	5.80	-----
401-32	4 x 6 Weather Proof	3.55	-----	404-12	3 MC Filter MR-1	38.50	-----
401-33	4 x 6 P.M.	3.15	-----	404-13	28.0 MC XC-6	4.20	-----
401-34	8" P.M.	6.95	-----	404-14	26.965 MC CB-1	2.95	-----
401-35	3" Square	2.25	-----	404-15	26.975 MC CB-1	2.95	-----
401-36	Ear Phone	.55	-----	404-16	26.985 MC CB-1	2.95	-----
401-37	3" Square	2.05	-----	404-17	27.005 MC CB-1	2.95	-----
401-38	15 Watt Projector	19.95	-----	404-18	27.015 MC CB-1	2.95	-----
401-40	3 x 5 Weatherproof	2.20	-----	404-19	27.025 MC CB-1	2.95	-----
401-41	7½" Round	5.00	-----	404-20	27.035 MC CB-1	2.95	-----
401-42	2 x 6 Tweeter	2.80	-----	404-21	27.055 MC CB-1	2.95	-----
401-43	10" Round	21.80	-----	404-22	27.065 MC CB-1	2.95	-----
401-44	3½" Tweeter	3.45	-----	404-23	27.075 MC CB-1	2.95	-----
401-45	8" P.M.	29.95	-----	404-24	27.085 MC CB-1	2.95	-----
401-46	12" P.M.	34.30	-----	404-25	27.105 MC CB-1	2.95	-----
401-47	12" P.M.	72.50	-----	404-26	27.115 MC CB-1	2.95	-----
401-48	12" P.M.	91.80	-----	404-27	27.125 MC CB-1	2.95	-----
401-49	15" P.M.	134.50	-----	404-28	27.135 MC CB-1	2.95	-----
401-50	15" P.M.	177.00	-----	404-29	27.155 MC CB-1	2.95	-----
401-51	5 x 7 Oval	4.05	-----	404-30	27.165 MC CB-1	2.95	-----
401-52	12" Round	6.10	-----	404-31	27.175 MC CB-1	2.95	-----
401-53	7½" Round	3.70	-----	404-32	27.185 MC CB-1	2.95	-----
401-54	5" Round	2.70	-----	404-33	27.205 MC CB-1	2.95	-----
401-55	12" P.M.	53.00	-----	404-34	27.215 MC CB-1	2.95	-----
401-56	H. F. Driver	55.00	-----	404-35	27.225 MC CB-1	2.95	-----
401-57	6 x 9 Oval	5.30	-----				
401-58	8" Round	7.50	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
404-36	27.255 MC CB-1	2.95	-----	404-86	27.205 MC GW-30	2.95	-----
404-37	61.000 MC XC-2	4.65	-----	404-87	27.215 MC GW-30	2.95	-----
404-38	10.0 MC FMO-1	4.35	-----	404-88	27.225 MC GW-30	2.95	-----
404-39	10.7 MC FMO-1	4.45	-----	404-89	27.255 MC GW-30	2.95	-----
404-40	Transfilter 455 KC GC-1	1.05	-----	404-90	4990 KC Filter HX-20	54.40	-----
404-41	Transfilter 455 KC GC-1	.90	-----	404-91	4990 KC HX-20	2.95	-----
404-42	3.01 MC Filter MR-1	41.20	-----	404-92	4010 KC HX-20	2.95	-----
404-43	100 KC HD-20	5.00	-----	404-93	13.990 MC HX-20	2.95	-----
404-44	27.420 MC GW-10	2.95	-----	404-94	3500 KC HX-20	2.95	-----
404-45	27.430 MC GW-10	2.95	-----	404-95	10.5 MC HX-20	2.95	-----
404-46	27.440 MC GW-10	2.95	-----	404-96	17.5 MC HX-20	2.95	-----
404-47	27.460 MC GW-10	2.95	-----	404-97	24.5 MC HX-20	2.95	-----
404-48	27.470 MC GW-10	2.95	-----	404-98	25.0 MC HX-20	2.95	-----
404-49	27.480 MC GW-10	2.95	-----	404-99	25.5 MC HX-20	2.95	-----
404-50	27.490 MC GW-10	2.95	-----	404-100	3400 KC HX-10	2.95	-----
404-51	27.510 MC GW-10	2.95	-----	404-101	10.400 KC HX-10	2.95	-----
404-52	27.520 MC GW-10	2.95	-----	404-102	17.4 MC HX-10	2.95	-----
404-53	27.530 MC GW-10	2.95	-----	404-103	24.4 MC HX-10	2.95	-----
404-54	27.540 MC GW-10	2.95	-----	404-104	25.6 MC HX-10	2.95	-----
404-55	27.560 MC GW-10	2.95	-----	404-105	3093 KC MWW-11	2.95	-----
404-56	27.570 MC GW-10	2.95	-----	404-106	2637 KC MWW-11	2.95	-----
404-57	27.580 MC GW-10	2.95	-----	404-107	2638 KC MWW-11	2.95	-----
404-58	27.590 MC GW-10	2.95	-----	404-108	2182 KC MWW-11	2.95	-----
404-59	27.610 MC GW-10	2.95	-----	404-109	27.105 MC R-220	2.95	-----
404-60	27.620 MC GW-10	2.95	-----	404-110	2003 KC MWW-11	2.95	-----
404-61	27.630 MC GW-10	2.95	-----	404-111	2009 KC MWW-11	2.95	-----
404-62	27.640 MC GW-10	2.95	-----	404-112	2031.5 KC MWW-11	2.95	-----
404-63	27.660 MC GW-10	2.95	-----	404-113	2118 KC MWW-11	2.95	-----
404-64	27.670 MC GW-10	2.95	-----	404-114	2126 KC MWW-11	2.95	-----
404-65	27.680 MC GW-10	2.95	-----	404-115	2134 KC MWW-11	2.95	-----
404-66	27.710 MC GW-10	2.95	-----	404-116	2142 KC MWW-11	2.95	-----
404-67	26.965 MC GW-30	2.95	-----	404-117	2158 KC MWW-11	2.95	-----
404-68	26.975 MC GW-30	2.95	-----	404-118	2166 KC MWW-11	2.95	-----
404-69	26.985 MC GW-30	2.95	-----	404-119	2198 KC MWW-11	2.95	-----
404-70	27.005 MC GW-30	2.95	-----	404-120	2206 KC MWW-11	2.95	-----
404-71	27.015 MC GW-30	2.95	-----	404-121	2214 KC MWW-11	2.95	-----
404-72	27.025 MC GW-30	2.95	-----	404-122	2350 KC MWW-11	2.95	-----
404-73	27.035 MC GW-30	2.95	-----	404-123	2366 KC MWW-11	2.95	-----
404-74	27.055 MC GW-30	2.95	-----	404-124	2382 KC MWW-11	2.95	-----
404-75	27.065 MC GW-30	2.95	-----	404-125	2390 KC MWW-11	2.95	-----
404-76	27.075 MC GW-30	2.95	-----	404-126	2406 KC MWW-11	2.95	-----
404-77	27.085 MC GW-30	2.95	-----	404-127	2430 KC MWW-11	2.95	-----
404-78	27.105 MC GW-10	2.95	-----	404-128	2458 KC MWW-11	2.95	-----
404-79	27.115 MC GW-30	2.95	-----	404-129	2572 KC MWW-11	2.95	-----
404-80	27.125 MC GW-30	2.95	-----	404-130	2738 KC MWW-11	2.95	-----
404-81	27.135 MC GW-30	2.95	-----	404-131	2782 KC MWW-11	2.95	-----
404-82	27.155 MC GW-30	2.95	-----	404-132	2784 KC MWW-11	2.95	-----
404-83	27.165 MC GW-30	2.95	-----	404-133	2830 KC MWW-11	2.95	-----
404-84	27.175 MC GW-30	2.95	-----	404-134	2669 KC MWW-11	2.95	-----
404-85	27.185 MC GW-30	2.95	-----	404-135	2805 KC MWW-11	2.95	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
404-136	2905 KC MWW-11	2.95	-----	406-4	Compass EK-1	.10	-----
404-137	2913 KC MWW-11	2.95	-----	406-5	Clock DC TCR-1	11.60	-----
404-138	2921 KC MWW-11	2.95	-----	406-7	Clock AC GR-121	7.40	-----
404-139	2937 KC MWW-11	2.95	-----	INSTRUMENTS			
404-140	2945 KC MWW-11	2.95	-----	METER			
404-141	2961 KC MWW-11	2.95	-----	407-3	0-15 Voltmeter BE-2	3.25	-----
404-142	2969 KC MWW-11	2.95	-----	407-4	100-0-100 MA IB-1	11.10	-----
404-143	2977 KC MWW-11	2.95	-----	407-5	400 MA. 250 MV. M-1	13.55	-----
404-144	2985 KC MWW-11	2.95	-----	407-7	200 Microampere AF-1	10.75	-----
404-145	2993 KC MWW-11	2.95	-----	407-8	200 Microamp AV-1	10.75	-----
404-146	3005 KC MWW-11	2.95	-----	407-11	0-15 Ammeter BE-3	2.65	-----
404-147	3013 KC MWW-11	2.95	-----	407-12	GD-1	11.75	-----
404-148	3021 KC MWW-11	2.95	-----	407-13	0-1 Milliammeter TC-2	10.40	-----
404-149	3027 KC MWW-11	2.95	-----	407-14	Suppressed DC VT-1	5.00	-----
404-150	3037 KC MWW-11	2.95	-----	407-15	0-15 Milliampere BT-1	5.00	-----
404-151	3045 KC MWW-11	2.95	-----	407-17	0-50 Microammeter QM-1	13.65	-----
404-152	3053 KC MWW-11	2.95	-----	407-18	PS-2	11.30	-----
404-153	3193 KC MWW-11	2.95	-----	407-20	0-150 AC Volt IT-1	5.00	-----
404-154	3237 KC MWW-11	2.95	-----	407-22	200 Microampers AW-1	10.80	-----
404-155	3239 KC MWW-11	2.95	-----	407-23	MM-1	18.40	-----
404-156	3285 KC MWW-11	2.95	-----	407-24	0-100 Microamp AM-1	12.10	-----
404-157	27.420 MC GW-21	2.95	-----	407-25	200 Microampere LG-1	8.80	-----
404-158	27.430 MC GW-21	2.95	-----	407-28	50 Microampere CM-1	13.45	-----
404-159	27.440 MC GW-21	2.95	-----	407-29	200 Microampere AA-1	10.70	-----
404-160	27.460 MC GW-21	2.95	-----	407-31	0-1 Milliampere CC-1	10.50	-----
404-161	27.470 MC GW-21	2.95	-----	407-32	200 Microampere RC-1	10.60	-----
404-162	27.480 MC GW-21	2.95	-----	407-33	3 MA DX-35	5.00	-----
404-163	27.490 MC GW-21	2.95	-----	407-34	5 MA FD-1	12.80	-----
404-164	27.510 MC GW-21	2.95	-----	407-35	10-0-10 Microammeter ES-420	34.80	-----
404-165	27.520 MC GW-21	2.95	-----	407-37	200 Microamp TR-1	11.50	-----
404-166	27.530 MC GW-21	2.95	-----	407-39	200 Microampere PM-1	10.10	-----
404-167	27.540 MC GW-21	2.95	-----	407-40	0-100 MA W-6M	3.85	-----
404-168	27.560 MC GW-21	2.95	-----	407-41	5-0-5 DC MA ED-1	8.40	-----
404-169	27.570 MC GW-21	2.95	-----	407-42	25 DC Ampere MC-1	9.50	-----
404-170	27.580 MC GW-21	2.95	-----	407-43	0-100 Microammeter AM-2	10.65	-----
404-171	27.590 MC GW-21	2.95	-----	407-44	Spl. Movement CI-1	12.90	-----
404-172	27.610 MC GW-21	2.95	-----	407-45	0-1 Milliammeter DF-1	7.90	-----
404-173	27.620 MC GW-21	2.95	-----	407-46	3 Mill. DX-40	8.40	-----
404-174	27.630 MC GW-21	2.95	-----	407-47	500-0-500 Microamperes RI-1	9.20	-----
404-175	27.640 MC GW-21	2.95	-----	407-48	0-5 MA FD-1	8.55	-----
404-176	27.660 MC GW-21	2.95	-----	407-49	1 MA TX-1	7.40	-----
404-177	27.670 MC GW-21	2.95	-----	407-50	1 MA RX-1	8.30	-----
404-178	27.680 MC GW-21	2.95	-----	407-51	0-500 Microampere TI-1	8.30	-----
404-179	27.710 MC GW-21	2.95	-----	407-52	15 MA PT-1	3.70	-----
404-180	3125 KC MWW-11	2.95	-----	407-53	0-1 MA TC-3	9.10	-----
404-181	2670 KC MWW-11	2.95	-----	407-54	0-200 Microammeter SB-10	11.85	-----
404-184	Filter 1680.7 KC HR-10	5.00	-----	407-55	0-1 MA VHF-1	9.10	-----
404-185	Filter 1682.4 KC HR-10	5.00	-----	407-56	0-1 MA PS-4	7.70	-----
				407-57	0-150 MA PS-4	8.05	-----
				407-58	50-0-50 Microamp EC-1	11.00	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
407-59	0-1 MA MR-1	7.95	-----	411-24	12AT7	1.62	-----
407-60	0-1 MA MT-1	7.70	-----	411-25	12AU7	1.30	-----
407-61	0-200 μ A PM-2	9.55	-----	411-26	12AX7	1.35	-----
407-62	200 μ A V-7A	9.00	-----	411-27	12SH7	2.12	-----
407-63	0-1 MA EK-1	4.35	-----	411-28	1619	1.05	-----
407-64	0-1 MA KL-1	14.50	-----	411-29	1626	2.65	-----
407-65	0-1 MA KL-1	14.00	-----	411-30	1629	1.90	-----
407-66	AC-DC for TT-1	25.70	-----	411-32	OD3/VR150	1.44	-----
407-67	0-1 MA DF-3	8.30	-----	411-35	5V4G	1.67	-----
407-68	0-1 MA GC-1	3.55	-----	411-36	6AC7	2.57	-----
407-69	V-U HD-19	16.00	-----	411-39	12SL7GT	1.99	-----
407-70	0-1 MA IP-10	9.00	-----	411-40	6AL5	.98	-----
407-71	3 MA IT-10	3.25	-----	411-41	OC3/VR105	1.50	-----
407-73	0-500 μ A GD-1B	8.45	-----	411-42	6AK6	1.40	-----
407-74	0-1 MA HW-20	3.70	-----	411-44	6AF4	2.12	-----
407-75	0-200 MA IM-10	12.45	-----	411-45	5881	3.50	-----
407-76	0-1 MA DX-60	9.45	-----	411-46	OB2	2.60	-----
407-77	0-1 MA AJ-30	3.40	-----	411-47	1625	.90	-----
407-78	0-1 MA HA-10	10.00	-----	411-49	5UP1	12.24	-----
407-80	0-1 MA HX-20	7.85	-----	411-50	12BE6	.93	-----
407-81	0-1 MA HX-10	10.60	-----	411-51	12BA6	.87	-----
407-82	0-1 MA MWW-11	3.30	-----	411-52	12AV6	.87	-----
407-83	10-0-10 μ A IM-30	16.50	-----	411-55	35W4	.53	-----
407-84	0-1 MA IM-20	4.95	-----	411-56	1U4	1.33	-----
407-85	0-200 μ A IM-21	12.15	-----	411-57	1L4	1.40	-----
407-86	0-1 MA HR-20	7.85	-----	411-58	6AB4	1.14	-----
407-87	0-1 MA HM-10	8.00	-----	411-59	OA2	1.46	-----
407-88	0-3 MA HX-11	5.00	-----	411-60	6AQ5	1.14	-----
407-89	0-1 MA IP-20	8.45	-----	411-61	6AV5GT	2.12	-----
407-90	0-2 MA HR-10	5.00	-----	411-63	6CL6	1.99	-----
METER CASE				411-64	6 x 4	.87	-----
408-M3	BT-1 & RS-1	.80	-----	411-65	1 v 2	1.11	-----
408-M5	MM-1	3.90	-----	411-67	6CB6	1.19	-----
408-6	ET-1	1.00	-----	411-68	6AN8	1.90	-----
408-M7	General	.75	-----	411-69	12BY7	1.70	-----
METER FACE				411-71	6BQ7A	2.09	-----
409-1	Clear Plastic	1.20	-----	411-72	6BX7GT	2.12	-----
TUBE				411-73	12BH7	1.62	-----
411-1A	5BP1 Special	4.50	-----	411-74	KT66	4.50	-----
411-2	5U4GB	1.11	-----	411-75	6146	5.00	-----
411-3	5Y3GT	.93	-----	411-76	5R4GY	2.03	-----
411-4	6C4	1.35	-----	411-77	5763	2.53	-----
411-8	6L6 or 6L6G	2.23	-----	411-78	5879	1.85	-----
411-9	6V6	1.14	-----	411-79	6J6	1.48	-----
411-11	6AU6	1.60	-----	411-80	6U8	1.75	-----
411-13	6SJ7 or 6SJ7GT	1.96	-----	411-83	1U5	1.17	-----
411-14	6SL7GT	1.86	-----	411-84	3V4	1.33	-----
411-15	6SN7GT	1.38	-----	411-85	6D4	2.85	-----
411-17	6X5 or 6X5GT	1.11	-----	411-90	6BA6	1.06	-----
				411-91	6BE6	1.17	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
411-92	12X4	1.01	-----	411-153	12AU7	1.30	-----
411-93	6080	5.35	-----	411-154	12DQ6A	2.23	-----
411-94	5651	1.78	-----	411-155	50C5	1.14	-----
411-95	6BH6	2.05	-----	411-156	6AX4	1.40	-----
411-96	6AW8	1.96	-----	411-157	35HB8	2.35	-----
411-97	6DQ6A	2.20	-----	411-158	17C9	3.45	-----
411-98	6BA8	1.96	-----	411-159	6CH8	1.91	-----
411-100	Ballast 10-4C	1.76	-----	411-160	EF-184/6EJ7	1.45	-----
411-101	1B3CT	1.54	-----	411-161	6EB8	1.96	-----
411-102	6550	4.95	-----	411-162	18FX6	1.20	-----
411-103	2D21	1.29	-----	411-163	18FW6	1.12	-----
411-104	12V6	1.14	-----	411-164	18FY6	.92	-----
411-105	6CS6	1.25	-----	411-165	34GD5	1.11	-----
411-106	EF86	1.38	-----	411-166	36AM3	.84	-----
411-108	EL84	1.30	-----				
411-109	6DE7	1.60	-----		LAMPS		
411-110	EZ81	1.05	-----	412-1	#47 Pilot	.15	-----
411-111	12CA5	1.33	-----	412-2	3 Watt 120V	.60	-----
411-112	6CA7 or EL34	2.90	-----	412-3	Neon NE51	.40	-----
411-113	6BJ7	1.67	-----	412-4	#50 Pilot	.15	-----
				412-5	#91 Pilot	.15	-----
411-114	6AU8	1.86	-----	412-6	#14 Pilot	.15	-----
411-115	5ADP2	28.30	-----	412-7	Neon	.35	-----
411-116	HV173	15.70	-----	412-10	Neon	.85	-----
411-117	HV176			412-11	NE2 Neon	.25	-----
	Matched Set						
411-119	2E26	3.35	-----				
411-120	6E5	1.59	-----	412-12	Neon	.35	-----
411-121	6BS8	1.99	-----	412-13	Neon	.35	-----
411-122	6T8	1.80	-----	412-14	Pilot #44	.15	-----
411-124	6EA8	1.67	-----	412-15F	NE-2H	.20	-----
411-125	6AK5	2.23	-----	412-16	#49 Pilot	.20	-----
				412-17	#53 Pilot	.15	-----
411-126	6BZ6	1.19	-----	412-18	#1490 Pilot	.15	-----
411-128	6BN8	1.43	-----	412-19	#1804	.30	-----
411-129	4-400A	48.00	-----	412-20	#47 Pilot Frosted	.20	-----
411-130	866A	3.10	-----	412-21	Glo U-35A Strobe	5.00	-----
411-131	6DZ7	2.62	-----				
411-132	EM-84	1.48	-----		JEWEL		
411-133	7199	1.75	-----	413-2	Red Faceted	.25	-----
411-134	6AM4	3.13	-----	413-3	Red Plastic	.10	-----
411-136	GZ34	2.10	-----	413-5	Clear Red	.20	-----
411-137	3A4	1.25	-----	413-6	Clear Red	.35	-----
				413-7	Clear Glass	.75	-----
411-138	7591	1.62	-----				
411-139	6ME5	1.85	-----		GRID SCREEN		
411-140	OC2	1.50	-----	414-2	Green O-9	.20	-----
411-141	6BJ6	1.38	-----	414-3	Green IA-1	.25	-----
411-142	3RP-1	14.25	-----	414-4	OM-2	.20	-----
411-143	6EU7	1.38	-----	414-5	Graticule Window OP-1	.90	-----
411-144	6AQ6	1.27	-----	414-M6	Green OP-1	.35	-----
411-145	6360	5.15	-----	414-7	Green IA-1A	.30	-----
411-151	811A	6.90	-----	414-8	Graticule Window IO-10	.85	-----
411-152	7695	1.56	-----	414-9	Green IO-10	.30	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
414-10F349	Screen Plate IO-20	.90	-----	417-33	R-424	4.50	-----
414-11	Green IO-30	.30	-----	417-34	600RFA	.75	-----
414-12	Green IOS-10	.75	-----	417-35	TS-603	.70	-----
RECORD CHANGER & TURN TABLES				417-36	R-425	2.50	-----
415-4	SD-1	36.30	-----	417-37	2N1726	2.65	-----
415-5	AD-10	23.80	-----	417-38	2N1727	2.55	-----
415-6	GD-10	31.30	-----	417-39	2N1108 Special	1.55	-----
415-7	GD-31	35.00	-----	417-40	T-6025	1.20	-----
415-8	HFS-28	65.90	-----	417-41	T-6026	.90	-----
415-10	AD-30	29.20	-----	417-47	T-1577	.75	-----
415-11	GDW-41W	32.70	-----	417-50	363	1.55	-----
415-12	ADP-21	124.95	-----	417-51	2N185 Cylindrical	1.35	-----
415-13	ADP-61A	77.10	-----	417-53	T-1364	1.40	-----
TAPE DECK				BATTERIES			
416-2	Deck Parts TR-1A	59.10	-----	418-1	1½ Volt Type C	.20	-----
416-3	ADP-42	139.95	-----	418-3	1½ V Penlite Size AA	.15	-----
416-4	ADP-32	215.58	-----	418-4	67½ Volt	5.00	-----
TRANSISTORS				418-5	1½ Volt Type D	.20	-----
417-1	2N109	3.10	-----	418-6	9 Volt	1.60	-----
417-2	2N252	2.95	-----	418-8	9 Volt	2.45	-----
417-3	2N253	2.20	-----	418-9	9 Volt	1.10	-----
417-4	2N254	3.10	-----	CHEMICALS			
417-5	2N238	1.20	-----	419-1	Radioactive Sample	4.40	-----
417-6	2N185	1.20	-----	MOTOR ELECTRIC			
417-7	2N308	2.95	-----	420-1	7½ V DC DS-1	7.55	-----
417-8	2N309	2.95	-----	420-3	2 Pole Shaded AC TX-1	5.00	-----
417-11	2N1108	1.30	-----	420-4	AC With Blower KL-1	11.80	-----
417-12	2N1110	1.40	-----	420-5	AC Split Phase GD-20	20.40	-----
417-13	2N1111	1.40	-----	420-6	12.5 V DC DM-234	8.40	-----
417-14	2N373	2.25	-----	FUSES			
417-15	2N374	2.65	-----	421-1	1½ Amp.	.10	-----
417-16	2N544	2.70	-----	421-2	3 Amp.	.10	-----
417-17	R-250	1.35	-----	421-3	2 Amp SB	.25	-----
417-18	2N408	1.35	-----	421-4	8 Amp.	.25	-----
417-19	R-270	3.00	-----	421-5	4 Amp. Slo-Blow	.20	-----
417-20	R-265	2.55	-----	421-6	3 Amp. Slow-Blow	.35	-----
417-21	2N1274	1.20	-----	421-7	15 Amp.	.10	-----
417-22	2N1107	1.40	-----	421-8	7½ Amp.	.10	-----
417-23	2N1109	1.40	-----	421-9	7 Amp. Slow-Blow	.25	-----
417-24	R-251	1.30	-----	421-11	15 Amp.	.25	-----
417-25	2N1396	5.00	-----	421-12	1/8 Ampere	.30	-----
417-26	2N1225	5.00	-----	421-13	½ Ampere	.15	-----
417-27	2N409	1.60	-----	421-14	25 Ampere	.10	-----
417-28	2N407	1.20	-----	421-16	1½ Amp.	.25	-----
417-29	2N1147	5.00	-----	421-17	¼ Ampere	.20	-----
417-30	CDT1337	3.90	-----	421-18	20 Ampere	.10	-----
417-31	600RF	.60	-----	421-19	¼ Ampere	.15	-----
417-32	2N383	1.45	-----	421-20	½ Amp. Slo-Blow	.30	-----
				421-21	15 Amp.	.20	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
421-22	¼ Ampere Slo-Blow	.35	-----	426-2	Binding Post	.50	-----
421-23	1 Amp Slo-Blow	.30	-----				
421-24	1½ Amp Slo-Blow	.30	-----				
421-25	1½ Amp Slo-Blow	.25	-----				
421-26	1/8 Amp Slo-Blow	.30	-----				
421-27	1/16 Amp Slo-Blow	.30	-----				
421-29	¼ Amp Slo-Blow	.39	-----				
421-30	10 Ampere	.10	-----				
421-32	5 Ampere	.10	-----				
	FUSE BLOCK				BINDING POSTS		
422-1	Fuse Block Std.	.20	-----	426-2	Binding Post	.50	-----
422-2	Dual Rectifier Holder	.40	-----				
	FUSE HOLDER				BINDING POST BASE		
423-1	1-9/16" Max. Length	.50	-----	427-1	Binding Post Base	.25	-----
423-2	1-3/64" Max. Length	.55	-----	427-2	Binding Post Base	.10	-----
423-3	Single Candelabra	.45	-----	427-3	Binding Post Base	.10	-----
423-4	Screw in Cap	.60	-----				
423-6	(In Line) for 3AG Fuse	1.05	-----		BINDING POST CAP		
	PHONO ACCESSORIES			428-1	Binding Post Cap	.10	-----
424-2	45 RPM Spindle ADA-60-1	3.80	-----				
	PICKUP HEADS				PHONO CARTRIDGE STYLUS		
425-2	Tape Erase TR-1D,E	3.00	-----	429-2	1 Mil Diamond	9.75	-----
425-3	Tape Record TR-1D,E	7.60	-----	429-3	3 Mil Sapphire	1.96	-----
425-4	Tape Head Stereo TR-1D	10.40	-----	429-4	.7 Mil Diamond	11.76	-----
425-5	Tape Playback TR-1C	5.00	-----	429-6	.8 Mil Diamond	7.48	-----
425-10	Phono Ceramic SD-1	24.25	-----	429-7	.7 Mil Diamond & 3 Mil Sapphire	6.76	-----
425-12	Tape Erase MK-4	5.00	-----	429-8	.7 Mil Diamond	9.95	-----
425-13	Tape Record-Play MK-4	11.50	-----	429-9	.7 Mil Diamond	8.08	-----
425-14	Tape Head Assembly MK-4	21.50	-----	429-10	.7 Mil Diamond & 3 Mil Sapphire	4.95	-----
425-15	Tape Erase MK-5	8.50	-----				
425-16	Tape Record-Play MK-5	10.00	-----		TERMINAL STRIPS		
425-17	Tape Head Assembly MK-5	18.50	-----	431-1	1 Lug 1 Foot	.10	-----
425-18	Tape Playback TR-1E	15.00	-----	431-2	2 Lug 1 Foot	.10	-----
425-19	Tape Head Assembly TR-1E	25.60	-----	431-3	3 Lug 1 Foot	.10	-----
425-20	Phono Stereo GE VR227	24.45	-----	431-4	3 Lug 1 Foot	.10	-----
425-21	Phono Stereo Shure M7D	23.52	-----	431-5	4 Lug 1 Foot	.10	-----
425-22	Phono Stereo EV 31 MD-7	23.52	-----	431-6	2 Screw	.10	-----
425-23	Phono Stereo Sonotone 8TA4-SD	10.29	-----	431-7	6 Screw	.20	-----
425-24	Tape Record-Play AD-40	12.00	-----	431-8	3 Screw	.10	-----
425-25	Tape Erase AD-40	8.40	-----	431-10	2 Lug 1 Gnd.	.10	-----
425-26	Tape Head Assembly AD-40	20.40	-----	431-11	4 Lug 1 Gnd.	.10	-----
425-27	Phono Stereo GE VR227	24.45	-----	431-12	3 Lug 1 Gnd.	.10	-----
425-28	Phono Stereo Shure M8-D	16.50	-----	431-13	4 Screw	.15	-----
425-29	Phono Stereo Acos 73-5D	8.95	-----	431-14	1 Lug 1 Gnd.	.10	-----
425-30	Tape Record-Play AD-40	12.00	-----	431-15	1 Lug 1 Foot	.10	-----
425-31	Tape Erase AD-40	8.40	-----	431-16	1 Lug 1 Gnd.	.10	-----
425-32	Phono Stereo GE VR-1000	24.45	-----	431-17	5 Screw	.15	-----
				431-18	2 Lug 1 Foot	.25	-----
				431-19	5 Lug	.15	-----
				431-20	6 Lug	.20	-----
				431-21	4 Screw	.55	-----
				431-22	Meter Mtg.	.55	-----
				431-23	Board (Special)	.25	-----
				431-24	Board Battery	.15	-----
				431-25	1 Lug 1 Foot	.10	-----
				431-26	1 Lug 1 Foot	.10	-----
				431-27	3 Lug 1 Foot	.10	-----
				431-28	3 Lug 1 Foot	.10	-----
				431-29	3 Screw	.70	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
431-30	2 Screw	.50	-----	432-32	Two Contact Female	.45	-----
431-32	2 Lug 1 Gnd.	.10	-----	432-33	Battery	.25	-----
431-33	3 Lug 1 Gnd.	.10	-----	432-34	Male 15 Contact	1.10	-----
431-35	7 Lug 2 Feet	.10	-----	432-35	Female 15 Contact	1.75	-----
431-36	Board 8 Lug	.55	-----	432-36	Male Lock Plug	.75	-----
431-38	2 Lug 1 Foot	.10	-----	432-37	Two Contact Female	1.15	-----
431-39	4 Lug 1 Foot	.10	-----	432-38	Male Two Contact	1.10	-----
431-40	3 Lug 1 Gnd.	.10	-----	432-39	Female Two Contact	.95	-----
431-41	2 Lug 1 Gnd.	.10	-----	432-40	Male 3 Contact	2.05	-----
431-42	4 Lug 1 Gnd.	.10	-----	432-41	Female 3-Contact	3.50	-----
431-43	3 Lug 1 Gnd.	.10	-----	432-42	Battery Male	.10	-----
431-44	3 Lug 1 Gnd.	.10	-----	432-43	Battery Female	.10	-----
431-45	5 Lug 1 Gnd.	.10	-----	432-44	Battery Set	.20	-----
431-46	2 Lug 1 Gnd.	.10	-----	432-45	Male 12 Contact	.95	-----
431-49	9 Lug 2 Feet	.15	-----	432-46	Female 12 Contact	1.80	-----
431-50	1 Lug 1 Foot	.10	-----				
431-51	2 Lug 1 Foot	.10	-----		SOCKETS		
431-53	Solderless 5 Term.	.10	-----	434-1	Blank Ring Mount	.15	-----
431-54	2 Screw	.10	-----	434-2	Octal Black Saddle	.10	-----
431-55	5 Lug 1 Foot	.10	-----	434-4	Octal Black Ring	.25	-----
431-57	1 Lug 1 Foot	.10	-----	434-6	Loctal Black Ring	.40	-----
431-62	2 Lug 1 Foot	.10	-----	434-9	4-Prong Black Ring	.25	-----
	CONNECTORS			434-10	Hytron 5 Prong	.25	-----
432-1	Female Output	.40	-----	434-11	5 Prong Black Ring	.25	-----
432-3	Male Output	.25	-----	434-12	6 Prong Black Ring	.25	-----
432-4	Line Cord	.10	-----	434-13	7 Prong Black Ring	1.00	-----
432-5	Female	.65	-----	434-14	7 Prong Min. Molded	.30	-----
432-7	Battery	.25	-----	434-15	7 Prong Min. Wafer	.10	-----
432-8	4 Pin Female	.60	-----	434-16	9 Pin Wafer	.10	-----
432-9	8 Pin Female	.95	-----	434-17	9 Prong Min. Ring	.55	-----
432-10	16 Pin Female	2.10	-----	434-19	2 Prong Speaker	.10	-----
432-12	4 Pin Male	1.30	-----	434-20	110V 2 Prong	.15	-----
432-13	Male 2 Pin	1.30	-----	434-21	Pilot Lamp	.10	-----
432-14	Battery Male	.10	-----	434-22	Pilot Light	.45	-----
432-15	Battery Female	.10	-----	434-23	Candelabra Lamp	.20	-----
432-16	Microphone	.50	-----	434-26	14 Contact Crt	.75	-----
432-17	Female	.10	-----	434-27	4 Prong	.10	-----
432-18	Male	.10	-----	434-31	Octal	.10	-----
432-19	9 Pin	.45	-----	434-34	7 Prong Min.	.15	-----
432-20	Male 6 Contact	1.75	-----	434-35	7 Prong Min. Ceramic	.35	-----
432-21	Female 6 Contact	2.05	-----	434-36	9 Prong Min. Ceramic	.40	-----
432-22	Male 6 Contact	1.35	-----	434-37	7 Pin Wafer	.10	-----
432-23	Female 4 Prong	1.15	-----	434-38	Crystal	.20	-----
432-24	Male 4 Prong	1.35	-----	434-39	Octal Mica Saddle	.15	-----
432-25	Female 6 Contact	1.65	-----	434-40	Coil 3 Prong	.45	-----
432-26	Male 6 Contact	1.15	-----	434-41	12 Contact	.25	-----
432-27	Cable Adaptor	.40	-----	434-42	Phono Connector	.10	-----
432-29	Two Contact Male	1.20	-----	434-43	9 Pin	.20	-----
432-30	Two Contact Female	1.20	-----	434-44	Pilot Lite	.15	-----
432-31	Two Contact Male	.40	-----	434-45	7 Pin Saddle Mount	.10	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
434-46	9 Pin Saddle Mount	.10	-----	434-108	3 Terminal Transistor	.15	-----
434-47	Pilot Lite Screw Type	.10	-----	434-109	110V Three Prong	.55	-----
434-48	11 Prong Wafer	.25	-----	434-110	4 Terminal Transistor	.45	-----
434-51	8 Pin Sub Min.	1.10	-----	434-111	7 Pin Vibrator	.25	-----
434-53	Octal Saddle	.15	-----	434-112	7 Pin Molded	.10	-----
434-54	Octal Wafer	1.75	-----	434-114	110V Ceramic	.40	-----
434-56	9 Pin Min.	.15	-----	434-M115	Pilot Light	.15	-----
434-57	Candelabra Lamp	.20	-----	434-116	5 Terminal Transistor	.30	-----
434-58	Octal Saddle	.25	-----	434-117	3 Terminal Transistor	.20	-----
434-61	5 Pin Sub Min.	.25	-----	434-118	11 Pin Molded	.40	-----
434-62	Thyrde Tube	.30	-----	434-119	5 Pin Nuviater	.25	-----
434-64	Pilot Lamp Red	.60	-----	434-120	9 Pin Novar	.20	-----
434-66	Pilot Lamp Green	1.80	-----	434-121	12 Pin Compactron	.20	-----
434-67	Pilot Lamp Red	1.80	-----	434-122	10 Pin Min.	.20	-----
434-68	9 Pin Molded	.15	-----	434-123	Pilot Light Midget	2.95	-----
434-69	Pilot Light	.45	-----	434-124	7 Pin Nuviator	1.00	-----
434-70	Transistor	.20	-----				
434-71	Pilot Lamp Red	.55	-----		SOCKET RING		
434-72	Transistor	.40	-----	435-4	Sub Miniature Round	.10	-----
434-74	Crystal Ceramic	.15	-----	435-6	Sub Miniature Rect.	.10	-----
				435-7	Sub Miniature Rect.	.10	-----
434-75	9 Pin Min.	.25	-----	435-8	Sub Miniature 7 Pin	.10	-----
434-76	Phono	.15	-----				
434-77	9 Pin Wafer	.10	-----		JACKS		
434-78	9 Pin Molded	.15	-----	436-1	Phone Two Terminal	.40	-----
434-79	9 Pin Molded	.15	-----	436-2	Black Banana	.10	-----
434-80	7 Pin	.15	-----	436-3	Red Banana	.10	-----
434-81	7 Pin Sub Min.	.25	-----	436-4	Phone Two Terminal	.40	-----
434-M81	7 Pin Sub Min.	.30	-----	436-5	Coaxial	.75	-----
434-82	Double Phono	.10	-----	436-6	Phone Three Terminal	.75	-----
434-83	Pilot Lamp Min.	.10	-----	436-7	Banana Red	.20	-----
				436-8	Banana Yellow	.20	-----
434-84	7 Pin Mica	.35	-----	436-9	Banana Green	.20	-----
434-85	Pilot Lamp Side Mount	.20	-----				
434-87	#47 Lamp	.35	-----	436-10	Banana Black	.20	-----
434-88	Pilot Light	.15	-----	436-11	Banana Red	.25	-----
434-90	Pilot Lamp Min.	.15	-----	436-12	Antenna Phono	.40	-----
434-91	7 Prong Min.	.20	-----	436-13	Phono Spl.	.90	-----
434-93	5 Pin Ceramic	3.85	-----	436-14	Phono Spl.	1.10	-----
434-94	Pilot Lamp Amber	.65	-----	436-15	High Voltage Coaxial	5.00	-----
434-95	Pilot Lamp Green	.65	-----	436-16	Phone 3 Term	.30	-----
434-96	4 Pin Ceramic	1.20	-----	436-17	Phone Two Terminal	.45	-----
				436-19	Two Terminal	.50	-----
434-97	3 Terminal 230 Volt	4.15	-----	436-20	Two Terminal	.55	-----
434-98	Pilot Light Min.	.25	-----	436-21	Two Terminal	.95	-----
434-99	Pilot Light Cand.	.20	-----				
434-101	4 Terminal Transistor	.25	-----		JACK INSERT		
434-102	4 Terminal Transistor	.20	-----	437-1	Banana	.10	-----
434-103	3 Terminal Transistor	.20	-----				
434-104	4 Terminal Transistor	.60	-----		PLUGS		
434-105	Octal Molded	.15	-----	438-3	Phone Two Terminal	.45	-----
434-106	110V Two Prong	.40	-----	438-4	Single Prong Phono	.10	-----
434-107	Single Phono	.25	-----	438-5	2 Prong Speaker	.10	-----
				438-6	Octal	.30	-----
				438-9	Coaxial	.75	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
438-10	Crystal	.30	-----	446-M17	CB-1	.15	-----
438-11	AC Fused	.70	-----	446-18	TCR-1	.70	-----
438-12	Coaxial Insert	.25	-----	446-19	DF-3	1.05	-----
438-13	Banana	.20	-----	446-20F337	AJ-10	.60	-----
438-14	Banana	.55	-----	446-20F490	GDW-91W	.60	-----
438-16	Banana	.35	-----	446-20F539	AJ-31	.60	-----
438-17	110V AC	.15	-----	446-20F542-543	DA-287	.60	-----
438-18	Coaxial Insert	.25	-----	446-20F618	AJ-20	.60	-----
438-21	High Voltage Coaxial	5.00	-----	446-21	DF-3	1.35	-----
438-22	Octal	.30	-----	446-23F416	AJ-30	1.55	-----
438-23	3 Terminal Phone	1.80	-----	446-24F421	AA-100	1.60	-----
438-25	Single Prong Phono	.50	-----	446-25	DM-274	1.95	-----
438-26	Miniature Phono	.50	-----	446-27	MR-11	.15	-----
438-28	Phone 2000V AC	.70	-----	446-28F521-522	GR-21	1.45	-----
438-29	11 Pin	.50	-----	466-29	HG-10	1.05	-----
				446-30F591-609	AA-11	1.65	-----
				446-33F645-646	GRA-21-1	1.70	-----
				446-34	GR-21	.95	-----
	TEST PRODS						
439-1	Red	.45	-----				
439-2	Black	.45	-----				
439-3	(Short) Black	.25	-----				
439-4	(Short) Red	.25	-----				
	CAP						
440-1	Octal Plug	.20	-----	451-1	Drive Large TC-1	.50	-----
440-2	CR Tube Socket	.45	-----	451-2	Small Roller TC-1	.20	-----
440-3	Connector Plug	.10	-----	451-5	Right Angle Driver DF-1	.55	-----
440-4	9 Pin Connector	.10	-----	451-6	Right Angle Pinion DF-1	.15	-----
				451-7	Gear Housing DF-1	.15	-----
				451-M8	Driver DF-2	.20	-----
				451-M9	Pinion DF-2	.25	-----
				451-12	Intermediary TX-1	.45	-----
				451-13	Dial Drive Pinion TX-1	.75	-----
	ROLLER						
444-1	Chart Wood	.20	-----	451-14	Dial Drive TX-1	1.50	-----
444-3	Reel Tape	.45	-----	451-15	Tuning Drive TX-1	.69	-----
444-4	Wood Dowel	.20	-----	451-16	Tuning Drive TX-1	1.20	-----
444-5	Chart Plastic	.20	-----	451-17	Nylon Roll Chart TC-3	.25	-----
444-7	Wood Dowel	.15	-----	451-18	Right Angle Drive MT-1	.50	-----
	CHART			451-28	Gear Worm HX-10	1.20	-----
445-3	Calibration Scale GD-1A	.10	-----	451-29	Gear Worm HX-10	1.30	-----
445-5	Chart Roll TC-3	1.15	-----	451-30	Gear Worm HX-10	1.90	-----
445-6	Chart Roll TT-1	1.15	-----	451-31	Gear Worm HX-10	.80	-----
	WINDOW			451-32	Sprocket GD-20	1.05	-----
446-M1	TC-1	.35	-----				
446-M2	GD-1B	.10	-----				
446-3	TC-2	.75	-----	452-1	Drive	.25	-----
446-11	TX-1	.10	-----	452-2	Gear Pin	.10	-----
446-12	DF-2	.10	-----	452-3	Roll 1.16" x 7.16"	.20	-----
446-13F249	PT-1	.95	-----	452-4	Roll 1/16" x 3/4"	.10	-----
446-13F462	AJ-11	.95	-----	452-5	Roll 3/16" x 1"	.10	-----
446-13F556-557-558	DA-286	.95	-----				
446-14	TC-3	.10	-----				
446-15	MR-1-MT-1	.10	-----				
446-16F266	FM-4	.45	-----				
446-16F377	AJ-20	.45	-----				
					SHAFTS		
				453-2	Extension 1/4 Dia. x 1 1/4	.10	-----
				453-5	Extension 5/8 Dia. x 1-3/8	.70	-----
				453-6	Drive .250 1/4"	.25	-----
				453-7	Extension 1/2 x 15/16	.90	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
453-8	Extension 1 1/2 Dia. x 2-1/8	.55	-----	453-69	Extension	.15	-----
453-9	Drive Assembly	.10	-----	453-70	Pulley 1-5/16 x 1/4	.15	-----
453-10	Extension .245 x 1-9/16	.20	-----	453-71	Loading Ant.	.20	-----
453-11	Extension .245 x 1 1/4	.20	-----	453-72	1/4 x 6-7/8	.25	-----
453-12	Extension 1/4" Dia. x 2 1/2"	.10	-----	453-73	1/4 x 7-5/8	.15	-----
453-13	Driver .247 x 2"	.15	-----	453-75	1/4 x 3 1/4	.10	-----
453-17	Extension 1/4 x 9	.15	-----	453-76	1/4 x 4-3/8	.55	-----
453-18	Extension 1/4 x 6-11/16"	.15	-----	453-77	1/4 x 7	.75	-----
453-19	Drive 1/4 Dia.	.20	-----	453-78	Gear Pivot	.10	-----
453-20	Extension 3/16" x 1-7/8"	.35	-----	453-79	1/4 x 1-7/8	.65	-----
453-21	Extension 4 1/2" x 1/4" Dia.	.10	-----	453-80	1/4 x 3-7/16	.75	-----
453-22	Extension 3/16" x 2 1/4"	.30	-----	453-81	Extension 1/4 x 9-3/8	.85	-----
453-24	.250 x 1 1/2	.30	-----	453-82	1/4 x 5 1/4	.90	-----
453-25	.250 x 1 1/4	.10	-----	453-83	1/4" Dia.	.45	-----
453-26	.250 x 3-7/16	.20	-----	453-84	3-56 Threaded x 4-9/16"	.10	-----
453-27	.250 x 4"	.20	-----	453-87	Extension 1/4 Dia. x 2 1/4	.45	-----
453-28	.250 x 4-15/16	.35	-----	453-88	Dial Drive	.25	-----
453-29	.250 x 4 1/4	.15	-----	453-89	Drive 1/4 x 3"	.10	-----
453-30	.250 x 4 1/4	.35	-----	453-90	1/4 x 1-7/8	.10	-----
453-31	.249 x 3-1/8	.15	-----	453-91	Extension 3 1/4 x 1/4	.15	-----
453-32	.249 x 1 1/4	.15	-----	453-93	Drive 1/4 Dia. x 2-3/8	.15	-----
453-33	.249 x 2-9/16	.10	-----	453-94	Extension .245 x 3-1/16	.45	-----
453-34	.249 x 1 1/4	.25	-----	453-95	Link .245 x 4-9/16	.85	-----
453-35	.249 x 4-3/8	.10	-----	453-96	Extension .1875 x 8	.10	-----
453-36	.249 x 3-7/8	.10	-----	453-97	1/4 x 1-3/8	.15	-----
453-37	.248 x 3-7/32	.20	-----	453-98	.203 ID-.265 OD x 5 1/4	.30	-----
453-39	.249 x 5 1/4	.20	-----	453-99	1/4 x 3-5/8	.15	-----
453-40	.249 x 2-1/8	.10	-----	453-100	Drive 1/4 Dia. x 1-1/32	.35	-----
453-43	Extension 1/4" x 1-15/16"	.35	-----	453-101	Armature 1/8 Dia. x 2-9/16	.10	-----
453-45	6" Long with 1/4" Hubs	1.50	-----	453-102	Extension .249 Dia. x 7-7/8	.15	-----
453-46	Drive 1/4" Dia. x 2-11/16"	.15	-----	453-103	Drive 1/4 x 2-13/16	.15	-----
453-47	Drive 1/4" Dia. x 12-5/8	.30	-----	453-104	Extension .249 Dia. x 1-11/16	.10	-----
453-48	Idler 1/4" Dia. x 8 1/4	.20	-----	453-107	Extension .247 x 15-1/8	.30	-----
453-49	Take Up 1/4" Dia. x 8 3/4	.25	-----	453-108	Shaft .1945 ID-.265 OD x 8"	.80	-----
453-52	Idler 1/4" Dia. x 1-7/16"	.20	-----	453-109	Extension .1875 x 9 1/4	.30	-----
453-53	7/32" Dia. x 5/8"	.10	-----	453-111	Drive 1/4 x 2 1/4	.10	-----
453-54	Extension 1/4" x 11"	.20	-----	453-112	Extension 1/4 x 7-3/8	.90	-----
453-56	1/4" Dia. x 1-3/8"	.15	-----	453-113	Drive 1/4 x 1 1/4	.25	-----
453-57	1/4" Dia. x 3-3/8"	.20	-----	453-114	Drive 1/4 x 1 1/4	.10	-----
453-58	1/4" Dia. x 5"	.40	-----				
453-59	1/4" Dia. x 3-1/8"	.20	-----		FLYWHEELS & CAM		
453-60	Extension 1/4" Dia. x 3 1/4"	.40	-----	454-1	Cam. Dial Drive Stop TX-1	.20	-----
453-61	Extension 1/4" Dia. x 4 1/4"	.10	-----	454-2	Flywheel 2 1/4" OD x 5/8" PT-1	.70	-----
453-62	Drive 1/4" Dia. x 3-1/8"	.15	-----	454-3	Brake Drum SW-1	.95	-----
453-63	1/4" Dia. x 6"	1.25	-----	454-5	Reel Face Plate SW-1	.35	-----
453-64	1/4" Dia. x 1-7/8"	.30	-----	454-6	Idler Wheel SW-1	.55	-----
453-65	Extension 1/4" Dia. x 3-1/8"	.10	-----	454-7	Reel Lock SW-1	.45	-----
453-66	Extension 1/4" Dia. x 5"	.10	-----	454-8	Face Plate Pads SW-1	.15	-----
453-67	Extension	.45	-----	454-9	Cam Idler SW-1	.10	-----
453-68	Extension	.20	-----	454-10	Reel Adaptor SW-1	.15	-----
				454-12	Flywheel 1 1/4" OD x 5/8" GC-1	.45	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
BUSHINGS				KNOBS			
455-2	Pointer	.15	-----	462-2	Pointer	.50	-----
455-4	Dial Pulley	.10	-----	462-7	Lever Switch	.10	-----
455-6	Shaft	.10	-----	462-M11	Pointer	.15	-----
455-7	Shaft	.15	-----	462-12	Dial	.35	-----
455-8	Threaded	.10	-----	462-13	Dial	.15	-----
455-9	3/8 x 1/4 ID Threaded	.10	-----	462-14	Black - Chrome	.30	-----
455-10	3/8 x 17/64 Threaded	.10	-----	462-17	Pointer	.15	-----
455-11	1/2 OD x 3/16 ID x 5/16"	.10	-----	462-18	General	.15	-----
455-13	Shaft	.10	-----	462-19	General	.20	-----
455-14	Pointer	.15	-----	462-20	Special	.60	-----
455-15	1/2" OD x 1/4" ID x 1/4"	.10	-----	462-21	"CRL" Special	.40	-----
455-16	1-5/32" Dia. x 1/4"	.15	-----	462-22	Ring CRL	.45	-----
455-17	9/16 x 17/64 ID Threaded	.20	-----	462-23	Black	.40	-----
455-18	9/16 x 1/4" ID Threaded	.15	-----	462-24	Black - White	.20	-----
455-19	Dial Drive Bearing	.10	-----	462-27	Gray - Bronze	.20	-----
455-20	Dial Drum Left	.20	-----	462-28	Gray - Bronze	.25	-----
455-21	Dial	.15	-----	462-29	General	.20	-----
455-23	Threaded 25/32 x 1/4" Dia.	.15	-----	462-30	Gray Spl.	.20	-----
455-24	1/4" ID 3/8-22 x 1"	.15	-----	462-32	Dual Control	.25	-----
455-26	7/16" x 1/4" ID Threaded	.15	-----	462-35	Gray Round	.55	-----
455-27	Brass 5/16" ID	.15	-----	462-36	Dual Control	.25	-----
455-28	Threaded	.10	-----	462-37	Indicator	.60	-----
455-31	1/4 x 3/8 Threaded	.15	-----	462-38	Gray - White	.20	-----
455-32	For .268 Shaft	.15	-----	462-40	Red Special	.25	-----
455-33	Counter Shaft	.25	-----	462-43	Large Gray	.30	-----
455-34	Counter Shaft	.25	-----	462-44	Large Gray	.25	-----
455-35	Sprocket	.15	-----	462-47	Indicator Top	.35	-----
455-36	Pointer	.30	-----	462-48	Indicator Front	.35	-----
455-37	Dial Pulley	.55	-----	462-50	Lever	.30	-----
455-38	5/16 x .267-.269 ID	.10	-----	462-51	Speed	.25	-----
455-39	Bandspread Dial	.15	-----	462-52	Black	.20	-----
COUPLING				462-53	Black Dual	.20	-----
456-1	Shaft Flexible	.60	-----	462-M55	Gray Round	.25	-----
456-4	Insulating Shaft	.70	-----	462-56	Pointer	.20	-----
456-7	Coupling Metal	.25	-----	462-57	Gray Plastic	.20	-----
456-8	Flexible	1.30	-----	462-58	Control Aluminum	1.35	-----
456-9	Female	.45	-----	462-59	Control Aluminum	.65	-----
456-10	Flexible	.40	-----	462-60	Control Aluminum	.70	-----
456-12	Shaft Threaded	.45	-----	462-61	Control Aluminum	.65	-----
456-13	Shaft Threaded	.25	-----	462-64	Interlock Button	.15	-----
SLEEVE ADAPTOR				462-65	Interlock	.20	-----
457-5	Support 1 1/4 OD	.60	-----	462-66	Plastic	.25	-----
457-6	Molded Support	.40	-----	462-67	Plastic	.25	-----
PROBE PARTS				462-68	Black Serrated	.25	-----
459-1	Probe End	.15	-----	462-69	Black Serrated	.30	-----
459-M2	Probe Tip	.20	-----	462-70	Large Concentric	.35	-----
459-M3	Probe Body	.15	-----	462-71	Small Concentric	.35	-----
459-4	Probe End	.15	-----	462-72	Thumb Wheel	.20	-----
459-M5	Probe End	.15	-----	462-73	Push Button	.10	-----
459-6	Probe Switch Lever	.20	-----	462-74	Push Button	.10	-----
459-7	Probe Insulator	.20	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
462-75	Small Pointer	.25	-----	462-131	Black Plastic	.20	-----
462-78	Plastic Black	.25	-----	462-M132	Push Button	.10	-----
462-79	Plastic Black	.35	-----	462-133	Grey-Silver Insert	.20	-----
462-80	Lever Green	.10	-----	462-134	Grey Plastic	.35	-----
462-81	Indicator Base	.40	-----	462-135	Turquoise Plastic	.20	-----
462-82	Black Special	.20	-----	462-136	With Pointer	.40	-----
462-84	Plastic Black	.25	-----	462-137	With Pointer	.25	-----
462-85	Plastic Mocha	.25	-----	462-138	Black-Aluminum Insert	.30	-----
462-86	Lever Mocha	.35	-----	462-139	Black-Aluminum Insert	.30	-----
462-87	Mocha Small	.10	-----	462-140	Black-Aluminum Insert	.30	-----
462-88	Beige Large	.20	-----	462-141	Control	.25	-----
462-89	Mocha Beige	.30	-----	462-143	Push Button	.10	-----
462-90	Black - Gold	.35	-----	462-144	Thumb Wheel	.25	-----
462-91	Clear Plastic	.40	-----	462-145	Brown-Gold Insert	1.50	-----
462-92	With Pointer	.70	-----	462-146	Dial Indicator	.45	-----
462-93	With Pointer	.20	-----	462-147	Black-Aluminum Insert	.30	-----
462-94	With Pointer	.30	-----	462-148	Black-Aluminum Inlay	.35	-----
462-95	With Pointer	.30	-----	462-149	Black-Aluminum Inlay	.30	-----
462-96	Silver Insert	.20	-----	462-150	Black-Aluminum Inlay	.30	-----
462-97	Top Hat	.10	-----	462-151	Black-Aluminum Inlay	.30	-----
462-98	With Pointer	.20	-----	462-152	Black-Aluminum Inlay	.30	-----
462-99	Split Shaft (Ivory)	.10	-----	462-153	Black-Aluminum Inlay	.30	-----
462-100	Indicator Base	1.00	-----	462-154	Black Plastic	.15	-----
462-101	With Pointer	.40	-----	462-156	Push Button	.25	-----
462-102	With Pointer	.20	-----	462-157	Chrome Plated	1.35	-----
462-105	Telegraph Key	.10	-----	462-158	Chrome Plated	.95	-----
462-106	Black Plastic	.15	-----	462-159	Black-Aluminum Insert	.30	-----
462-108	Black Plastic	.15	-----	462-160	Brown Plastic	.35	-----
462-109	Black Plastic	.20	-----	462-161	Brown-Gold Inlay	.40	-----
462-110	Red Plastic	.15	-----	462-162	Brown-Gold Skirt	.90	-----
462-111	Plastic Green	.15	-----	462-163	Clock Control	.20	-----
462-112	White Plastic	.15	-----	462-164	Dial Tuning	.30	-----
462-113	Red Plastic	.15	-----	462-165	Volume Control	.30	-----
462-114	Plastic Turquoise	.30	-----	462-166	Dial Tuning	.35	-----
462-115	Plastic Turquoise	.35	-----	462-167	Volume Control	.35	-----
462-116	Turquoise Aluminum	.75	-----	462-168	Apache Green	.20	-----
462-117	Black Plastic	.30	-----	462-169	Transmit Bar	.35	-----
462-118	Clear Plastic	.15	-----	462-170	Beige-Gold Insert	.45	-----
462-119	Black Plastic	.30	-----	462-171	Black Plastic	.20	-----
462-120	Plastic Black	.40	-----	462-172	Chrome Plated	.80	-----
462-121	Green Plastic	.45	-----	462-173	Grey-Black Pointer	.35	-----
462-122	Grey Plastic	.20	-----	462-174	Grey-Aluminum Inlay	.30	-----
462-123	Clear Plastic	.30	-----		POINTER		
462-124	Plastic Black	.40	-----	463-1	Dial - Red	.20	-----
462-125	Dark Brown	.50	-----	463-M3	Dial Clear	.10	-----
462-126	Dark Brown	.20	-----	463-M4	Dial Clear	.10	-----
462-127	Dark Brown	.35	-----	463-5	Dial Plastic	.75	-----
462-128	Zinc Chrome Plated	1.80	-----	463-M7	Dial Clear	.10	-----
462-129	Chrome Plated	.65	-----	463-M8	Dial White	.10	-----
462-130	Chrome Plated	.60	-----	463-M9	Dial Clear	.10	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
463-11	Dial White	.25	-----	466-4	4" Diameter	.15	-----
463-M12	Special	.10	-----	466-5	Diameter 3.343	.15	-----
463-13	Special	.75	-----	466-6	3/8" Dia.	.10	-----
463-M14	Clear	.10	-----	466-7	3/8" Dia.	.10	-----
463-15	Dial Black	.20	-----	466-8	1-1/8" Diameter	.10	-----
463-16	Indicator	.75	-----	466-9	3-3/6" OD	.15	-----
463-17	Dial	.15	-----	466-10	Drive Band 3/4" Dia.	.40	-----
463-18	Dial White	.20	-----	466-11	1 1/2" Dia.	.10	-----
463-19	Dial Ivory	.10	-----	466-12	2 1/2" Dia.	.10	-----
463-20	Dial White	.20	-----	466-13	9/16" Dia.	.25	-----
463-M21F431	Dial Clear	.10	-----	466-14	9/16" Dia.	.25	-----
463-22	Dial White	.20	-----	466-15	V Belt	5.00	-----
463-23	Dial Red	.20	-----	466-17	Dial	.10	-----
463-25	Dial White	.30	-----	466-18	V Belt Dual	1.45	-----
463-26	Diamond Head	.55	-----		CONTACTOR		
463-27	Position Indicator	.20	-----	469-1	Winding Contactor	1.45	-----
463-28	Dial Clear	.20	-----	469-2	Ground Brush	.10	-----
463-29	Dial Vermilion	.20	-----	469-4	Slip Ring	.10	-----
463-30	Dial White	.25	-----	469-5	Carbon Brush	.90	-----
463-31	Dial Vermilion	.30	-----	469-6	Winding Contactor	1.55	-----
463-32	Dial	.20	-----	469-8	Carbon Brush	1.00	-----
	DIALS				AIR FILTERS		
464-1	AM-1	.55	-----	470-1	Cleanable 6 x 6 x 1/2	3.90	-----
464-M3	Plastic VF-1	.50	-----		MAGNETS		
464-5	ES-450	10.35	-----	474-1	Ferrite	.45	-----
464-7	Plastic Drum RX-1	2.05	-----	474-2	Ferrite Cylindrical	.10	-----
464-8	Plastic DF-2	.45	-----	474-3	Wafer Ferrite	.15	-----
464-9F250	Plastic VHF-1	1.50	-----	474-4	Ring Small Ferrite	.15	-----
464-9F450	Plastic HX-10	1.50	-----	474-5	Ring Large Ferrite	.25	-----
464-10	Plastic Drum TX-1	2.05	-----		RF CORE		
464-11	Plastic Drum MT-1	1.55	-----	475-2	1-7/8" x 5/32" Dia.	.15	-----
464-12	Plastic Drum MR-1	1.55	-----	475-3	RF with Screw	.15	-----
464-13	Plastic Circular DS-1	1.15	-----	475-4	RF with Screw	.40	-----
464-14F311	Plastic GC-1	1.25	-----	475-5	"I" 1/2" x 1/2" x 1"	.55	-----
464-15F391	Plastic Plate HW-20	.85	-----	475-6	"U" 1" x 5/8"	1.45	-----
464-15F417	Plastic Plate HW-10	.85	-----		PROBE BODY		
464-18	Plate Circular HX-10	1.10	-----	476-2	Probe Body H. V.	1.55	-----
464-19	Plastic Drum HG-10	1.40	-----	476-7	Probe Body P-to-P	.45	-----
464-20F614-655	Plastic Plate GR-91	1.00	-----	476-8	Probe Body RF	.30	-----
464-21F613	Plastic Circular GR-91	.10	-----	476-9	Probe Barrel RC-1	3.25	-----
464-22	Aluminum Drum HM-10	.20	-----	476-11	Probe Body T-4	.35	-----
464-23F650	Plastic Plate HR-10	1.40	-----	476-12	Probe Body PK-1	.45	-----
464-25	Plastic Circular DM-234	1.15	-----	476-13	Probe Body Front IM-11	.30	-----
	COUNTERS			476-14	Probe Body Center IM-11	.20	-----
465-1	Tape Deck	9.50	-----	476-15	Probe Body Rear IM-11	.20	-----
	PULLEYS				PROBE TIP		
466-1	Dial	.10	-----	477-3	Probe Tip Solderless	.15	-----
466-2	Idler	.10	-----	477-6	Probe Tip IM-11	.55	-----
466-3	Standard Drive	.10	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
MICROPHONE & ACCESSORIES			
480-6	Microphone with Cable	4.85
480-8	Microphone with Cable	5.00
480-10	Microphone with Cable	9.00
480-14	Microphone with Cord	7.35
480-15	Desk Stand	.15
480-16	Base Dowel	.25
480-M17	Microphone Hood	.25
480-M18	Microphone Face	.10
480-19	Microphone & Cord	13.70
480-20	Mouthpiece	.15
480-21	Microphone & Cord	8.30
480-22	Microphone & Cord	10.25
480-23	Hand Set	25.10
MOUNTING WAFER			
481-1	4 Prong Metal	.10
481-2	3 Prong Metal	.10
481-3	4 Prong Insulated	.10
481-4	3 Prong Insulated	.10
MOUNTING STRIP			
482-M2	(Chassis) Aluminum	.10
PLUG BUTTON			
485-1	1-1/8" Hole	.10
485-2	3/8" Hole	.20
485-2F	3/8" Hole	.20
485-3	2" Hole	.20
485-M4	2" Hole	.15
485-5	1 1/4" Hole	.10
485-M6	1/2" Hole	.10
485-M7	1/4" Hole	.10
485-8	Plastic	.15
485-9	13/16" Hole	.10
485-M9	5/16" Hole	.10
485-10	9/16" Hole	.10